

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
TOFB0	74H55N	AU2L14	3		-12	AU2	1114	3	INC
TOFB0	7404N	AU2K17	9		-10	AU2	1017	9	IN4
					68 NET LOADS				
TOFB0-	7404N	AU2K17	8	*	100	AU2	1017	8	OUT4
TOFB0-	74H55N	AU2L14	11		-12	AU2	1114	11	INF
					88 NET LOADS				
TRAP10	74151N	AU2K04	1		10	AU2	1004	1	DIN3
TRAP10	7408N	AU2K02	11	*	100	AU2	1002	11	OUT4
					110 NET LOADS				
TRAP11	74151N	AU2J05	1		10	AU2	905	1	DIN3
TRAP11	7408N	AU2K02	8	*	100	AU2	1002	8	OUT3
					110 NET LOADS				
TRAP12	74151N	AU2L05	1		10	AU2	1105	1	DIN3
TRAP12	7408N	AU2J13	6	*	100	AU2	913	6	OUT2
					110 NET LOADS				
TRAP13	74151N	AU2M03	1		10	AU2	1203	1	DIN3
TRAP13	74H00N	AU2N02	11	*	120	AU2	1302	11	OUT4
					130 NET LOADS				
TRAP13A-	74H00N	AU2N02	3	*	120	AU2	1302	3	OUT1
TRAP13A-	74H00N	AU2N02	12		-12	AU2	1302	12	INA4
					108 NET LOADS				
TRAP14	74151N	AU2N04	1		10	AU2	1304	1	DIN3
TRAP14	74H00N	AU2P16	3	*	120	AU2	1416	3	OUT1
					130 NET LOADS				
TRAP14A-	74H00N	AU2P16	1		-12	AU2	1416	1	INA1
TRAP14A-	74H00N	AU2N02	6	*	120	AU2	1302	6	OUT2
					108 NET LOADS				
TRAP8	74151N	AU2J04	1		10	AU2	904	1	DIN3
TRAP8	7408N	AU2K02	3	*	100	AU2	1002	3	OUT1
					110 NET LOADS				
TRAP9	74151N	AU2J03	1		10	AU2	903	1	DIN3
TRAP9	7408N	AU2K02	6	*	100	AU2	1002	6	OUT2
					110 NET LOADS				
TRPCLK-	7474N	AU1J19	3		-20	AU1	919	3	1CLK
TRPCLK-	7474N	AU1F11	11		-20	AU1	611	11	2CLK
TRPCLK-	74H00N	AU1F09	11	*	120	AU1	609	11	OUT4
					80 NET LOADS				

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 202

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
TRP13-	74H21N	AU1G12	4		-12	AU1	712	4	INC1
TRP13-	7404N	AU1F20	8	*	100	AU1	620	8	OUT4
TRP13-	7408N	AU1G20	13		-10	AU1	720	13	INB4
						78 NET LOADS			
TRP13A-	74H10N	AU2H20	3		-12	AU2	820	3	INA2
TRP13A-	74H04N	AU2M21	4	*	120	AU2	1221	4	OUT2
TRP13A-	74C8N	AU2K16	4		-10	AU2	1016	4	INA2
TRP13A-	74H10N	AU2H20	9		-12	AU2	820	9	INA3
TRP13A-	74H00N	AU2N02	13		-12	AU2	1302	13	INB4
						74 NET LOADS			
TRP13Q	7474N	AU1J19	5	*	100	AU1	919	5	1Q
TRP13Q	7404N	AU1F20	9		-10	AU1	620	9	IN4
TRP13Q	74H21N	AU1G12	9		-12	AU1	712	9	INA2
TRP13Q	74H10N	AU2H20	1		-12	AU2	820	1	INA1
TRP13Q	74H04N	AU2M21	3		-12	AU2	1221	3	IN2
TRP13Q	CT	AU1CT2	8	CN	0	AU1	07CTP2	8	CONN
TRP13Q	CT	AU2CT2	8	CN	0	AU2	08CTP2	8	CONN
						54 NET LOADS			
TRP13Q-	7474N	AU1J19	6	*	100	AU1	919	6	1Q-
						100 NET LOADS *****UNUSED*****			
TRP14A-	74H10N	AU2H20	2		-12	AU2	820	2	INB1
TRP14A-	74H0CN	AU2P16	2		-12	AU2	1416	2	INB1
TRP14A-	74H10N	AU2H20	4		-12	AU2	820	4	INB2
TRP14A-	74C8N	AU2K16	5		-10	AU2	1016	5	INB2
TRP14A-	74H04N	AU2J21	8	*	120	AU2	921	8	OUT4
						74 NET LOADS			
TRP14Q	74H21N	AU1G12	2		-12	AU1	712	2	INB1
TRP14Q	7474N	AU1F11	9	*	100	AU1	611	9	2Q
TRP14Q	74C8N	AU1G20	12		-10	AU1	720	12	INA4
TRP14Q	74H04N	AU2J21	9		-12	AU2	921	9	IN4
TRP14Q	74H10N	AU2H20	10		-12	AU2	820	10	INB3
TRP14Q	CT	AU1CT2	7	CN	0	AU1	07CTP2	7	CONN
TRP14Q	CT	AU2CT2	7	CN	0	AU2	08CTP2	7	CONN
						54 NET LOADS			
TRP14Q-	7474N	AU1F11	8	*	100	AU1	611	8	2Q-
TRP14Q-	74H21N	AU1G12	10		-12	AU1	712	10	INB2
						88 NET LOADS			
TRP1413	74C8N	AU1G20	11	*	100	AU1	720	11	OUT4
TRP1413	74H61N	AU1G09	12		-12	AU1	709	12	INB3
TRP1413	74H61N	AU1N10	12		-12	AU1	1310	12	INB3
						76 NET LOADS			

NEXT PAGE IS 203

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 203

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
T2OR6	7404N	AU1E16	1		-10	AU1	516	1	IN1
T2OR6	7400N	AU1J15	11	*	100	AU1	915	11	OUT4
T2OR6	7474N	AU1F11	12		-10	AU1	611	12	2D
					80 NET LOADS				
T2OR6-	74C4N	AU1F16	2	*	100	AU1	516	2	OUT1
T2OR6-	74H11N	AU1D16	5		-12	AU1	416	5	INC2
					88 NET LOADS				
T4OR6	7474N	AU1J19	2		-10	AU1	919	2	1D
T4OR6	7404N	AU1E16	5		-10	AU1	516	5	IN3
T4OR6	74H21N	AU1G14	6	*	120	AU1	714	6	OUT1
					100 NET LOADS				
T4OR6-	74H11N	AU1D16	4		-12	AU1	416	4	INB2
T4OR6-	7404N	AU1F16	6	*	100	AU1	516	6	OUT3
					88 NET LOADS				
URCLK-	7400N	AU2H14	3	*	100	AU2	814	3	OUT1
URCLK-	74174N	AU2H07	9		-10	AU2	807	9	CLK
URCLK-	74174N	AU2N06	9		-10	AU2	1306	9	CLK
URCLK-	74174N	AU2P17	9		-10	AU2	1417	9	CLK
					70 NET LOADS				
URO	74S22N	AU1C21	2		-10	AU1	321	2	INB1
URO	74C4N	AU1J18	3		-10	AU1	918	3	IN2
URO	74H11N	AU1H21	5		-12	AU1	821	5	INC2
URO	74S10N	AU1E20	11		-10	AU1	520	11	INC3
URO	7442N	AU1N16	15		-10	AU1	1316	15	IN A
URO	74174N	AU2P17	2	*	100	AU2	1417	2	AOUT
URO	7404N	AU2F19	3		-10	AU2	519	3	IN2
URO	74151N	AU2F07	4		10	AU2	607	4	DINO
URO	74153N	AU2C05	5		-10	AU2	305	5	1C1
URO	CT	AU1CT2	62	CN	0	AU1	07CTP2	62	CONN
URO	CT	AU2CT2	62	CN	0	AU2	08CTP2	62	CONN
					38 NET LOADS				
URO-	7486N	AU2F19	2		-10	AU2	619	2	INB1
URO-	7404N	AU2E19	4	*	100	AU2	519	4	OUT2
					90 NET LOADS				
UROT	74S22N	AU1H19	5		-10	AU1	819	5	IND1
UROT	7404N	AU1J18	10	*	100	AU1	918	10	OUT5
UROT	74S22N	AU1H18	13		-10	AU1	818	13	IND2
					80 NET LOADS				
UROT-	7404N	AU1J18	4	*	100	AU1	918	4	OUT2
UROT-	74S22N	AU1H18	5		-10	AU1	818	5	IND1
UROT-	74S22N	AU1K18	5		-10	AU1	1018	5	IND1

NEXT PAGE IS 204

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
UROT-	74S22N	AU1K18	10		-10	AU1	1018	10	IN82
UROT-	7404N	AU1J18	11		-10	AU1	918	11	IN5
					60 NET LOADS				
UR1	74151N	AU2F07	3		10	AU2	607	3	DIN1
UR1	74174N	AU2P17	5	*	100	AU2	1417	5	BOUT
UR1	74153N	AU2C05	11		-10	AU2	305	11	2C1
					100 NET LOADS				
UR10	74151N	AU2M07	2		10	AU2	1207	2	DIN2
UR10	74153N	AU2N16	5		-10	AU2	1316	5	1C1
UR10	74174N	AU2H07	12	*	100	AU2	807	12	EOUT
					100 NET LOADS				
UR11	74151N	AU2M07	1		10	AU2	1207	1	DIN3
UR11	74153N	AU2N16	11		-10	AU2	1316	11	2C1
UR11	74174N	AU2H07	15	*	100	AU2	807	15	FOUT
					100 NET LOADS				
UR12	74174N	AU2N06	2	*	100	AU2	1306	2	AOUT
UR12	74153N	AU2M05	5		-10	AU2	1205	5	1C1
UR12	74151N	AU2M07	15		10	AU2	1207	15	DIN4
					100 NET LOADS				
UR13	74174N	AU2N06	5	*	100	AU2	1306	5	BOUT
UR13	74153N	AU2M05	11		-10	AU2	1205	11	2C1
UR13	74151N	AU2M07	14		10	AU2	1207	14	DIN5
					100 NET LOADS				
UR14	74153N	AU2M06	5		-10	AU2	1206	5	1C1
UR14	74174N	AU2N06	7	*	100	AU2	1306	7	COUT
UR14	74151N	AU2M07	13		10	AU2	1207	13	DIN6
					100 NET LOADS				
UR15	74174N	AU2N06	10	*	100	AU2	1306	10	DOUT
UR15	74153N	AU2M06	11		-10	AU2	1206	11	2C1
UR15	74151N	AU2M07	12		10	AU2	1207	12	DIN7
					100 NET LOADS				
UR2	74151N	AU2F07	2		10	AU2	607	2	DIN2
UR2	74153N	AU2C06	5		-10	AU2	306	5	1C1
UR2	74174N	AU2P17	7	*	100	AU2	1417	7	COUT
					100 NET LOADS				
UR3	74151N	AU2F07	1		10	AU2	607	1	DIN3
UR3	74174N	AU2P17	10	*	100	AU2	1417	10	DOUT
UR3	74153N	AU2C06	11		-10	AU2	306	11	2C1
					100 NET LOADS				

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 205

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD
UR4001	74153N	AU2D07	5		-10
UR4002	74174N	AU2P17	12	*	100
UR4003	74151N	AU2F07	15		10
					100 NET LOADS
UR5001	74153N	AU2D07	11		-10
UR5002	74151N	AU2F07	14		10
UR5003	74174N	AU2P17	15	*	100
					100 NET LOADS
UR6001	74174N	AU2H07	2	*	100
UR6002	74153N	AU2F06	5		-10
UR6003	74151N	AU2F07	13		10
					100 NET LOADS
UR7001	74174N	AU2H07	5	*	100
UR7002	74153N	AU2F06	11		-10
UR7003	74151N	AU2F07	12		10
					100 NET LOADS
UR8001	74151N	AU2M07	4		10
UR8002	74153N	AU2H06	5		-10
UR8003	74174N	AU2H07	7	*	100
					100 NET LOADS
UR9001	74151N	AU2M07	3		10
UR9002	74174N	AU2H07	10	*	100
UR9003	74153N	AU2H06	11		-10
					100 NET LOADS
VCC	RES	AU1F14	1		0
VCC	CB	PNLP2	79	CN	0
VCC	CB	PNLP2	80	CN	0
VCC	CB	PNLP1	1	CN	0
VCC	CB	PNLP1	2	CN	0
VCC	CB	AU1P1	1	CN	0
VCC	CB	AU1P1	2	CN	0
VCC	CB	AU2P1	1	CN	0
VCC	CB	AU2P1	2	CN	0
VCC	CB	AUXPORT	77	CN	0
VCC	CB	AUXPORT	78	CN	0
VCC	CB	DMAPORT	77	CN	0
VCC	CB	DMAPORT	78	CN	0
VCC	CB	AU2P2	79	CN	0
VCC	CB	AU2P2	80	CN	0
VCC	CB	AU1P2	79	CN	0
VCC	CB	AU1P2	80	CN	0
VCC	CB	MEMCONP2	79	CN	0
VCC	CB	MEMCONP2	80	CN	0

BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
AU2	407	5	1C1
AU2	1417	12	EOUT
AU2	607	15	DIN4
AU2	407	11	2C1
AU2	607	14	DIN5
AU2	1417	15	FOUT
AU2	807	2	AOUT
AU2	606	5	1C1
AU2	607	13	DIN6
AU2	807	5	BOUT
AU2	606	11	2C1
AU2	607	12	DIN7
AU2	1207	4	DINO
AU2	806	5	1C1
AU2	807	7	COUT
AU2	1207	3	DIN1
AU2	807	10	DOUT
AU2	806	11	2C1
AU1	514	1	INA
9999	01P2/101	79	CONN
9999	01P2/101	80	CONN
9999	01P1/501	1	CONN
9999	01P1/501	2	CONN
9999	07P1/701	1	CONN
9999	07P1/701	2	CONN
9999	08P1/702	1	CONN
9999	08P1/702	2	CONN
9999	10P1/801	77	CONN
9999	10P1/801	78	CONN
9999	11P1/802	77	CONN
9999	11P1/802	78	CONN
9999	08P2/302	79	CONN
9999	08P2/302	80	CONN
9999	07P2/301	79	CONN
9999	07P2/301	80	CONN
9999	06P2/205	79	CONN
9999	06P2/205	80	CONN

NEXT PAGE IS 206

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC	CB	IOPORT0	77	CN	0	9999	12P1/803	77	CONN
VCC	CB	IOPORT0	78	CN	0	9999	12P1/803	78	CONN
VCC	CB	IOPORT1	77	CN	0	9999	13P1/804	77	CONN
VCC	CB	IOPORT1	78	CN	0	9999	13P1/804	78	CONN
VCC	CB	IOPORT2	77	CN	0	9999	14P1/805	77	CONN
VCC	CB	IOPORT2	78	CN	0	9999	14P1/805	78	CONN
VCC	CB	IOPORT3	77	CN	0	9999	15P1/806	77	CONN
VCC	CB	IOPORT3	78	CN	0	9999	15P1/806	78	CONN
VCC	CB	IOPORT4	77	CN	0	9999	16P1/807	77	CONN
VCC	CB	IOPORT4	78	CN	0	9999	16P1/807	78	CONN
0 NET LOADS *EXTERNAL SOURCE*									
VCC1	RES	AUIK05	1		0	AU1	1005	1	INA
VCC1	7474N	AUIN11	1		-20	AU1	1311	1	1CLR
VCC1	7474N	AUIN02	1		-20	AU1	1302	1	1CLR
VCC1	7474N	AUIK06	1		-20	AU1	1206	1	1CLR
VCC1	7474N	AUIK06	1		-20	AU1	1006	1	1CLR
VCC1	7474N	AUIP01	1		-20	AU1	1401	1	1CLR
VCC1	RES	AUIE01	1		0	AU1	501	1	INA
VCC1	7474N	AUIJ19	1		-20	AU1	919	1	1CLR
VCC1	RES	AUIF01	1		0	AU1	601	1	INA
VCC1	CAP1	AUIG01	1		0	AU1	701	1	CAP+
VCC1	RES	AUIO12	1		0	AU1	412	1	INA
VCC1	7474N	AUIF07	1		-20	AU1	607	1	1CLR
VCC1	7474N	AUIE04	1		-20	AU1	504	1	1CLR
VCC1	RES	AUID01	1		0	AU1	401	1	INA
VCC1	7474N	AUID03	1		-20	AU1	403	1	1CLR
VCC1	74H61N	AUIB13	1		-12	AU1	213	1	INA1
VCC1	74H61N	AUIB14	1		-12	AU1	214	1	INA1
VCC1	RES	AUIB09	1		0	AU1	209	1	INA
VCC1	74H61N	AUIB12	1		-12	AU1	212	1	INA1
VCC1	74175N	AUIB19	1		-10	AU1	219	1	CLR
VCC1	7400N	AUIF06	1		-10	AU1	606	1	INA1
VCC1	7474N	AUIF11	1		-20	AU1	611	1	1CLR
VCC1	74H61N	AUIB08	1		-12	AU1	208	1	INA1
VCC1	CAP1	AUIJ01	1		0	AU1	901	1	CAP+
VCC1	74H52N	AUIG02	1		-12	AU1	702	1	INA
VCC1	74175N	AUIB21	1		-10	AU1	221	1	CLR
VCC1	74H61N	AUIC07	1		-12	AU1	307	1	INA1
VCC1	74H61N	AUIC06	1		-12	AU1	306	1	INA1
VCC1	74H61N	AUIG09	1		-12	AU1	709	1	INA1
VCC1	RES	AUIC01	1		0	AU1	301	1	INA
VCC1	7413N	AUIC02	1		-10	AU1	302	1	INA1
VCC1	74H61N	AUIC10	1		-12	AU1	310	1	INA1
VCC1	74H61N	AUIC12	1		-12	AU1	312	1	INA1
VCC1	74H61N	AUIC08	1		-12	AU1	308	1	INA1
VCC1	RES	AUIC18	1		0	AU1	318	1	INA
VCC1	RES	AUIH01	1		0	AU1	801	1	INA
VCC1	74H61N	AUIC14	1		-12	AU1	314	1	INA1

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC1	74H52N	AU1F06	1		-12	AU1	506	1	INA
VCC1	7437N	AU1H04	2		-10	AU1	804	2	INB1
VCC1	RES	AU1C18	2		0	AU1	318	2	INA
VCC1	7413N	AU1C02	2		-10	AU1	302	2	INB1
VCC1	RES	AU1C01	2		0	AU1	301	2	INA
VCC1	74H103N	AU1G17	2		-12	AU1	717	2	1CLR
VCC1	RES	AU1E01	2		0	AU1	501	2	INA
VCC1	7437N	AU1H13	2		-10	AU1	813	2	INB1
VCC1	74H11N	AU1H21	2		-12	AU1	821	2	INB1
VCC1	RES	AU1B09	2		0	AU1	209	2	INA
VCC1	RES	AU1H01	2		0	AU1	801	2	INA
VCC1	RES	AU1D01	2		0	AU1	401	2	INA
VCC1	RES	AU1D12	2		0	AU1	412	2	INA
VCC1	74H103N	AU1D05	2		-12	AU1	405	2	1CLR
VCC1	7437N	AU1G19	2		-10	AU1	719	2	INB1
VCC1	RES	AU1F01	2		0	AU1	601	2	INA
VCC1	74H54N	AU1P02	2		-12	AU1	1402	2	INC
VCC1	RES	AU1K05	2		0	AU1	1005	2	INA
VCC1	RES	AU1K05	3		0	AU1	1005	3	INA
VCC1	74H52N	AU1M17	3		-12	AU1	1217	3	INC
VCC1	74H52N	AU1M13	3		-12	AU1	1213	3	INC
VCC1	74H52N	AU1M18	3		-12	AU1	1218	3	INC
VCC1	74H52N	AU1L19	3		-12	AU1	1119	3	INC
VCC1	74H52N	AU1M19	3		-12	AU1	1219	3	INC
VCC1	RES	AU1D12	3		0	AU1	412	3	INA
VCC1	RES	AU1D01	3		0	AU1	401	3	INA
VCC1	RES	AU1B09	3		0	AU1	209	3	INA
VCC1	74H52N	AU1A18	3		-12	AU1	118	3	INC
VCC1	74H52N	AU1A15	3		-12	AU1	115	3	INC
VCC1	RES	AU1H01	3		0	AU1	801	3	INA
VCC1	74H52N	AU1B18	3		-12	AU1	218	3	INC
VCC1	74H52N	AU1B15	3		-12	AU1	215	3	INC
VCC1	RES	AU1C01	3		0	AU1	301	3	INA
VCC1	RES	AU1C18	3		0	AU1	318	3	INA
VCC1	RES	AU1E01	3		0	AU1	501	3	INA
VCC1	74H61N	AU1C12	3		-12	AU1	312	3	INC1
VCC1	RES	AU1F01	3		0	AU1	601	3	INA
VCC1	74H61N	AU1C10	4		-12	AU1	310	4	INA2
VCC1	74H51N	AU1C11	4		-12	AU1	311	4	INC2
VCC1	74H61N	AU1C12	4		-12	AU1	312	4	INA2
VCC1	74H61N	AU1C08	4		-12	AU1	308	4	INA2
VCC1	74H61N	AU1C07	4		-12	AU1	307	4	INA2
VCC1	RES	AU1C18	4		0	AU1	318	4	INA
VCC1	RES	AU1F01	4		0	AU1	601	4	INA
VCC1	74H61N	AU1C14	4		-12	AU1	314	4	INA2
VCC1	RES	AU1C01	4		0	AU1	301	4	INA
VCC1	7413N	AU1C02	4		-10	AU1	302	4	INC1
VCC1	7474N	AU1F07	4		-10	AU1	607	4	1PRE
VCC1	RES	AU1E01	4		0	AU1	501	4	INA

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION ON NAME	PIN NAME	WIRING COMMENT
VCC1	74H54N	AU1H05	4		-12	AU1	805	4	INE
VCC1	74H51N	AU1A13	4		-12	AU1	113	4	INC2
VCC1	74H61N	AU1B08	4		-12	AU1	208	4	INA2
VCC1	RES	AU1B09	4		0	AU1	209	4	INA
VCC1	RES	AU1H01	4		0	AU1	801	4	INA
VCC1	74H61N	AU1B14	4		-12	AU1	214	4	INA2
VCC1	74H51N	AU1B11	4		-12	AU1	211	4	INC2
VCC1	74H61N	AU1B12	4		-12	AU1	212	4	INA2
VCC1	74H61N	AU1B13	4		-12	AU1	213	4	INA2
VCC1	RES	AU1D01	4		0	AU1	401	4	INA
VCC1	RES	AU1K05	4		0	AU1	1005	4	INA
VCC1	7474N	AU1D03	4		-10	AU1	403	4	1PRE
VCC1	RES	AU1D12	4		0	AU1	412	4	INA
VCC1	7474N	AU1E04	4		-10	AU1	504	4	1PRE
VCC1	7474N	AU1G08	4		-10	AU1	708	4	1PRE
VCC1	7474N	AU1J19	4		-10	AU1	919	4	1PRE
VCC1	7474N	AU1F11	4		-10	AU1	611	4	1PRE
VCC1	74H54N	AU1G07	4		-12	AU1	707	4	INE
VCC1	74H51N	AU1E07	4		-12	AU1	507	4	INC2
VCC1	74H40N	AU1M07	4		-20	AU1	1207	4	INC1
VCC1	7474N	AU1P01	4		-10	AU1	1401	4	1PRE
VCC1	7474N	AU1K06	4		-10	AU1	1006	4	1PRE
VCC1	7474N	AU1M06	4		-10	AU1	1206	4	1PRE
VCC1	74H54N	AU1L11	4		-12	AU1	1111	4	INE
VCC1	7474N	AU1N11	4		-10	AU1	1311	4	1PRE
VCC1	74163N	AU1N06	4		-10	AU1	1306	4	INB
VCC1	74H52N	AU1L04	5		-12	AU1	1104	5	INE
VCC1	74H40N	AU1M07	5		-20	AU1	1207	5	IND1
VCC1	7408N	AU1L02	5		-10	AU1	1102	5	INB2
VCC1	74163N	AU1N06	5		-10	AU1	1306	5	INC
VCC1	74H52N	AU1M08	5		-12	AU1	1208	5	INE
VCC1	74H52N	AU1M13	5		-12	AU1	1213	5	INE
VCC1	74H22N	AU1K07	5		-12	AU1	1007	5	IND1
VCC1	74H52N	AU1L18	5		-12	AU1	1118	5	INE
VCC1	74H22N	AU1N13	5		-12	AU1	1313	5	IND1
VCC1	74H52N	AU1J12	5		-12	AU1	912	5	INE
VCC1	7437N	AU1G19	5		-10	AU1	719	5	INB2
VCC1	RES	AU1D12	5		0	AU1	412	5	INA
VCC1	RES	AU1K05	5		0	AU1	1005	5	INA
VCC1	RES	AU1D01	5		0	AU1	401	5	INA
VCC1	RES	AU1B09	5		0	AU1	209	5	INA
VCC1	74H52N	AU1J10	5		-12	AU1	910	5	INE
VCC1	RES	AU1E01	5		0	AU1	501	5	INA
VCC1	7437N	AU1H13	5		-10	AU1	813	5	INB2
VCC1	RES	AU1H01	5		0	AU1	801	5	INA
VCC1	RES	AU1C01	5		0	AU1	301	5	INA
VCC1	74H61N	AU1C06	5		-12	AU1	306	5	INB2
VCC1	RES	AU1C18	5		0	AU1	318	5	INA
VCC1	7437N	AU1H04	5		-10	AU1	804	5	INB2

NEXT PAGE IS 209

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC1	74H52N	AU1J08	5		-12	AU1	908	5	INE
VCC1	74S10N	AU1E20	5		-10	AU1	520	5	INC2
VCC1	RES	AU1F01	5		0	AU1	601	5	INA
VCC1	RES	AU1C18	6		0	AU1	318	6	INA
VCC1	RES	AU1C01	6		0	AU1	301	6	INA
VCC1	74H61N	AU1G09	6		-12	AU1	709	6	INC2
VCC1	RES	AU1H01	6		0	AU1	801	6	INA
VCC1	RES	AU1B09	6		0	AU1	209	6	INA
VCC1	7430N	AU1E10	6		-10	AU1	510	6	INF
VCC1	RES	AU1D01	6		0	AU1	401	6	INA
VCC1	RES	AU1K05	6		0	AU1	1005	6	INA
VCC1	RES	AU1E01	6		0	AU1	501	6	INA
VCC1	74H30N	AU1C20	6		-12	AU1	320	6	INF
VCC1	RES	AU1D12	6		0	AU1	412	6	INA
VCC1	74H103N	AU1D15	6		-12	AU1	415	6	2CLR
VCC1	74H1C3N	AU1D05	6		-12	AU1	405	6	2CLR
VCC1	RES	AU1F01	6		0	AU1	601	6	INA
VCC1	74163N	AU1N06	6		-10	AU1	1306	6	IND
VCC1	RES	AU1D12	7		0	AU1	412	7	INA
VCC1	RES	AU1K05	7		0	AU1	1005	7	INA
VCC1	RES	AU1D01	7		0	AU1	401	7	INA
VCC1	RES	AU1B09	7		0	AU1	209	7	INA
VCC1	RES	AU1H01	7		0	AU1	801	7	INA
VCC1	RES	AU1C01	7		0	AU1	301	7	INA
VCC1	RES	AU1C18	7		0	AU1	318	7	INA
VCC1	RES	AU1E01	7		0	AU1	501	7	INA
VCC1	RES	AU1F01	7		0	AU1	601	7	INA
VCC1	RES	AU1C18	8		0	AU1	318	8	INA
VCC1	RES	AU1C01	8		0	AU1	301	8	INA
VCC1	RES	AU1E01	8		0	AU1	501	8	INA
VCC1	RES	AU1B09	8		0	AU1	209	8	INA
VCC1	RES	AU1H01	8		0	AU1	801	8	INA
VCC1	RES	AU1D01	8		0	AU1	401	8	INA
VCC1	RES	AU1D12	8		0	AU1	412	8	INA
VCC1	RES	AU1K05	8		0	AU1	1005	8	INA
VCC1	RES	AU1F01	8		0	AU1	601	8	INA
VCC1	DISC1	AU1B02	9		-10	AU1	202	9	R2IN
VCC1	7413N	AU1C02	9		-10	AU1	302	9	INA2
VCC1	7420N	AU1N03	9		-10	AU1	1303	9	INA2
VCC1	7474N	AU1N11	10		-10	AU1	1311	10	2PRE
VCC1	7474N	AU1P01	10		-10	AU1	1401	10	2PRE
VCC1	7474N	AU1N02	10		-10	AU1	1302	10	2PRE
VCC1	74163N	AU1M05	10		-20	AU1	1205	10	TENA
VCC1	7474N	AU1M06	10		-10	AU1	1206	10	2PRE
VCC1	7413N	AU1C02	10		-10	AU1	302	10	INB2
VCC1	7474N	AU1G08	10		-10	AU1	708	10	2PRE
VCC1	7474N	AU1K06	10		-10	AU1	1006	10	2PRE
VCC1	74H51N	AU1E07	10		-12	AU1	507	10	IND1
VCC1	7474N	AU1E04	10		-10	AU1	504	10	2PRE

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 210

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC1	7437N	AU1H04	10		-10	AU1	804	10	INB3
VCC1	7474N	AU1F11	10		-10	AU1	611	10	2PRE
VCC1	7437N	AU1H13	10		-10	AU1	813	10	INB3
VCC1	7437N	AU1G19	10		-10	AU1	719	10	INB3
VCC1	7408N	AU1J09	10		-10	AU1	909	10	INB3
VCC1	7474N	AU1J19	10		-10	AU1	919	10	2PRE
VCC1	7474N	AU1D03	10		-10	AU1	403	10	2PRE
VCC1	74H30N	AU1C20	11		-12	AU1	320	11	ING
VCC1	74S11N	AU1D13	11		-10	AU1	413	11	INC3
VCC1	74H61N	AU1B13	11		-12	AU1	213	11	INA3
VCC1	74H61N	AU1B08	11		-12	AU1	208	11	INA3
VCC1	74H61N	AU1B12	11		-12	AU1	212	11	INA3
VCC1	7430N	AU1F10	11		-10	AU1	510	11	ING
VCC1	74H61N	AU1C08	11		-12	AU1	308	11	INA3
VCC1	7430N	AU1H07	11		-10	AU1	807	11	ING
VCC1	74H61N	AU1C07	11		-12	AU1	307	11	INA3
VCC1	74H61N	AU1C10	11		-12	AU1	310	11	INA3
VCC1	74H61N	AU1C06	11		-12	AU1	306	11	INA3
VCC1	74H61N	AU1C12	11		-12	AU1	312	11	INA3
VCC1	74H30N	AU1D17	12		-12	AU1	417	12	INH
VCC1	7413N	AU1C02	12		-10	AU1	302	12	INC2
VCC1	7430N	AU1E10	12		-10	AU1	510	12	INH
VCC1	74H30N	AU1D11	12		-12	AU1	411	12	INH
VCC1	74H30N	AU1C20	12		-12	AU1	320	12	INH
VCC1	7400N	AU1F14	12		-10	AU1	614	12	INA4
VCC1	7430N	AU1G04	12		-10	AU1	704	12	INH
VCC1	74H51N	AU1A11	13		-12	AU1	111	13	INB1
VCC1	7474N	AU1D03	13		-20	AU1	403	13	2CLR
VCC1	7474N	AU1E04	13		-20	AU1	504	13	2CLR
VCC1	74S22N	AU1C21	13		-10	AU1	321	13	IND2
VCC1	7474N	AU1F11	13		-20	AU1	611	13	2CLR
VCC1	74H51N	AU1C11	13		-12	AU1	311	13	INB1
VCC1	7483N	AU1C09	13		-40	AU1	309	13	C IN
VCC1	7474N	AU1K06	13		-20	AU1	1006	13	2CLR
VCC1	74S65N	AU1J17	13		-10	AU1	917	13	IND
VCC1	7437N	AU1H13	13		-10	AU1	813	13	INB4
VCC1	74H51N	AU1A13	13		-12	AU1	113	13	INB1
VCC1	74H11N	AU1H21	13		-12	AU1	821	13	INC1
VCC1	7474N	AU1J19	13		-20	AU1	919	13	2CLR
VCC1	74H51N	AU1B11	13		-12	AU1	211	13	INB1
VCC1	74H61N	AU1B14	13		-12	AU1	214	13	INC3
VCC1	7437N	AU1H04	13		-10	AU1	804	13	INB4
VCC1	74H22N	AU1N13	13		-12	AU1	1313	13	IND2
VCC1	7474N	AU1P01	13		-20	AU1	1401	13	2CLR
VCC1	7474N	AU1N11	13		-20	AU1	1311	13	2CLR
VCC1	74H11N	AU1M09	13		-12	AU1	1209	13	INC1
VCC1	7474N	AU1N02	13		-20	AU1	1302	13	2CLR
VCC1	74H61N	AU1N10	13		-12	AU1	1310	13	INC3
VCC1	7474N	AU1M06	13		-20	AU1	1206	13	2CLR

NEXT PAGE IS 211

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 211

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC1	TEST	AU1A12	14		-10	AU1	112	14	INN
VCC1	TEST	AU1A12	15		-10	AU1	112	15	INO
VCC1	TEST	AU1A12	16		-10	AU1	112	16	INP
VCC1	RES	AU2B10	1		0	AU2	210	1	INA
VCC1	RES	AU2B01	1		0	AU2	201	1	INA
VCC1	RES	AU2B11	1		0	AU2	211	1	INA
VCC1	RES	AU2B12	1		0	AU2	212	1	INA
VCC1	74H74N	AU2B21	1		-25	AU2	221	1	1CLR
VCC1	7474N	AU2C10	1		-20	AU2	310	1	1CLR
VCC1	74H40N	AU2B03	1		-20	AU2	203	1	INA1
VCC1	RES	AU2R16	1		0	AU2	216	1	INA
VCC1	74H40N	AU2B20	1		-20	AU2	220	1	INA1
VCC1	7474N	AU2C14	1		-20	AU2	314	1	1CLR
VCC1	RES	AU2A16	1		0	AU2	116	1	INA
VCC1	74H11N	AU2C03	1		-12	AU2	303	1	INA1
VCC1	74174N	AU2C01	1		-10	AU2	301	1	CLR
VCC1	RES	AU2B13	1		0	AU2	213	1	INA
VCC1	74174N	AU2H01	1		-10	AU2	801	1	CLR
VCC1	74H54N	AU2G18	1		-12	AU2	718	1	INA
VCC1	RES	AU2D01	1		0	AU2	401	1	INA
VCC1	74163N	AU2G15	1		-10	AU2	715	1	CLR
VCC1	74163N	AU2D06	1		-10	AU2	406	1	CLR
VCC1	74H74N	AU2C21	1		-25	AU2	321	1	1CLR
VCC1	74H74N	AU2C20	1		-25	AU2	320	1	1CLR
VCC1	CAP1	AU2G01	1		0	AU2	701	1	CAP+
VCC1	74H74N	AU2C19	1		-25	AU2	319	1	1CLR
VCC1	74175N	AU2H05	1		-10	AU2	805	1	CLR
VCC1	74H40N	AU2D04	1		-20	AU2	404	1	INA1
VCC1	74163N	AU2J11	1		-10	AU2	911	1	CLR
VCC1	74S64N	AU2E18	1		-10	AU2	518	1	INA
VCC1	74174N	AU2G10	1		-10	AU2	710	1	CLR
VCC1	74163N	AU2G06	1		-10	AU2	706	1	CLR
VCC1	RES	AU2F01	1		0	AU2	601	1	INA
VCC1	74163N	AU2G05	1		-10	AU2	705	1	CLR
VCC1	74163N	AU2E06	1		-10	AU2	506	1	CLR
VCC1	74174N	AU2H07	1		-10	AU2	807	1	CLR
VCC1	7474N	AU2R21	1		-20	AU2	1521	1	1CLR
VCC1	7474N	AU2R15	1		-20	AU2	1515	1	1CLR
VCC1	74174N	AU2R14	1		-10	AU2	1514	1	CLR
VCC1	74163N	AU2R06	1		-10	AU2	1506	1	CLR
VCC1	74163N	AU2P18	1		-10	AU2	1418	1	CLR
VCC1	74194N	AU2N11	1		-10	AU2	1311	1	CLR
VCC1	74174N	AU2N09	1		-10	AU2	1309	1	CLR
VCC1	74163N	AU2M08	1		-10	AU2	1208	1	CLR
VCC1	74174N	AU2P17	1		-10	AU2	1417	1	CLR
VCC1	74174N	AU2K10	1		-10	AU2	1010	1	CLR
VCC1	RES	AU2K01	1		0	AU2	1001	1	INA
VCC1	7474N	AU2P19	1		-20	AU2	1419	1	1CLR
VCC1	74163N	AU2K09	1		-10	AU2	1009	1	CLR

NEXT PAGE IS 212

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC1	7474N	AU2M20	1		-20	AU2	1220	1	1CLR
VCC1	7474N	AU2N20	1		-20	AU2	1320	1	1CLR
VCC1	74163N	AU2P05	1		-10	AU2	1405	1	CLR
VCC1	74174N	AU2K12	1		-10	AU2	1012	1	CLR
VCC1	74H40N	AU2R01	1		-20	AU2	1501	1	INA1
VCC1	74163N	AU2P10	1		-10	AU2	1410	1	CLR
VCC1	74163N	AU2R07	1		-10	AU2	1507	1	CLR
VCC1	74175N	AU2M04	1		-10	AU2	1204	1	CLR
VCC1	RES	AU2L01	1		0	AU2	1101	1	INA
VCC1	74174N	AU2R12	1		-10	AU2	1512	1	CLR
VCC1	RES	AU2N18	1		0	AU2	1318	1	INA
VCC1	74174N	AU2N10	1		-10	AU2	1310	1	CLR
VCC1	74174N	AU2M01	1		-10	AU2	1201	1	CLR
VCC1	74174N	AU2K05	1		-10	AU2	1005	1	CLR
VCC1	74175N	AU2M16	1		-10	AU2	1216	1	CLR
VCC1	74174N	AU2N07	1		-10	AU2	1307	1	CLR
VCC1	74174N	AU2P04	1		-10	AU2	1404	1	CLR
VCC1	74194N	AU2M10	1		-10	AU2	1210	1	CLR
VCC1	74174N	AU2L11	1		-10	AU2	1111	1	CLR
VCC1	74163N	AU2P11	1		-10	AU2	1411	1	CLR
VCC1	74175N	AU2K21	1		-10	AU2	1021	1	CLR
VCC1	74163N	AU2K06	1		-10	AU2	1006	1	CLR
VCC1	74174N	AU2N06	1		-10	AU2	1306	1	CLR
VCC1	74174N	AU2P09	1		-10	AU2	1509	1	CLR
VCC1	74194N	AU2L17	1		-10	AU2	1117	1	CLR
VCC1	74163N	AU2P06	1		-10	AU2	1406	1	CLR
VCC1	RES	AU2L21	1		0	AU2	1121	1	INA
VCC1	7474N	AU2N19	1		-20	AU2	1319	1	1CLR
VCC1	RES	AU2L01	2		0	AU2	1101	2	INA
VCC1	74H103N	AU2M18	2		-12	AU2	1218	2	1CLR
VCC1	RES	AU2K01	2		0	AU2	1001	2	INA
VCC1	74H30N	AU2L15	2		-12	AU2	1115	2	INB
VCC1	RES	AU2N18	2		0	AU2	1318	2	INA
VCC1	74H40N	AU2R01	2		-20	AU2	1501	2	INB1
VCC1	RES	AU2L21	2		0	AU2	1121	2	INA
VCC1	74S11N	AU2K18	2		-10	AU2	1018	2	INB1
VCC1	RES	AU2F01	2		0	AU2	601	2	INA
VCC1	74H103N	AU2E14	2		-12	AU2	514	2	1CLR
VCC1	74H40N	AU2D04	2		-20	AU2	404	2	INB1
VCC1	RES	AU2D01	2		0	AU2	401	2	INA
VCC1	74H40N	AU2B20	2		-20	AU2	220	2	INB1
VCC1	RES	AU2B01	2		0	AU2	201	2	INA
VCC1	RES	AU2B16	2		0	AU2	216	2	INA
VCC1	74H40N	AU2B03	2		-20	AU2	203	2	INB1
VCC1	RES	AU2B10	2		0	AU2	210	2	INA
VCC1	RES	AU2B11	2		0	AU2	211	2	INA
VCC1	RES	AU2A16	2		0	AU2	116	2	INA
VCC1	74H11N	AU2C03	2		-12	AU2	303	2	INB1
VCC1	7437N	AU2B08	2		-10	AU2	208	2	INB1

NEXT PAGE IS 213

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 213

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC1	RES	AU2B13	2		0	AU2	213	2	INA
VCC1	RES	AU2B12	2		0	AU2	212	2	INA
VCC1	7485N	AU2C04	3		-30	AU2	304	3	A=BI
VCC1	RES	AU2B12	3		0	AU2	212	3	INA
VCC1	RES	AU2B11	3		0	AU2	211	3	INA
VCC1	RES	AU2B13	3		0	AU2	213	3	INA
VCC1	RES	AU2A16	3		0	AU2	116	3	INA
VCC1	RES	AU2B16	3		0	AU2	216	3	INA
VCC1	74S65N	AU2B07	3		-10	AU2	207	3	INF
VCC1	RES	AU2B10	3		0	AU2	210	3	INA
VCC1	RES	AU2B01	3		0	AU2	201	3	INA
VCC1	RES	AU2F01	3		0	AU2	601	3	INA
VCC1	7485N	AU2C07	3		-30	AU2	507	3	A=BI
VCC1	74H51N	AU2D03	3		-12	AU2	403	3	INB2
VCC1	RES	AU2D01	3		0	AU2	401	3	INA
VCC1	7485N	AU2H04	3		-30	AU2	804	3	A=BI
VCC1	7485N	AU2F04	3		-30	AU2	604	3	A=BI
VCC1	74H51N	AU2D02	3		-12	AU2	402	3	INB2
VCC1	RES	AU2L21	3		0	AU2	1121	3	INA
VCC1	74S65N	AU2R03	3		-10	AU2	1503	3	INF
VCC1	74S11N	AU2K18	3		-10	AU2	1018	3	INA2
VCC1	74S65N	AU2P03	3		-10	AU2	1403	3	INF
VCC1	RES	AU2N18	3		0	AU2	1318	3	INA
VCC1	RES	AU2K01	3		0	AU2	1001	3	INA
VCC1	74S65N	AU2N03	3		-10	AU2	1303	3	INF
VCC1	RES	AU2L01	3		0	AU2	1101	3	INA
VCC1	RES	AU2N18	4		0	AU2	1318	4	INA
VCC1	RES	AU2L21	4		0	AU2	1121	4	INA
VCC1	74S11N	AU2K18	4		-10	AU2	1018	4	INB2
VCC1	RES	AU2K01	4		0	AU2	1001	4	INA
VCC1	74H40N	AU2R01	4		-20	AU2	1501	4	INC1
VCC1	7474N	AU2R15	4		-10	AU2	1515	4	1PRE
VCC1	7474N	AU2N19	4		-10	AU2	1319	4	1PRE
VCC1	7474N	AU2N20	4		-10	AU2	1320	4	1PRE
VCC1	RES	AU2L01	4		0	AU2	1101	4	INA
VCC1	7474N	AU2M20	4		-10	AU2	1220	4	1PRE
VCC1	7474N	AU2P19	4		-10	AU2	1419	4	1PRE
VCC1	74H55N	AU2F16	4		-12	AU2	1516	4	IND
VCC1	7474N	AU2R21	4		-10	AU2	1521	4	1PRE
VCC1	74H40N	AU2D04	4		-20	AU2	404	4	INC1
VCC1	RES	AU2D01	4		0	AU2	401	4	INA
VCC1	74H54N	AU2G18	4		-12	AU2	718	4	INE
VCC1	RES	AU2F01	4		0	AU2	601	4	INA
VCC1	74H74N	AU2C20	4		-12	AU2	320	4	1PRE
VCC1	RES	AU2B01	4		0	AU2	201	4	INA
VCC1	RES	AU2B16	4		0	AU2	216	4	INA
VCC1	RES	AU2B10	4		0	AU2	210	4	INA
VCC1	RES	AU2B11	4		0	AU2	211	4	INA
VCC1	74H74N	AU2R21	4		-12	AU2	221	4	1PRE

NEXT PAGE IS 214

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 214

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC1	RES	AU2B13	4		0	AU2	213	4	INA
VCC1	RES	AU2B12	4		0	AU2	212	4	INA
VCC1	74H40N	AU2B20	4		-20	AU2	220	4	INC1
VCC1	RES	AU2A16	4		0	AU2	116	4	INA
VCC1	7474N	AU2C14	4		-10	AU2	314	4	1PRE
VCC1	74H40N	AU2B03	4		-20	AU2	203	4	INC1
VCC1	74H74N	AU2C21	4		-12	AU2	321	4	1PRE
VCC1	74H74N	AU2C19	4		-12	AU2	319	4	1PRE
VCC1	7474N	AU2C10	4		-10	AU2	310	4	1PRE
VCC1	RES	AU2B01	5		0	AU2	201	5	INA
VCC1	RES	AU2A16	5		0	AU2	116	5	INA
VCC1	RES	AU2B16	5		0	AU2	216	5	INA
VCC1	RES	AU2B13	5		0	AU2	213	5	INA
VCC1	74H101N	AU2A20	5		-12	AU2	120	5	PRE
VCC1	74S65N	AU2B07	5		-10	AU2	207	5	INH
VCC1	RES	AU2B11	5		0	AU2	211	5	INA
VCC1	RES	AU2P12	5		0	AU2	212	5	INA
VCC1	74H101N	AU2E20	5		-12	AU2	520	5	PRE
VCC1	RES	AU2D01	5		0	AU2	401	5	INA
VCC1	74H11N	AU2D16	5		-12	AU2	416	5	INC2
VCC1	RES	AU2F01	5		0	AU2	601	5	INA
VCC1	RES	AU2L21	5		0	AU2	1121	5	INA
VCC1	74S65N	AU2P03	5		-10	AU2	1403	5	INH
VCC1	RES	AU2L01	5		0	AU2	1101	5	INA
VCC1	74S65N	AU2N03	5		-10	AU2	1303	5	INH
VCC1	RES	AU2N18	5		0	AU2	1318	5	INA
VCC1	RES	AU2K01	5		0	AU2	1001	5	INA
VCC1	74H103N	AU2M14	6		-12	AU2	1214	6	2CLR
VCC1	RES	AU2L01	6		0	AU2	1101	6	INA
VCC1	74S65N	AU2P03	6		-10	AU2	1403	6	INI
VCC1	74H103N	AU2M18	6		-12	AU2	1218	6	2CLR
VCC1	74S65N	AU2N03	6		-10	AU2	1303	6	INI
VCC1	RES	AU2N18	6		0	AU2	1318	6	INA
VCC1	RES	AU2L21	6		0	AU2	1121	6	INA
VCC1	74H103N	AU2F14	6		-12	AU2	514	6	2CLR
VCC1	RES	AU2F01	6		0	AU2	601	6	INA
VCC1	RES	AU2K01	6		0	AU2	1001	6	INA
VCC1	RES	AU2A16	6		0	AU2	116	6	INA
VCC1	RES	AU2B12	6		0	AU2	212	6	INA
VCC1	RES	AU2B13	6		0	AU2	213	6	INA
VCC1	RES	AU2D01	6		0	AU2	401	6	INA
VCC1	RES	AU2B16	6		0	AU2	216	6	INA
VCC1	74S65N	AU2B07	6		-10	AU2	207	6	INI
VCC1	RES	AU2B11	6		0	AU2	211	6	INA
VCC1	RES	AU2B01	6		0	AU2	201	6	INA
VCC1	RES	AU2A16	7		0	AU2	216	7	INA
VCC1	RES	AU2B11	7		0	AU2	211	7	INA
VCC1	RES	AU2D01	7		0	AU2	401	7	INA

NEXT PAGE IS 215

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC1	RES	AU2B13	7		0	AU2	213	7	INA
VCC1	RES	AU2A16	7		0	AU2	116	7	INA
VCC1	RES	AU2B12	7		0	AU2	212	7	INA
VCC1	RES	AU2K01	7		0	AU2	1001	7	INA
VCC1	RES	AU2F01	7		0	AU2	601	7	INA
VCC1	RES	AU2L21	7		0	AU2	1121	7	INA
VCC1	RES	AU2N18	7		0	AU2	1318	7	INA
VCC1	RES	AU2L01	7		0	AU2	1101	7	INA
VCC1	RES	AU2N18	8		0	AU2	1318	8	INA
VCC1	RES	AU2L01	8		0	AU2	1101	8	INA
VCC1	RES	AU2L21	8		0	AU2	1121	8	INA
VCC1	RES	AU2K01	8		0	AU2	1001	8	INA
VCC1	RES	AU2F01	8		0	AU2	601	8	INA
VCC1	RES	AU2A16	8		0	AU2	116	8	INA
VCC1	RES	AU2B12	8		0	AU2	212	8	INA
VCC1	RES	AU2D01	8		0	AU2	401	8	INA
VCC1	RES	AU2B16	8		0	AU2	216	8	INA
VCC1	RES	AU2B10	8		0	AU2	210	8	INA
VCC1	RES	AU2B11	8		0	AU2	211	8	INA
VCC1	RES	AU2R01	8		0	AU2	201	8	INA
VCC1	RES	AU2B13	8		0	AU2	213	8	INA
VCC1	74H40N	AU2R03	9		-20	AU2	203	9	INA2
VCC1	74H40N	AU2B20	9		-20	AU2	220	9	INA2
VCC1	74H51N	AU2D03	9		-12	AU2	403	9	INC1
VCC1	74H11N	AU2F03	9		-12	AU2	603	9	INA3
VCC1	74H54N	AU2G18	9		-12	AU2	718	9	INH
VCC1	74S64N	AU2E18	9		-10	AU2	518	9	INJ
VCC1	74H11N	AU2G02	9		-12	AU2	702	9	INA3
VCC1	74H40N	AU2D04	9		-20	AU2	404	9	INA2
VCC1	74S11N	AU2K18	9		-10	AU2	1018	9	INA3
VCC1	74H40N	AU2R01	9		-20	AU2	1501	9	INA2
VCC1	7474N	AU2P19	10		-10	AU2	1419	10	2PRE
VCC1	74S40N	AU2K19	10		-10	AU2	1019	10	INB2
VCC1	74163N	AU2P20	10		-20	AU2	1420	10	TENA
VCC1	74S65N	AU2P03	10		-10	AU2	1403	10	INK
VCC1	7474N	AU2N20	10		-10	AU2	1320	10	2PRE
VCC1	7474N	AU2N05	10		-10	AU2	1305	10	2PRE
VCC1	7474N	AU2M20	10		-10	AU2	1220	10	2PRE
VCC1	74H40N	AU2R01	10		-20	AU2	1501	10	INB2
VCC1	74S65N	AU2R03	10		-10	AU2	1503	10	INK
VCC1	74S65N	AU2N03	10		-10	AU2	1303	10	INK
VCC1	74163N	AU2R07	10		-20	AU2	1507	10	TENA
VCC1	74163N	AU2P11	10		-20	AU2	1411	10	TENA
VCC1	7474N	AU2P15	10		-10	AU2	1515	10	2PRE
VCC1	7474N	AU2N19	10		-10	AU2	1319	10	2PRE
VCC1	74163N	AU2R06	10		-20	AU2	1506	10	TENA
VCC1	7474N	AU2R21	10		-10	AU2	1521	10	2PRE
VCC1	74163N	AU2G06	10		-20	AU2	706	10	TENA
VCC1	74H11N	AU2G20	10		-12	AU2	720	10	INB3

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC1	74H4CN	AU2D04	10		-20	AU2	404	10	INB2
VCC1	74H74N	AU2B21	10		-12	AU2	221	10	2PRE
VCC1	74S65N	AU2B07	10		-10	AU2	207	10	INK
VCC1	7474N	AU2C14	10		-10	AU2	314	10	2PRE
VCC1	74H74N	AU2C20	10		-12	AU2	320	10	2PRE
VCC1	74H51N	AU2D02	10		-12	AU2	402	10	IND1
VCC1	74H40N	AU2B20	10		-20	AU2	220	10	INB2
VCC1	7474N	AU2C10	10		-10	AU2	310	10	2PRE
VCC1	74H40N	AU2B03	10		-20	AU2	203	10	INB2
VCC1	74H74N	AU2C21	10		-12	AU2	321	10	2PRE
VCC1	74H74N	AU2C19	10		-12	AU2	319	10	2PRE
VCC1	74S65N	AU2B07	11		-10	AU2	207	11	INB
VCC1	74H11N	AU2F03	11		-12	AU2	603	11	INC3
VCC1	74H11N	AU2G20	11		-12	AU2	720	11	INC3
VCC1	74S65N	AU2N03	11		-10	AU2	1303	11	INB
VCC1	74S65N	AU2R03	11		-10	AU2	1503	11	INB
VCC1	74S65N	AU2P03	11		-10	AU2	1403	11	INB
VCC1	74S40N	AU2K19	12		-10	AU2	1019	12	INC2
VCC1	74H30N	AU2L15	12		-12	AU2	1115	12	INH
VCC1	74S65N	AU2N03	12		-10	AU2	1303	12	INC
VCC1	74S65N	AU2R03	12		-10	AU2	1503	12	INC
VCC1	74H40N	AU2R01	12		-20	AU2	1501	12	INC2
VCC1	74S65N	AU2P03	12		-10	AU2	1403	12	INC
VCC1	74H55N	AU2H12	12		-12	AU2	812	12	ING
VCC1	7437N	AU2F16	12		-10	AU2	616	12	INA4
VCC1	74H40N	AU2D04	12		-20	AU2	404	12	INC2
VCC1	74H30N	AU2F12	12		-12	AU2	612	12	INH
VCC1	74S65N	AU2B07	12		-10	AU2	207	12	INC
VCC1	74H40N	AU2B03	12		-20	AU2	203	12	INC2
VCC1	74H40N	AU2B20	12		-20	AU2	220	12	INC2
VCC1	7430N	AU2A07	12		-10	AU2	107	12	INH
VCC1	74H74N	AU2C19	13		-25	AU2	319	13	2CLR
VCC1	7437N	AU2B08	13		-10	AU2	208	13	INB4
VCC1	74H74N	AU2C21	13		-25	AU2	321	13	2CLR
VCC1	74H74N	AU2C20	13		-25	AU2	320	13	2CLR
VCC1	74S65N	AU2B07	13		-10	AU2	207	13	IND
VCC1	7474N	AU2C14	13		-20	AU2	314	13	2CLR
VCC1	7451N	AU2B09	13		-10	AU2	209	13	INA1
VCC1	7474N	AU2C10	13		-20	AU2	310	13	2CLR
VCC1	74H51N	AU2D03	13		-12	AU2	403	13	INB1
VCC1	74H74N	AU2B21	13		-25	AU2	221	13	2CLR
VCC1	74H55N	AU2G12	13		-12	AU2	712	13	INH
VCC1	74S00N	AU2J19	13		-10	AU2	919	13	INB4
VCC1	74S65N	AU2R03	13		-10	AU2	1503	13	IND
VCC1	7474N	AU2M20	13		-20	AU2	1220	13	2CLR
VCC1	7474N	AU2N20	13		-20	AU2	1320	13	2CLR
VCC1	74S40N	AU2K19	13		-10	AU2	1019	13	IND2
VCC1	7474N	AU2N19	13		-20	AU2	1319	13	2CLR
VCC1	7474N	AU2P19	13		-20	AU2	1419	13	2CLR

NEXT PAGE IS 217

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 217

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
VCC1	74H60N	AU2R17	13		-12	AU2	1517	13	IND1
VCC1	7474N	AU2N05	13		-20	AU2	1305	13	2CLR
VCC1	74H55N	AU2R16	13		-12	AU2	1516	13	INH
VCC1	74S65N	AU2N03	13		-10	AU2	1403	13	IND
VCC1	74S11N	AU2K18	13		-10	AU2	1018	13	INC1
VCC1	7474N	AU2P15	13		-20	AU2	1515	13	2CLR
VCC1	74S65N	AU2N03	13		-10	AU2	1303	13	IND
VCC1	7474N	AU2R21	13		-20	AU2	1521	13	2CLR
-4736 NET LOADS *****NO SOURCE*****									
WDPB	CB	MEMCONP1	28	CN	0	9999	06P1/605	28	CONN
WDPB	CB	DMAPORT	19	CN	0	9999	11P1/802	19	CONN
0 NET LOADS *EXTERNAL SOURCE*									
WRITE-	CB	MEMCONP2	48	CN	0	9999	06P2/205	48	CONN
WRITE-	CB	MEMRKP2	73	CN	0	9999	05P2/204	73	CONN
0 NET LOADS *EXTERNAL SOURCE*									
WRITENAB	CB	MEMCONP2	58	CN	0	9999	06P2/205	58	CONN
WRITENAB	CB	MEMRKP2	14	CN	0	9999	05P2/204	14	CONN
0 NET LOADS *EXTERNAL SOURCE*									
XRCP1	74163N	AU2P06	10		-20	AU2	1406	10	TENA
XRCP1	74163N	AU2P07	15	*	100	AU2	1507	15	C/O
80 NET LOADS									
XRCP2	74163N	AU2M08	10		-20	AU2	1208	10	TENA
XRCP2	74163N	AU2P06	15	*	100	AU2	1406	15	C/O
80 NET LOADS									
XRCP3	74163N	AU2P18	10		-20	AU2	1418	10	TENA
XRCP3	74163N	AU2M08	15	*	100	AU2	1208	15	C/O
80 NET LOADS									
XRDSW	74H54N	AU1H05	5		-12	AU1	805	5	INF
XRDSW	7404N	AU1F05	6	*	100	AU1	605	6	OUT3
88 NET LOADS									
XRDSW-	7410N	AU1G03	3		-10	AU1	703	3	INA2
XRDSW-	7404N	AU1F05	5		-10	AU1	605	5	IN3
XRDSW-	7420N	AU1D02	9		-10	AU1	402	9	INA2
XRDSW-	RES	AU1D01	15		0	AU1	401	15	OTA*
XRDSW-	CB	PNLP2	63	CN	0	9999	01P2/101	63	CONN
XRDSW-	CB	AU1P2	37	CN	0	9999	07P2/301	37	CONN
-30 NET LOADS *EXTERNAL SOURCE*									
XRESW-	7420N	AU1H03	12		-10	AU1	803	12	INC2
XRESW-	RES	AU1H01	14		0	AU1	801	14	OTA*
XRESW-	CB	PNLP2	62	CN	0	9999	01P2/101	62	CONN

NEXT PAGE IS 218

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 218

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
XRRESW-	CB	AU1P1	10	CN	0 -10 NET LOADS *EXTERNAL SOURCE*	9999	07P1/701	10	CCNN
XRMAX	74H52N	AU1P19	1		-12	AU1	1419	1	INA
XRMAX	7410N	AU1P20	5		-10	AU1	420	5	INC2
XRMAX	74163N	AU2P18	15	*	100	AU2	1418	15	C/O
XRMAX	CT	AU1CT1	8	CN	0	AU1	07CTP1	8	CONN
XRMAX	CT	AU2CT1	8	CN	0 78 NET LOADS	AU2	08CTP1	8	CCNN
XRO	74151N	AU2K13	2		10	AU2	1013	2	DIN2
XRO	74163N	AU2P18	11	*	100 110 NET LOADS	AU2	1413	11	DOUT
XR1	74151N	AU2J12	2		10	AU2	912	2	DIN2
XR1	74163N	AU2P18	12	*	100 110 NET LOADS	AU2	1418	12	COUT
XR10	74151N	AU2P09	2		10	AU2	1409	2	DIN2
XR10	74163N	AU2P06	13	*	100 110 NET LOADS	AU2	1406	13	BOUT
XR11	74151N	AU2N08	2		10	AU2	1308	2	DIN2
XR11	74163N	AU2P06	14	*	100 110 NET LOADS	AU2	1406	14	AOUT
XR12	74151N	AU2R11	2		10	AU2	1511	2	DIN2
XR12	74163N	AU2R07	11	*	100 110 NET LOADS	AU2	1507	11	DOUT
XR13	74151N	AU2R08	2		10	AU2	1508	2	DIN2
XR13	74163N	AU2R07	12	*	100 110 NET LOADS	AU2	1507	12	COUT
XR14	74151N	AU2P10	2		10	AU2	1510	2	DIN2
XR14	74163N	AU2R07	13	*	100 110 NET LOADS	AU2	1507	13	BOUT
XR15	74151N	AU2P13	2		10	AU2	1513	2	DIN2
XR15	74163N	AU2R07	14	*	100 110 NET LOADS	AU2	1507	14	AOUT
XR2	74151N	AU2M11	2		10	AU2	1211	2	DIN2
XR2	74163N	AU2P18	13	*	100 110 NET LOADS	AU2	1418	13	BOUT
XR3	74151N	AU2L12	2		10	AU2	1112	2	DIN2
XR3	74163N	AU2P18	14	*	100 110 NET LOADS	AU2	1418	14	AOUT

NEXT PAGE IS 219

DRAWING NUMBER 960687-9903 REVISION LTR A

L O A D L I S T I N G F O R : P R O D U C T C O D E 980A

M O D U L E

D A T E 05/23/72

P A G E 219

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
XR4	74151N	AU2L10	2		10	AU2	1110	2	DIN2
XR4	74163N	AU2M08	11	*	100	AU2	1208	11	DOUT
					110 NET LOADS				
XR5	74151N	AU2K11	2		10	AU2	1011	2	DIN2
XR5	74163N	AU2M08	12	*	100	AU2	1208	12	COUT
					110 NET LOADS				
XR6	74151N	AU2M09	2		10	AU2	1209	2	DIN2
XR6	74163N	AU2M08	13	*	100	AU2	1208	13	BOUT
					110 NET LOADS				
XR7	74151N	AU2K08	2		10	AU2	1008	2	DIN2
XR7	74163N	AU2M08	14	*	100	AU2	1208	14	AOUT
					110 NET LOADS				
XR8	74151N	AU2P07	2		10	AU2	1407	2	DIN2
XR8	74163N	AU2P06	11	*	100	AU2	1406	11	DOUT
					110 NET LOADS				
XR9	74151N	AU2P08	2		10	AU2	1408	2	DIN2
XR9	74163N	AU2P06	12	*	100	AU2	1406	12	COUT
					110 NET LOADS				