

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 26

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
-12 NET LOADS *EXTERNAL SOURCE*									
API8	74H00N	AU2E01	3	*	120	AU2	501	3	OUT1
API8	74H11N	AU2E03	13		-12	AU2	503	13	INC1
					108 NET LOADS				
API8-	74H00N	AU2E01	2		-12	AU2	501	2	INB1
API8-	CB	AUXPORT	55	CN	0	9999	10P1/801	55	CONN
API8-	CB	AU2P2	51	CN	0	9999	08P2/302	51	CONN
-12 NET LOADS *EXTERNAL SOURCE*									
API9	74H00N	AU2E02	11	*	120	AU2	502	11	OUT4
API9	74H11N	AU2E03	11		-12	AU2	503	11	INC3
					108 NET LOADS				
API9-	74H00N	AU2E02	13		-12	AU2	502	13	INB4
API9-	CB	AUXPORT	59	CN	0	9999	10P1/801	59	CONN
API9-	CB	AU2P2	50	CN	0	9999	08P2/302	50	CONN
-12 NET LOADS *EXTERNAL SOURCE*									
APOPCOMP-	74H11N	AU1K01	1		-12	AU1	1001	1	INAI
APOPCOMP-	CB	AU1P1	5	CN	0	9999	07P1/701	5	CONN
APOPCOMP-	CB	AUXPORT	63	CN	0	9999	10P1/801	63	CONN
-12 NET LOADS *EXTERNAL SOURCE*									
ARCR1	74163N	AU2M17	10	*	-20	AU2	1217	10	TENA
ARCR1	74163N	AU2P20	15		100	AU2	1420	15	C/O
					80 NET LOADS				
ARCR2	74163N	AU2G17	10	*	-20	AU2	717	10	TENA
ARCR2	74163N	AU2M17	15		100	AU2	1217	15	C/O
					80 NET LOADS				
ARCR3	74163N	AU2P21	10	*	-20	AU2	1421	10	TENA
ARCR3	74163N	AU2G17	15		100	AU2	717	15	C/O
					80 NET LOADS				
ARDOIT-	74C8N	AU2G21	11	*	100	AU2	721	11	OUT4
ARDOIT-	74H21N	AU2C16	12		-12	AU2	316	12	INC2
					88 NET LOADS				
ARDSW	74H54N	AU1H02	2	*	-12	AU1	802	2	INC
ARDSW	7404N	AU1F03	4		100	AU1	603	4	OUT2
					88 NET LOADS				
ARDSW-	7404N	AU1F03	3		-10	AU1	603	3	IN2
ARDSW-	7420N	AU1E03	10		-10	AU1	503	10	INB2
ARDSW-	RES	AU1E01	12		0	AU1	501	12	OTA*
ARDSW-	CB	PNLP2	9	CN	0	9999	01P2/101	9	CONN

NEXT PAGE IS 27

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 27

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
ARDSW-	CB	AU1P2	57	CN	0 -20 NET LOADS *EXTERNAL SOURCE*	9999	07P2/301	57	CONN
ARESW	7404N	AU1H08	2	*	100	AU1	808	2	OUT1
ARESW	74H54N	AU1G07	9		-12 88 NET LOADS	AU1	707	9	INH
ARESW-	7404N	AU1H08	1		-10	AU1	808	1	IN1
ARESW-	7420N	AU1E03	9		-10	AU1	503	9	INA2
ARESW-	RES	AU1E01	10		0	AU1	501	10	OTA*
ARESW-	CB	PNLP2	14	CN	0	9999	01P2/101	14	CONN
ARESW-	CB	AU1P2	61	CN	0 -20 NET LOADS *EXTERNAL SOURCE*	9999	07P2/301	61	CONN
ARMAX	74163N	AU2P21	15	*	100 100 NET LOADS *****UNUSED*****	AU2	1421	15	C/O
ARO	7486N	AU1L21	10		-10	AU1	1121	10	INB3
ARO	7486N	AU1J20	1		-10	AU1	920	1	INA1
ARO	74S65N	AU1J17	11		-10	AU1	917	11	INB
ARO	7442N	AU1N16	13		-10	AU1	1316	13	IN C
ARO	74H04N	AU1L20	13		-12	AU1	1120	13	IN6
ARO	74151N	AU2K13	4		10	AU2	1013	4	DINO
ARO	74163N	AU2P21	11	*	100	AU2	1421	11	DOUT
ARO	CT	AU1CT1	40	CN	0	AU1	07CTP1	40	CONN
ARO	CT	AU2CT1	40	CN	0 58 NET LOADS	AU2	08CTP1	40	CONN
AROT-	7486N	AU1P20	13		-10	AU1	1420	13	INB4
AROT-	74S65N	AU1J17	5		-10	AU1	917	5	INH
AROT-	74H04N	AU1L20	12	*	120 100 NET LOADS	AU1	1120	12	OUT6
AROXAR1	7486N	AU1L21	8	*	100	AU1	1121	8	OUT3
AROXAP1	7451N	AU1H09	10		-10 90 NET LOADS	AU1	809	10	INB1
AROXAR2-	7486N	AU1P20	11	*	100	AU1	1420	11	OUT4
AROXAR2-	7410N	AU1M14	1		-10 90 NET LOADS	AU1	1214	1	INA1
AROXIR9	7486N	AU1J20	3	*	100	AU1	920	3	OUT1
AROXIR9	7451N	AU1H09	1		-10 90 NET LOADS	AU1	809	1	INA1
AR1	7486N	AU1J20	13		-10	AU1	920	13	INB4
AR1	7486N	AU1L21	9		-10	AU1	1121	9	INA3
AR1	74151N	AU2J12	4		10	AU2	912	4	DINO
AR1	74163N	AU2P21	12	*	100	AU2	1421	12	COUT

NEXT PAGE IS 28

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
AR1	CT	AU1CT1	42	CN	0	AU1	07CTP1	42	CONN
AR1	CT	AU2CT1	42	CN	0	AU2	08CTP1	42	CONN
					90 NET LOADS				
AR1XIR9	7486N	AU1J20	11	*	100	AU1	920	11	OUT4
AR1XIR9	7451N	AU1L17	2		-10	AU1	1117	2	INA2
AR1XIR9	7404N	AU1L16	3		-10	AU1	1116	3	IN2
					80 NET LOADS				
AR1XIR9-	7404N	AU1L16	4	*	100	AU1	1116	4	OUT2
AR1XIR9-	7410N	AU1L10	9		-10	AU1	1110	9	INA3
					90 NET LOADS				
AR10	74151N	AU2P09	4		10	AU2	1409	4	DINO
AR10	74163N	AU2M17	13	*	100	AU2	1217	13	BOUT
					110 NET LOADS				
AR11	74151N	AU2N08	4		10	AU2	1308	4	DINO
AR11	74163N	AU2M17	14	*	100	AU2	1217	14	AOUT
					110 NET LOADS				
AR12	74151N	AU2P11	4		10	AU2	1511	4	DINO
AR12	74163N	AU2P20	11	*	100	AU2	1420	11	DOUT
					110 NET LOADS				
AR13	74151N	AU2R08	4		10	AU2	1508	4	DINO
AR13	74163N	AU2P20	12	*	100	AU2	1420	12	COUT
					110 NET LOADS				
AR14	7486N	AU1P20	10		-10	AU1	1420	10	INB3
AR14	74151N	AU2R10	4		10	AU2	1510	4	DINO
AR14	74163N	AU2P20	13	*	100	AU2	1420	13	BOUT
AR14	CT	AU1CT1	4	CN	0	AU1	07CTP1	4	CONN
AR14	CT	AU2CT1	4	CN	0	AU2	08CTP1	4	CONN
					100 NET LOADS				
AR14XIR9	7486N	AU1P20	8	*	100	AU1	1420	8	OUT3
AR14XIR9	7451N	AU1L17	1		-10	AU1	1117	1	INA1
AR14XIR9	7404N	AU1L16	5		-10	AU1	1116	5	IN3
					80 NET LOADS				
AR14XIR9-	7404N	AU1L16	6	*	100	AU1	1116	6	OUT3
AR14XIR9-	7410N	AU1L14	9		-10	AU1	1114	9	INA3
					90 NET LOADS				
AR15	7486N	AU1P20	1		-10	AU1	1420	1	INA1
AR15	7404N	AU1K20	1		-10	AU1	1020	1	IN1
AR15	7400N	AU1J15	9		-10	AU1	915	9	INA3
AR15	74151N	AU2R13	4		10	AU2	1513	4	DINO

NEXT PAGE IS 29

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 29

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
AR15	74163N	AU2P20	14	*	100	AU2	1420	14	AOUT
AR15	CT	AU1CT1	7	CN	0	AU1	07CTP1	7	CONN
AR15	CT	AU2CT1	7	CN	0	AU2	08CTP1	7	CONN
					80 NET LOADS				
AR15ER1-	7400N	AU2N15	4		-10	AU2	1315	4	INA2
AR15ER1-	7400N	AU2L13	6	*	100	AU2	1113	6	OUT2
					90 NET LOADS				
AR15T-	7404N	AU1K20	2	*	100	AU1	1020	2	OUT1
AR15T-	74S22N	AU1C21	10		-10	AU1	321	10	INB2
					90 NET LOADS				
AR15XIR9	7486N	AU1P20	3	*	100	AU1	1420	3	OUT1
AR15XIR9	7400N	AU1L12	4		-10	AU1	1112	4	INA2
					90 NET LOADS				
AR16	7486N	AU1L21	1		-10	AU1	1121	1	INA1
AR16	74H101N	AU2A20	6	*	100	AU2	120	6	OT Q
AR16	7408N	AU2L20	13		-10	AU2	1120	13	INB4
AR16	CT	AU1CT1	49	CN	0	AU1	07CTP1	49	CONN
AR16	CT	AU2CT1	49	CN	0	AU2	08CTP1	49	CONN
					80 NET LOADS				
AR16-	74H101N	AU2A20	8	*	100	AU2	120	8	OTQ-
AR16-	7451N	AU2A21	10		-10	AU2	121	10	INB1
					90 NET LOADS				
AR2	7486N	AU1P20	12		-10	AU1	1420	12	INA4
AR2	74151N	AU2M11	4		10	AU2	1211	4	DINO
AR2	74163N	AU2P21	13	*	100	AU2	1421	13	BOUT
AR2	CT	AU1CT1	5	CN	0	AU1	07CTP1	5	CONN
AR2	CT	AU2CT1	5	CN	0	AU2	08CTP1	5	CONN
					100 NET LOADS				
AR3	74151N	AU2L12	4		10	AU2	1112	4	DINO
AR3	74163N	AU2P21	14	*	100	AU2	1421	14	AOUT
					110 NET LOADS				
AR4	74151N	AU2L10	4		10	AU2	1110	4	DINO
AR4	74163N	AU2G17	11	*	100	AU2	717	11	DOUT
					110 NET LOADS				
AR5	74151N	AU2K11	4		10	AU2	1011	4	DINO
AR5	74163N	AU2G17	12	*	100	AU2	717	12	COUT
					110 NET LOADS				
AR6	74151N	AU2M09	4		10	AU2	1209	4	DINO
AR6	74163N	AU2G17	13	*	100	AU2	717	13	BOUT

NEXT PAGE IS 30

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
110 NET LOADS									
AR 7	74151N	AU2K08	4		10	AU2	1008	4	DINO
AR 7	74163N	AU2G17	14	*	100	AU2	717	14	AOUT
110 NET LOADS									
AR 8	74151N	AU2P07	4		10	AU2	1407	4	DINO
AR 8	74163N	AU2M17	11	*	100	AU2	1217	11	DOUT
110 NET LOADS									
AR 9	74151N	AU2P08	4		10	AU2	1408	4	DINO
AR 9	74163N	AU2M17	12	*	100	AU2	1217	12	COUT
110 NET LOADS									
ASIMM-	7474N	AU2C14	2		-10	AU2	314	2	ID
ASIMM-	7430N	AU2A07	8	*	100	AU2	107	8	OUT
90 NET LOADS									
ASOV-	74H30N	AU2L15	1		-12	AU2	1115	1	INA
ASOV-	74H55N	AU2L14	8	*	120	AU2	1114	8	OUT
108 NET LOADS									
AU2CLK	74H04N	AU1L20	2	*	120	AU1	1120	2	OUT1
AU2CLK	7437N	AU1H13	4		-10	AU1	813	4	INA2
AU2CLK	7437N	AU1G19	9		-10	AU1	719	9	INA3
AU2CLK	7437N	AU1H13	12		-10	AU1	813	12	INA4
90 NET LOADS									
AU2CLK-	74H04N	AU1L20	1		-12	AU1	1120	1	IN1
AU2CLK-	7437N	AU1H04	4		-10	AU1	804	4	INA2
AU2CLK-	7408N	AU1L02	6	*	100	AU1	1102	6	OUT2
AU2CLK-	7437N	AU1H04	12		-10	AU1	804	12	INA4
68 NET LOADS									
AXB0	7486N	AU2L19	6	*	100	AU2	1119	6	OUT2
AXB0	7410N	AU2C18	4		-10	AU2	318	4	INB2
AXB0	7404N	AU2J14	9		-10	AU2	914	9	IN4
80 NET LOADS									
AXB0-	74H10N	AU2F15	5		-12	AU2	615	5	INC2
AXB0-	7404N	AU2J14	8	*	100	AU2	914	8	OUT4
88 NET LOADS									
A0	7486N	AU1L21	13		-10	AU1	1121	13	INB4
A0	7486N	AU2L19	4		-10	AU2	1119	4	INA2
A0	7486N	AU2L19	13		-10	AU2	1119	13	INB4
A0	7486N	AU2L19	10		-10	AU2	1119	10	INB3
A0	74H55N	AU2R16	1		-12	AU2	1516	1	INA
A0	74H21N	AU2E11	1		-12	AU2	511	1	INA1

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 31

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
AO	74H55N	AU2L14	2		-12	AU2	1114	2	INB
AO	74S00N	AU2E10	8	*	120	AU2	510	8	COU
AO	74H04N	AU2E13	9		-12	AU2	513	9	IN4
AO	74H55N	AU2G12	12		-12	AU2	712	12	ING
AO	74181N	AU2C07	19		-30	AU2	307	19	INA3
AO	CT	AU1CT1	52	CN	0	AU1	07CTP1	52	CONN
AO	CT	AU2CT1	52	CN	0	AU2	08CTP1	52	CONN
					-10 NET LOADS				
AO-	74H04N	AU2F13	8	*	120	AU2	513	8	OUT4
AO-	74H55N	AU2H12	10		-12	AU2	812	10	INE
AO-	74H55N	AU2R16	10		-12	AU2	1516	10	INE
AO-	74H55N	AU2L14	12		-12	AU2	1114	12	ING
					84 NET LOADS				
AOEQB0	74H55N	AU2H12	3		-12	AU2	812	3	INC
AOEQB0	74H55N	AU2G12	4		-12	AU2	712	4	IND
AOEQB0	74H04N	AU2F14	8	*	120	AU2	614	8	OUT4
					96 NET LOADS				
AOEQB0-	7486N	AU2L19	8	*	100	AU2	1119	8	OUT3
AOEQB0-	74H04N	AU2F14	9		-12	AU2	614	9	IN4
AOEQB0-	74H55N	AU2G12	11		-12	AU2	712	11	INF
					76 NET LOADS				
AOXA1	7486N	AU1L21	11	*	100	AU1	1121	11	OUT4
AOXA1	7404N	AU1H08	13		-10	AU1	808	13	IN6
					90 NET LOADS				
AOXA1-	7410N	AU1K14	2		-10	AU1	1014	2	INB1
AOXA1-	7410N	AU1F08	9		-10	AU1	608	9	INA3
AOXA1-	7404N	AU1H08	12	*	100	AU1	808	12	OUT6
					80 NET LOADS				
AOXA1A	7486N	AU2L19	11	*	100	AU2	1119	11	OUT4
AOXA1A	7400N	AU2L13	12		-10	AU2	1113	12	INA4
					90 NET LOADS				
A1	7486N	AU1L21	12		-10	AU1	1121	12	INA4
A1	7486N	AU2L19	12		-10	AU2	1119	12	INA4
A1	74H21N	AU2E11	2		-12	AU2	511	2	INB1
A1	74S00N	AU2E10	11	*	120	AU2	510	11	DOU
A1	74181N	AU2C07	21		-30	AU2	307	21	INA2
A1	CT	AU1CT1	47	CN	0	AU1	07CTP1	47	CCNN
					58 NET LOADS				
A10	74H21N	AU2H08	4		-12	AU2	808	4	INC1
A10	74S00N	AU2H11	8	*	120	AU2	811	8	COU
A10	74181N	AU2J07	23		-30	AU2	907	23	INA1

NEXT PAGE IS 32

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
78 NET LOADS									
A11	74181N	AU2J07	2		-30	AU2	907	2	INA0
A11	74H21N	AU2H08	5		-12	AU2	808	5	IND1
A11	74S00N	AU2J06	6	*	120	AU2	906	6	BOUT
78 NET LOADS									
A12	74H21N	AU2K07	1		-12	AU2	1007	1	INA1
A12	74S00N	AU2L06	3	*	120	AU2	1106	3	AOUT
A12	74181N	AU2L07	19		-30	AU2	1107	19	INA3
78 NET LOADS									
A13	74H21N	AU2K07	2		-12	AU2	1007	2	INB1
A13	74S00N	AU2J06	8	*	120	AU2	906	8	COUT
A13	74181N	AU2L07	21		-30	AU2	1107	21	INA2
78 NET LOADS									
A14	74H21N	AU2K07	4		-12	AU2	1007	4	INC1
A14	74S00N	AU2L06	11	*	120	AU2	1106	11	DOUT
A14	74181N	AU2L07	23		-30	AU2	1107	23	INA1
78 NET LOADS									
A15	74181N	AU2L07	2		-30	AU2	1107	2	INA0
A15	74151N	AU2K14	2		10	AU2	1014	2	DIN2
A15	7400N	AU2L13	4		-10	AU2	1113	4	INA2
A15	74H21N	AU2K07	5		-12	AU2	1007	5	IND1
A15	74S00N	AU2L06	8	*	120	AU2	1106	8	COUT
78 NET LOADS									
A2	74H21N	AU2E11	4		-12	AU2	511	4	INC1
A2	74S00N	AU2E10	6	*	120	AU2	510	6	BOUT
A2	74181N	AU2C07	23		-30	AU2	307	23	INA1
78 NET LOADS									
A3	74181N	AU2C07	2		-30	AU2	307	2	INA0
A3	74S00N	AU2E10	3	*	120	AU2	510	3	AOUT
A3	74H21N	AU2E11	5		-12	AU2	511	5	IND1
78 NET LOADS									
A4	74H21N	AU2H10	1		-12	AU2	810	1	INA1
A4	74S00N	AU2G11	3	*	120	AU2	711	3	AOUT
A4	74181N	AU2G07	19		-30	AU2	707	19	INA3
78 NET LOADS									
A5	74H21N	AU2H10	2		-12	AU2	810	2	INB1
A5	74S00N	AU2G11	6	*	120	AU2	711	6	BOUT
A5	74181N	AU2G07	21		-30	AU2	707	21	INA2
78 NET LOADS									

NEXT PAGE IS 33

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
A6	74SO0N	AU2H11	3	*	120	AU2	811	3	AOUT
A6	74H21N	AU2H10	4		-12	AU2	810	4	INC1
A6	74181N	AU2G07	23		-30	AU2	707	23	INA1
					78 NET LOADS				
A7	74181N	AU2G07	2		-30	AU2	707	2	INA0
A7	74H21N	AU2H10	5		-12	AU2	810	5	IND1
A7	74SO0N	AU2H11	6	*	120	AU2	811	6	BOUT
					78 NET LOADS				
A8	74H21N	AU2H08	1		-12	AU2	808	1	INA1
A8	74SO0N	AU2J06	3	*	120	AU2	906	3	AOUT
A8	74181N	AU2J07	19		-30	AU2	907	19	INA3
					78 NET LOADS				
A9	74H21N	AU2H08	2		-12	AU2	808	2	INB1
A9	74SO0N	AU2J06	11	*	120	AU2	906	11	DOUT
A9	74181N	AU2J07	21		-30	AU2	907	21	INA2
					78 NET LOADS				
BFR0	74SO4N	AU1E08	5		-10	AU1	508	5	IN3
BFR0	74H61N	AU1B12	6		-12	AU1	212	6	INC2
BFR0	74187N	AU1D09	9	*	700	AU1	409	9	OUT1
BFR0	RES	AU1B09	13		0	AU1	209	13	OTA*
					678 NET LOADS				
BFR0-	74SO4N	AU1E08	6	*	100	AU1	508	6	OUT3
BFR0-	74H21N	AU1L07	10		-12	AU1	1107	10	INB2
					88 NET LOADS				
BFR1	74H01N	AU1K11	3	*	120	AU1	1011	3	OUT1
BFR1	74H61N	AU1C10	3		-12	AU1	310	3	INC1
BFR1	74187N	AU1D09	10	*	700	AU1	409	10	OUT2
BFR1	RES	AU1B09	12		0	AU1	209	12	OTA*
					808 NET LOADS *MULTIPLE SOURCE*				
BFR2	74H61N	AU1B12	3		-12	AU1	212	3	INC1
BFR2	74187N	AU1D09	11	*	700	AU1	409	11	OUT3
BFR2	RES	AU1B09	14		0	AU1	209	14	OTA*
					688 NET LOADS				
BFR3	74H61N	AU1C06	3		-12	AU1	306	3	INC1
BFR3	74H01N	AU1K03	3	*	120	AU1	1003	3	OUT1
BFR3	74187N	AU1D09	12	*	700	AU1	409	12	OUT4
BFR3	RES	AU1C01	14		0	AU1	301	14	OTA*
					808 NET LOADS *MULTIPLE SOURCE*				
BFR4	74H05N	AU1K08	4	*	120	AU1	1008	4	OUT2
BFR4	74H61N	AU1B08	6		-12	AU1	208	6	INC2

NEXT PAGE IS 34

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
BFR4	74187N	AU1D08	9	*	700	AU1	408	9	OUT1
BFR4	RES	AU1B09	11		0	AU1	209	11	OTA*
BFR4	74H01N	AU1K03	11	*	120	AU1	1003	11	OUT4
					928 NET LOADS *MULTIPLE SOURCE*				
BFR5	74H01N	AU1K11	6	*	120	AU1	1011	6	OUT2
BFR5	74H61N	AU1C07	6		-12	AU1	307	6	INC2
BFR5	RES	AU1B09	9		0	AU1	209	9	OTA*
BFR5	74187N	AU1D08	10	*	700	AU1	408	10	OUT2
BFR5	74H05N	AU1K08	10	*	120	AU1	1008	10	OUT5
					928 NET LOADS *MULTIPLE SOURCE*				
BFR6	74H61N	AU1G09	3		-12	AU1	709	3	INC1
BFR6	74H05N	AU1K08	8	*	120	AU1	1008	8	OUT4
BFR6	74H01N	AU1K03	8	*	120	AU1	1003	8	OUT3
BFR6	74187N	AU1D08	11	*	700	AU1	408	11	OUT3
BFR6	RES	AU1D12	11		0	AU1	412	11	OTA*
					928 NET LOADS *MULTIPLE SOURCE*				
BFR7	74H05N	AU1K08	2	*	120	AU1	1008	2	OUT1
BFR7	74H01N	AU1K03	6	*	120	AU1	1003	6	OUT2
BFR7	74H61N	AU1C06	6		-12	AU1	306	6	INC2
BFR7	74187N	AU1D08	12	*	700	AU1	408	12	OUT4
BFR7	RES	AU1K05	14		0	AU1	1005	14	OTA*
					928 NET LOADS *MULTIPLE SOURCE*				
BITEQO	7404N	AU2K17	1		-10	AU2	1017	1	IN1
BITEQO	7400N	AU2L13	3	*	100	AU2	1113	3	OUT1
BITEQO	74151N	AU2K15	14		10	AU2	1015	14	DIN5
					100 NET LOADS				
BITEQO-	7404N	AU2K17	2	*	100	AU2	1017	2	OUT1
BITEQO-	74151N	AU2K15	15		10	AU2	1015	15	DIN4
					110 NET LOADS				
BITSK-	74151N	AU2K15	6	*	100	AU2	1015	6	OUT-
BITSK-	74H10N	AU2F15	11		-12	AU2	615	11	INC3
					88 NET LOADS				
BIT1-	7400N	AU2L13	1		-10	AU2	1113	1	IN1
BIT1-	74151N	AU2F07	6	*	100	AU2	607	6	OUT-
					90 NET LOADS				
BIT2-	7400N	AU2L13	2		-10	AU2	1113	2	IN1
BIT2-	74151N	AU2M07	6	*	100	AU2	1207	6	OUT-
					90 NET LOADS				
BKCLR-	7404N	AU1B01	8	*	100	AU1	201	8	OUT4
BKCLR-	74H21N	AU1N17	13		-12	AU1	1317	13	IND2

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 35

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
88 NET LOADS									
BKCLRSW	7432N	AU1C19	5		-10	AU1	319	5	INB2
BKCLRSW	7404N	AU1B01	9		-10	AU1	201	9	IN4
BKCLRSW	CB	PNLPI	62	CN	0	9999	01P1/501	62	CONN
BKCLRSW	CB	AU1P2	16	CN	0	9999	07P2/301	16	CONN
-20 NET LOADS *EXTERNAL SOURCE*									
BKFFK	74H103N	AU1D15	3		-12	AU1	415	3	1K
BKFFK	7432N	AU1C19	6	*	100	AU1	319	6	OUT2
88 NET LOADS									
BKIND	7404N	AU1B01	4	*	100	AU1	201	4	OUT2
BKIND	CB	PNLPI	12	CN	0	9999	01P1/501	12	CONN
BKIND	CB	AU1P2	11	CN	0	9999	07P2/301	11	CONN
100 NET LOADS									
BKPTJ	74H52N	AU1G02	3		-12	AU1	702	3	INC
BKPTJ	74H21N	AU1N17	8	*	120	AU1	1317	8	OUT2
BKPTJ	74H103N	AU1D15	14		-12	AU1	415	14	1J
96 NET LOADS									
BKPTQ	74H103N	AU1D15	12	*	120	AU1	415	12	1Q
120 NET LOADS *****UNUSED*****									
BKPTQ-	7404N	AU1B01	3		-10	AU1	201	3	IN2
BKPTQ-	74H103N	AU1D15	13	*	120	AU1	415	13	1Q-
110 NET LOADS									
BKPTSW	74H52N	AU1G02	4		-12	AU1	702	4	IND
BKPTSW	CB	PNLPI	60	CN	0	9999	01P1/501	60	CONN
BKPTSW	CB	AU1P2	70	CN	0	9999	07P2/301	70	CONN
-12 NET LOADS *EXTERNAL SOURCE*									
BK0	7485N	AU2C04	6	*	100	AU2	304	6	A=B
BK0	74H21N	AU2N17	9		-12	AU2	1317	9	INA2
88 NET LOADS									
BK1	7485N	AU2E07	6	*	100	AU2	507	6	A=B
BK1	74H21N	AU2N17	10		-12	AU2	1317	10	INB2
88 NET LOADS									
BK2	7485N	AU2H04	6	*	100	AU2	804	6	A=B
BK2	74H21N	AU2N17	12		-12	AU2	1317	12	INC2
88 NET LOADS									
BK3	7485N	AU2F04	6	*	100	AU2	604	6	A=B
BK3	74H21N	AU2N17	13		-12	AU2	1317	13	IND2
88 NET LOADS									

NEXT PAGE IS 36

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
BMAD1	74S00N	AU2H11	11	*	120	AU2	811	11	DOUT
BMAD1	74153N	AU2F06	14		-10	AU2	606	14	ADDA
PMAD1	74153N	AU2H06	14		-10	AU2	806	14	ADDA
PMAD1	74153N	AU2M05	14		-10	AU2	1205	14	ADDA
BMAD1	74153N	AU2N16	14		-10	AU2	1316	14	ADDA
BMAD1	74153N	AU2M06	14		-10	AU2	1206	14	ADDA
BMAD1	74153N	AU2D07	14		-10	AU2	407	14	ADDA
BMAD1	74153N	AU2C05	14		-10	AU2	305	14	ADDA
BMAD1	74153N	AU2C06	14		-10	AU2	306	14	ADDA
					40 NET LOADS				
BPMEM-	CB	MEMCONP1	12	CN	0	9999	06P1/605	12	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
BRCLK-	7400N	AU2N15	8	*	100	AU2	1315	8	OUT3
BRCLK-	74174N	AU2N09	9		-10	AU2	1309	9	CLK
BRCLK-	74174N	AU2R14	9		-10	AU2	1514	9	CLK
BRCLK-	74174N	AU2L11	9		-10	AU2	1111	9	CLK
					70 NET LOADS				
BRDSW	74H54N	AU1G07	5		-12	AU1	707	5	INF
BRDSW	7404N	AU1F05	10	*	100	AU1	605	10	OUT5
					88 NET LOADS				
BRDSW-	7420N	AU1F02	1		-10	AU1	602	1	INA1
BRDSW-	7410N	AU1G03	1		-10	AU1	703	1	INA1
BRDSW-	RES	AU1F01	11		0	AU1	601	11	OTA*
BRDSW-	7404N	AU1F05	11		-10	AU1	605	11	INS
BRDSW-	CB	PNLP1	34	CN	0	9999	01P1/501	34	CONN
BRDSW-	CB	AU1P2	72	CN	0	9999	07P2/301	72	CONN
					-30 NET LOADS *EXTERNAL SOURCE*				
BRESW-	7420N	AU1E03	12		-10	AU1	503	12	INC2
BRESW-	RES	AU1E01	15		0	AU1	501	15	OTA*
BRESW-	CB	PNLP1	32	CN	0	9999	01P1/501	32	CONN
BRESW-	CB	AU1P2	52	CN	0	9999	07P2/301	52	CONN
					-10 NET LOADS *EXTERNAL SOURCE*				
BRLD-	7451N	AU1E19	8	*	100	AU1	519	8	OUT1
BRLD-	7420N	AU2F18	9		-10	AU2	618	9	INA2
BRLD-	CT	AU1CT2	28	CN	0	AU1	07CTP2	28	CONN
BRLD-	CT	AU2CT2	28	CN	0	AU2	08CTP2	28	CONN
					90 NET LOADS				
BRO	74174N	AU2L11	2	*	100	AU2	1111	2	AOUT
BRO	74151N	AU2K13	13		10	AU2	1013	13	DIN6
					110 NET LOADS				

NEXT PAGE IS 37

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 37

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
BR1	74174N	AU2L11	5	*	100	AU2	1111	5	BOUT
BR1	74151N	AU2J12	13	*	10	AU2	912	13	DIN6
					110 NET LOADS				
BR10	74174N	AU2N09	12	*	100	AU2	1309	12	EOUT
BR10	74151N	AU2P09	13	*	10	AU2	1409	13	DIN6
					110 NET LOADS				
BR11	74151N	AU2N08	13	*	10	AU2	1308	13	DIN6
BR11	74174N	AU2N09	15	*	100	AU2	1309	15	FOUT
					110 NET LOADS				
BR12	74174N	AU2R14	2	*	100	AU2	1514	2	AOUT
BR12	74151N	AU2R11	13	*	10	AU2	1511	13	DIN6
					110 NET LOADS				
BR13	74174N	AU2R14	5	*	100	AU2	1514	5	BOUT
BR13	74151N	AU2R08	13	*	10	AU2	1508	13	DIN6
					110 NET LOADS				
BR14	74174N	AU2R14	7	*	100	AU2	1514	7	COUT
BR14	74151N	AU2R10	13	*	10	AU2	1510	13	DIN6
					110 NET LOADS				
BR15	74174N	AU2R14	10	*	100	AU2	1514	10	DOUT
BR15	74151N	AU2R13	13	*	10	AU2	1513	13	DIN6
					110 NET LOADS				
BR2	74174N	AU2L11	7	*	100	AU2	1111	7	COUT
BR2	74151N	AU2M11	13	*	10	AU2	1211	13	DIN6
					110 NET LOADS				
BR3	74174N	AU2L11	10	*	100	AU2	1111	10	DOUT
BR3	74151N	AU2L12	13	*	10	AU2	1112	13	DIN6
					110 NET LOADS				
BR4	74174N	AU2L11	12	*	100	AU2	1111	12	EOUT
BR4	74151N	AU2L10	13	*	10	AU2	1110	13	DIN6
					110 NET LOADS				
BR5	74151N	AU2K11	13	*	10	AU2	1011	13	DIN6
BR5	74174N	AU2L11	15	*	100	AU2	1111	15	FOUT
					110 NET LOADS				
BR6	74174N	AU2N09	2	*	100	AU2	1309	2	AOUT
BR6	74151N	AU2M09	13	*	10	AU2	1209	13	DIN6
					110 NET LOADS				
BR7	74174N	AU2N09	5	*	100	AU2	1309	5	BOUT

NEXT PAGE IS 38

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 38

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
BR7	74151N	AU2K08	13		10 110 NET LOADS	AU2	1008	13	DIN6
BR8	74174N	AU2N09	7	*	100	AU2	1309	7	COUT
BR8	74151N	AU2P07	13		10 110 NET LOADS	AU2	1407	13	DIN6
BR9	74174N	AU2N09	10	*	100	AU2	1309	10	DOUT
BR9	74151N	AU2P08	13		10 110 NET LOADS	AU2	1408	13	DIN6
BSDQ	7410N	AU1K14	4		-10	AU1	1014	4	INB2
BSDQ	7474N	AU1K06	5	*	100	AU1	1006	5	1Q
BSDQ	7400N	AU1K12	10		-10 80 NET LOADS	AU1	1012	10	INB3
BSDQ-	7474N	AU1K06	6	*	100	AU1	1006	6	1Q-
BSDQ-	7427N	AU1K17	11		-10	AU1	1017	11	INC3
BSDQ-	7420N	AU1K16	12		-10 80 NET LOADS	AU1	1016	12	INC2
BSDQD	7474N	AU1K06	2		-10	AU1	1006	2	1D
BSDQD	74188N	AU1L06	4	*	700	AU1	1106	4	OUT4
BSDQD	RES	AU1K05	12		0 690 NET LOADS	AU1	1005	12	OTA*
BS0	CB	MEMCONP2	15	CN	0	9999	06P2/205	15	CONN
BS0	CB	MEM3KP2	75	CN	0	9999	05P2/204	75	CONN
BS0	CB	MEM24KP2	75	CN	0 0 NET LOADS *EXTERNAL SOURCE*	9999	03P2/202	75	CONN
BS1	CB	MEM24KP1	5	CN	0	9999	03P1/602	5	CONN
BS1	CB	MEM3KP1	5	CN	0	9999	05P1/604	5	CONN
BS1	CB	MEMCONP2	13	CN	0 0 NET LOADS *EXTERNAL SOURCE*	9999	06P2/205	13	CONN
BS2	CB	MEMCONP2	26	CN	0	9999	06P2/205	26	CONN
BS2	CB	MEM3KP2	23	CN	0	9999	05P2/204	23	CONN
BS2	CB	MEM16KP2	75	CN	0	9999	04P2/203	75	CONN
BS2	CB	MEM32KP2	75	CN	0 0 NET LOADS *EXTERNAL SOURCE*	9999	02P2/201	75	CONN
BS3	CB	MEM32KP1	5	CN	0	9999	02P1/601	5	CONN
BS3	CB	MEM16KP1	5	CN	0	9999	04P1/603	5	CONN
BS3	CB	MEM3KP1	9	CN	0	9999	05P1/604	9	CONN
BS3	CB	MEMCONP2	27	CN	0 0 NET LOADS *EXTERNAL SOURCE*	9999	06P2/205	27	CONN
BYTEINC	7437N	AU1G19	11	*	300	AU1	719	11	OUT4

NEXT PAGE IS 39

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 39

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
BYTEINC	74H101N	AU2A20	3		-12	AU2	120	3	NJ2A
BYTEINC	74H101N	AU2E20	3		-12	AU2	520	3	NJ2A
BYTEINC	74H101N	AU2E20	4		-12	AU2	520	4	NJ2B
BYTEINC	74H101N	AU2A20	4		-12	AU2	120	4	NJ2B
BYTEINC	7408N	AU2G21	9		-10	AU2	721	9	INA3
BYTEINC	74H101N	AU2F20	11		-12	AU2	520	11	NK2A
BYTEINC	74H101N	AU2A20	11		-12	AU2	120	11	NK2A
BYTEINC	74H101N	AU2A20	12		-12	AU2	120	12	NK2B
BYTEINC	74H101N	AU2E20	12		-12	AU2	520	12	NK2B
BYTEINC	7408N	AU2L20	12		-10	AU2	1120	12	INA4
BYTEINC	7432N	AU2L03	13		-10	AU2	1103	13	INB4
BYTEINC	CT	AU1CT2	9	CN	0	AU1	07CTP2	9	CONN
BYTEINC	CT	AU2CT2	9	CN	0	AU2	08CTP2	9	CONN
					174 NET LOADS				
BYTEINCA-	7410N	AU1G16	12	*	100	AU1	716	12	OUT1
BYTEINCA-	7437N	AU1G19	12		-10	AU1	719	12	INA4
					90 NET LOADS				
BYTEINCB-	7400N	AU1F14	8	*	100	AU1	614	8	OUT3
BYTEINCB-	7437N	AU1G19	13		-10	AU1	719	13	INB4
					90 NET LOADS				
BYTESHFT-	7410N	AU1F21	6	*	100	AU1	621	6	OUT2
BYTESHFT-	74H11N	AU2D16	2		-12	AU2	416	2	INB1
BYTESHFT-	74H11N	AU2G20	5		-12	AU2	720	5	INC2
BYTESHFT-	CT	AU1CT2	16	CN	0	AU1	07CTP2	16	CCNN
BYTESHFT-	CT	AU2CT2	16	CN	0	AU2	08CTP2	16	CONN
					76 NET LOADS				
BYTFLAG	74H103N	AU1D05	12	*	120	AU1	405	12	1Q
					120 NET LOADS *****UNUSED*****				
BYTFLAG-	74H00N	AU1D18	2		-12	AU1	418	2	INB1
BYTFLAG-	74H103N	AU1D05	13	*	120	AU1	405	13	1Q-
					108 NET LOADS				
B0	7486N	AU2L19	2		-10	AU2	1119	2	INB1
B0	7486N	AU2L19	9		-10	AU2	1119	9	INA3
B0	74153N	AU2C05	7	*	100	AU2	305	7	OUT1
B0	74H55N	AU2H12	11		-12	AU2	812	11	INF
B0	74181N	AU2C07	18		-30	AU2	307	18	INB3
					38 NET LOADS				
B1	74153N	AU2C05	9	*	100	AU2	305	9	OUT2
B1	74181N	AU2C07	20		-30	AU2	307	20	INB2
					70 NET LOADS				
B10	74153N	AU2N16	7	*	100	AU2	1316	7	OUT1

NEXT PAGE IS 40

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
B10	74181N	AU2J07	22		-30 70 NET LOADS	AU2	907	22	INB1
B11	74181N	AU2J07	1		-30	AU2	907	1	INB0
B11	74153N	AU2N16	9	*	100 70 NET LOADS	AU2	1316	9	OUT2
B12	74153N	AU2M05	7	*	100	AU2	1205	7	OUT1
B12	74181N	AU2L07	18		-30 70 NET LOADS	AU2	1107	18	INB3
B13	74153N	AU2M05	9	*	100	AU2	1205	9	OUT2
B13	74181N	AU2L07	20		-30 70 NET LOADS	AU2	1107	20	INB2
B14	74153N	AU2M06	7	*	100	AU2	1206	7	OUT1
B14	74181N	AU2L07	22		-30 70 NET LOADS	AU2	1107	22	INB1
B15	74181N	AU2L07	1		-30	AU2	1107	1	INB0
B15	74153N	AU2M06	9	*	100 70 NET LOADS	AU2	1206	9	OUT2
B2	74153N	AU2C06	7	*	100	AU2	306	7	OUT1
B2	74181N	AU2C07	22		-30 70 NET LOADS	AU2	307	22	INB1
B3	74181N	AU2C07	1		-30	AU2	307	1	INB0
B3	74153N	AU2C06	9	*	100 70 NET LOADS	AU2	306	9	OUT2
B4	74153N	AU2D07	7	*	100	AU2	407	7	OUT1
B4	74181N	AU2G07	18		-30 70 NET LOADS	AU2	707	18	INB3
B5	74153N	AU2D07	9	*	100	AU2	407	9	OUT2
B5	74181N	AU2G07	20		-30 70 NET LOADS	AU2	707	20	INB2
B6	74153N	AU2F06	7	*	100	AU2	606	7	OUT1
B6	74181N	AU2G07	22		-30 70 NET LOADS	AU2	707	22	INB1
B7	74181N	AU2G07	1		-30	AU2	707	1	INB0
B7	74153N	AU2F06	9	*	100 70 NET LOADS	AU2	606	9	OUT2
B8	74153N	AU2H06	7	*	100	AU2	806	7	OUT1
B8	74181N	AU2J07	18		-30	AU2	907	18	INB3

NEXT PAGE IS 41

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
70 NET LOADS									
B9	74153N	AU2H06	9	*	100	AU2	806	9	OUT2
B9	74191N	AU2J07	20		-30	AU2	907	20	INB2
70 NET LOADS									
CADRA	74H11N	AU2G20	6	*	120	AU2	720	6	OUT2
CADRA	74153N	AU2E08	14		-10	AU2	508	14	ADDA
CADRA	74153N	AU2F08	14		-10	AU2	608	14	ADDA
CADRA	74153N	AU2F05	14		-10	AU2	605	14	ADDA
CADRA	74153N	AU2F11	14		-10	AU2	611	14	ADDA
CADRA	74153N	AU2E12	14		-10	AU2	512	14	ADDA
CADRA	74153N	AU2D13	14		-10	AU2	413	14	ADDA
CADRA	74153N	AU2F05	14		-10	AU2	505	14	ADDA
CADRA	74153N	AU2D05	14		-10	AU2	405	14	ADDA
40 NET LOADS									
CADRB	74153N	AU2D13	2		-10	AU2	413	2	ADDB
CADRB	74153N	AU2D05	2		-10	AU2	405	2	ADDB
CADRB	74153N	AU2E05	2		-10	AU2	505	2	ADDB
CADRB	74153N	AU2E08	2		-10	AU2	508	2	ADDB
CADRB	74153N	AU2F11	2		-10	AU2	611	2	ADDB
CADRB	74153N	AU2E12	2		-10	AU2	512	2	ADDB
CADRB	74153N	AU2F05	2		-10	AU2	605	2	ADDB
CADRB	74153N	AU2F08	2		-10	AU2	608	2	ADDB
CADRB	74H11N	AU2D16	12	*	120	AU2	416	12	OUT1
40 NET LOADS									
CEN-	CB	MEMCONP2	52	CN	0	9999	06P2/205	52	CONN
CEN-	CB	MEM8KP2	69	CN	0	9999	05P2/204	69	CONN
0 NET LOADS *EXTERNAL SOURCE*									
CFZ	7402N	AU1G10	4	*	100	AU1	710	4	OUT2
CFZ	74H21N	AU1L07	13		-12	AU1	1107	13	IN02
88 NET LOADS									
CLCNT-	74163N	AU1N06	1		-10	AU1	1306	1	CLR
CLCNT-	74163N	AU1M05	1		-10	AU1	1205	1	CLR
CLCNT-	7420N	AU1J06	8	*	100	AU1	906	8	OUT2
80 NET LOADS									
CLKON	7474N	AU1N02	2		-10	AU1	1302	2	10
CLKON	CB	PNLP1	40	CN	0	9999	01P1/501	40	CONN
CLKON	CB	AU1P1	50	CN	0	9999	07P1/701	50	CONN
-10 NET LOADS *EXTERNAL SOURCE*									
CLKONQ	7474N	AU1N02	5	*	100	AU1	1302	5	1Q
CLKONQ	74H11N	AU1H21	9		-12	AU1	821	9	INA3
CLKONQ	74H00N	AU2F21	10		-12	AU2	621	10	INB3

NEXT PAGE IS 42

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 42

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
CLKONQ	CT	AU1CT2	25	CN	0	AU1	07CTP2	25	CONN
CLKONQ	CT	AU2CT2	25	CN	0	AU2	08CTP2	25	CONN
					76 NET LOADS				
CLKONQ-	74H10N	AU1D04	2		-12	AU1	404	2	INB1
CLKONQ-	74H54N	AU1P02	4		-12	AU1	1402	4	INE
CLKONQ-	7474N	AU1N02	6	*	100	AU1	1302	6	1Q-
CLKONQ-	74H10N	AU1M16	10		-12	AU1	1216	10	INB3
					64 NET LOADS				
CNT-	7400N	AU1N21	8	*	100	AU1	1321	8	OUT3
CNT-	7420N	AU1J06	10		-10	AU1	906	10	INB2
					90 NET LOADS				
CPUCC-	74H00N	AU1M20	5		-12	AU1	1220	5	INB2
CPUCC-	CB	AU1P1	40	CN	0	9999	07P1/701	40	CONN
CPUCC-	CB	AUXPORT	10	CN	0	9999	10P1/801	10	CONN
CPUCC-	CB	MEMCONP2	45	CN	0	9999	06P2/205	45	CONN
					-12 NET LOADS *EXTERNAL SOURCE*				
CPUCR	74H54N	AU1P02	10		-12	AU1	1402	10	INI
CPUCR	74H10N	AU1M16	11		-12	AU1	1216	11	INC3
CPUCR	74H21N	AU1N17	12		-12	AU1	1317	12	INC2
CPUCR	74H04N	AU2M21	8	*	120	AU2	1221	8	OUT4
CPUCR	CT	AU1CT1	27	CN	0	AU1	07CTP1	27	CONN
CPUCR	CT	AU2CT1	27	CN	0	AU2	08CTP1	27	CONN
					84 NET LOADS				
CPUCR-	74H51N	AU2D03	6	*	120	AU2	403	6	OUT2
CPUCR-	74H04N	AU2M21	9		-12	AU2	1221	9	IN4
CPUCR-	CB	MEMCONP1	14	CN	0	9999	06P1/605	14	CONN
CPUCR-	CB	AU2P1	52	CN	0	9999	08P1/702	52	CONN
					108 NET LOADS				
CPUSTR	74H51N	AU2D02	6	*	120	AU2	402	6	OUT2
CPUSTR	CB	AU2P2	43	CN	0	9999	08P2/302	43	CONN
CPUSTR	CB	MEMCONP2	68	CN	0	9999	06P2/205	68	CONN
					120 NET LOADS				
CS0-	CB	MEMCONP2	34	CN	0	9999	06P2/205	34	CONN
CS0-	CB	MEM8KP2	67	CN	0	9999	05P2/204	67	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CS1-	CB	MEMCONP2	36	CN	0	9999	06P2/205	36	CONN
CS1-	CB	MEM8KP2	71	CN	0	9999	05P2/204	71	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CS2-	CB	MEM8KP1	13	CN	0	9999	05P1/604	13	CONN
CS2-	CB	MEMCONP2	14	CN	0	9999	06P2/205	14	CONN

NEXT PAGE IS 43

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 43

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
0 NET LOADS *EXTERNAL SOURCE*									
CS3-	CB	MEM8KP1	15	CN	0	9999	05P1/604	15	CONN
CS3-	CB	MEMCONP2	12	CN	0	9999	06P2/205	12	CONN
0 NET LOADS *EXTERNAL SOURCE*									
CYC-	74H04N	AU1G21	6	*	120	AU1	721	6	OUT3
CYC-	74H54N	AU1P02	9	*	-12	AU1	1402	9	INH
108 NET LOADS									
CYCOMP	74H10N	AU1M16	5	*	-12	AU1	1216	5	INC2
CYCOMP	74H04N	AU1G21	5	*	-12	AU1	721	5	IN3
CYCOMP	74H10N	AU1J03	5	*	-12	AU1	903	5	INC2
CYCOMP	74H11N	AU1L03	5	*	-12	AU1	1103	5	INC2
CYCOMP	74H11N	AU1K01	5	*	-12	AU1	1001	5	INC2
CYCOMP	74H00N	AU1M20	6	*	120	AU1	1220	6	OUT2
CYCOMP	74H11N	AU1K01	11	*	-12	AU1	1001	11	INC3
48 NET LOADS									
CYCOMPA-	74H00N	AU1M20	4	*	-12	AU1	1220	4	INA2
CYCOMPA-	74H10N	AU1M16	8	*	120	AU1	1216	8	OUT3
108 NET LOADS									
CYGX	74182N	AU2H09	3	*	-90	AU2	809	3	ING0
CYGX	74181N	AU2L07	17	*	100	AU2	1107	17	G
10 NET LOADS									
CYGY	74182N	AU2H09	1	*	-100	AU2	809	1	ING1
CYGY	74181N	AU2J07	17	*	100	AU2	907	17	G
0 NET LOADS									
CYGZ	74182N	AU2H09	14	*	-90	AU2	809	14	INP2
CYGZ	74181N	AU2G07	17	*	100	AU2	707	17	G
10 NET LOADS									
CYIN-	74181N	AU2L07	7	*	-50	AU2	1107	7	INCN
CYIN-	7451N	AU2B09	8	*	100	AU2	209	8	OUT1
CYIN-	74182N	AU2H09	13	*	-20	AU2	809	13	INCN
30 NET LOADS									
CYPX	74182N	AU2H09	4	*	-50	AU2	809	4	INP0
CYPX	74181N	AU2L07	15	*	100	AU2	1107	15	P
50 NET LOADS									
CYPY	74182N	AU2H09	2	*	-50	AU2	809	2	INP1
CYPY	74181N	AU2J07	15	*	100	AU2	907	15	P
50 NET LOADS									
CYPZ	74181N	AU2G07	15	*	100	AU2	707	15	P

NEXT PAGE IS 44

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
CYPZ	74182N	AU2H09	15		-40 60 NET LOADS	AU2	809	15	ING2
CYX-	74181N	AU2J07	7		-50	AU2	907	7	INCN
CYX-	74182N	AU2H09	12	*	100 50 NET LOADS	AU2	809	12	CN+X
CYY-	74181N	AU2G07	7		-50	AU2	707	7	INCN
CYY-	74182N	AU2H09	11	*	100 50 NET LOADS	AU2	809	11	CN+Y
CYZ-	74181N	AU2C07	7		-50	AU2	307	7	INCN
CYZ-	74182N	AU2H09	9	*	100 50 NET LOADS	AU2	809	9	CN+Z
CY1-	74H10N	AU2F15	2		-12	AU2	615	2	INB1
CY1-	74H10N	AU2F15	6	*	120 108 NET LOADS	AU2	615	6	OUT2
CY2-	7410N	AU2C18	6		100	AU2	318	6	OUT2
CY2-	74H10N	AU2F15	13	*	-12 88 NET LOADS	AU2	615	13	INC1
CO	74174N	AU2K10	3		-10	AU2	1010	3	INA
CO	74174N	AU2L11	3		-10	AU2	1111	3	INA
CO	74174N	AU2K12	3		-10	AU2	1012	3	INA
CO	74174N	AU2P17	3		-10	AU2	1417	3	INA
CO	74163N	AU2P21	6		-10	AU2	1421	6	IND
CO	74163N	AU2P18	6		-10	AU2	1418	6	IND
CO	74163N	AU2G15	6		-10	AU2	715	6	IND
CO	74163N	AU2J11	6		-10	AU2	911	6	IND
CO	74163N	AU2D06	6		-10	AU2	406	6	IND
CO	74153N	AU2D13	7	*	100 10 NET LOADS	AU2	413	7	OUT1
C1	74174N	AU2K12	4		-10	AU2	1012	4	INB
C1	74174N	AU2L11	4		-10	AU2	1111	4	INB
C1	74174N	AU2K10	4		-10	AU2	1010	4	INB
C1	74174N	AU2P17	4		-10	AU2	1417	4	INB
C1	74163N	AU2P18	5		-10	AU2	1418	5	INC
C1	74163N	AU2P21	5		-10	AU2	1421	5	INC
C1	74163N	AU2J11	5		-10	AU2	911	5	INC
C1	74163N	AU2G15	5		-10	AU2	715	5	INC
C1	74163N	AU2D06	5		-10	AU2	406	5	INC
C1	74153N	AU2D13	9	*	100 10 NET LOADS	AU2	413	9	OUT2
C10	74163N	AU2G05	4		-10	AU2	705	4	INB
C10	74163N	AU2P05	4		-10	AU2	1405	4	INB

NEXT PAGE IS 45

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 45

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
C10	74163N	AU2M17	4		-10	AU2	1217	4	INB
C10	74163N	AU2P10	4		-10	AU2	1410	4	INB
C10	74163N	AU2P06	4		-10	AU2	1406	4	INB
C10	74153N	AU2F11	7	*	100	AU2	611	7	OUT1
C10	74174N	AU2H07	13		-10	AU2	807	13	INE
C10	74174N	AU2N10	13		-10	AU2	1310	13	INE
C10	74174N	AU2N09	13		-10	AU2	1309	13	INE
C10	74174N	AU2N07	13		-10	AU2	1307	13	INE
					10 NET LOADS				
C11	74163N	AU2M17	3		-10	AU2	1217	3	INA
C11	74163N	AU2P05	3		-10	AU2	1405	3	INA
C11	74163N	AU2P06	3		-10	AU2	1406	3	INA
C11	74163N	AU2P10	3		-10	AU2	1410	3	INA
C11	74163N	AU2G05	3		-10	AU2	705	3	INA
C11	74153N	AU2F11	9	*	100	AU2	611	9	OUT2
C11	74174N	AU2H07	14		-10	AU2	807	14	INF
C11	74174N	AU2N09	14		-10	AU2	1309	14	INF
C11	74174N	AU2N10	14		-10	AU2	1310	14	INF
C11	74174N	AU2N07	14		-10	AU2	1307	14	INF
					10 NET LOADS				
C12	74174N	AU2N06	3		-10	AU2	1306	3	INA
C12	74174N	AU2R12	3		-10	AU2	1512	3	INA
C12	74174N	AU2R14	3		-10	AU2	1514	3	INA
C12	74174N	AU2R09	3		-10	AU2	1509	3	INA
C12	74163N	AU2P20	6		-10	AU2	1420	6	IND
C12	74163N	AU2R07	6		-10	AU2	1507	6	IND
C12	74163N	AU2P11	6		-10	AU2	1411	6	IND
C12	74163N	AU2R06	6		-10	AU2	1506	6	IND
C12	74163N	AU2G06	6		-10	AU2	706	6	IND
C12	74153N	AU2F08	7	*	100	AU2	608	7	OUT1
					10 NET LOADS				
C13	74174N	AU2P09	4		-10	AU2	1509	4	INB
C13	74174N	AU2N06	4		-10	AU2	1306	4	INB
C13	74174N	AU2R14	4		-10	AU2	1514	4	INB
C13	74174N	AU2R12	4		-10	AU2	1512	4	INB
C13	74163N	AU2P20	5		-10	AU2	1420	5	INC
C13	74163N	AU2R06	5		-10	AU2	1506	5	INC
C13	74163N	AU2R07	5		-10	AU2	1507	5	INC
C13	74163N	AU2P11	5		-10	AU2	1411	5	INC
C13	74163N	AU2G06	5		-10	AU2	706	5	INC
C13	74153N	AU2F08	9	*	100	AU2	608	9	OUT2
					10 NET LOADS				
C14	74163N	AU2G06	4		-10	AU2	706	4	INB
C14	74163N	AU2R07	4		-10	AU2	1507	4	INB
C14	74163N	AU2P11	4		-10	AU2	1411	4	INB

NEXT PAGE IS 46

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
C14	74163N	AU2R06	4		-10	AU2	1506	4	INB
C14	74163N	AU2P20	4		-10	AU2	1420	4	INB
C14	74174N	AU2N06	6		-10	AU2	1306	6	INC
C14	74174N	AU2R12	6		-10	AU2	1512	6	INC
C14	74174N	AU2R09	6		-10	AU2	1509	6	INC
C14	74174N	AU2R14	6		-10	AU2	1514	6	INC
C14	74153N	AU2E12	7	*	100	AU2	512	7	OUT1
					10 NET LOADS				
C15	74163N	AU2G06	3		-10	AU2	706	3	INA
C15	74163N	AU2P20	3		-10	AU2	1420	3	INA
C15	74163N	AU2P11	3		-10	AU2	1411	3	INA
C15	74163N	AU2R06	3		-10	AU2	1506	3	INA
C15	74163N	AU2R07	3		-10	AU2	1507	3	INA
C15	74153N	AU2E12	9	*	100	AU2	512	9	OUT2
C15	74174N	AU2R09	11		-10	AU2	1509	11	IND
C15	74174N	AU2N06	11		-10	AU2	1306	11	IND
C15	74174N	AU2R12	11		-10	AU2	1512	11	IND
C15	74174N	AU2R14	11		-10	AU2	1514	11	IND
					10 NET LOADS				
C2	74163N	AU2P18	4		-10	AU2	1418	4	INB
C2	74163N	AU2P21	4		-10	AU2	1421	4	INB
C2	74163N	AU2J11	4		-10	AU2	911	4	INB
C2	74163N	AU2G15	4		-10	AU2	715	4	INB
C2	74163N	AU2D06	4		-10	AU2	406	4	INB
C2	74174N	AU2L11	6		-10	AU2	1111	6	INC
C2	74174N	AU2K10	6		-10	AU2	1010	6	INC
C2	74174N	AU2K12	6		-10	AU2	1012	6	INC
C2	74174N	AU2P17	6		-10	AU2	1417	6	INC
C2	74153N	AU2D05	7	*	100	AU2	405	7	OUT1
					10 NET LOADS				
C3	74163N	AU2D06	3		-10	AU2	406	3	INA
C3	74163N	AU2P21	3		-10	AU2	1421	3	INA
C3	74163N	AU2P18	3		-10	AU2	1418	3	INA
C3	74163N	AU2G15	3		-10	AU2	715	3	INA
C3	74163N	AU2J11	3		-10	AU2	911	3	INA
C3	74153N	AU2D05	9	*	100	AU2	405	9	OUT2
C3	74174N	AU2L11	11		-10	AU2	1111	11	IND
C3	74174N	AU2K12	11		-10	AU2	1012	11	IND
C3	74174N	AU2K10	11		-10	AU2	1010	11	IND
C3	74174N	AU2P17	11		-10	AU2	1417	11	IND
					10 NET LOADS				
C4	74163N	AU2M08	6		-10	AU2	1208	6	IND
C4	74163N	AU2G17	6		-10	AU2	717	6	IND
C4	74163N	AU2K09	6		-10	AU2	1009	6	IND
C4	74163N	AU2K06	6		-10	AU2	1006	6	IND

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 47

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
C4	74163N	AU2E06	6		-10	AU2	506	6	IND
C4	74153N	AU2E08	7	*	100	AU2	508	7	OUT1
C4	74174N	AU2K12	13		-10	AU2	1012	13	INE
C4	74174N	AU2K10	13		-10	AU2	1010	13	INE
C4	74174N	AU2L11	13		-10	AU2	1111	13	INE
C4	74174N	AU2P17	13		-10	AU2	1417	13	INE
					10 NET LOADS				
C5	74163N	AU2M08	5		-10	AU2	1208	5	INC
C5	74163N	AU2G17	5		-10	AU2	717	5	INC
C5	74163N	AU2K06	5		-10	AU2	1006	5	INC
C5	74163N	AU2K09	5		-10	AU2	1009	5	INC
C5	74163N	AU2E06	5		-10	AU2	506	5	INC
C5	74153N	AU2E08	9	*	100	AU2	508	9	OUT2
C5	74174N	AU2K10	14		-10	AU2	1010	14	INF
C5	74174N	AU2L11	14		-10	AU2	1111	14	INF
C5	74174N	AU2K12	14		-10	AU2	1012	14	INF
C5	74174N	AU2P17	14		-10	AU2	1417	14	INF
					10 NET LOADS				
C6	74174N	AU2N07	3		-10	AU2	1307	3	INA
C6	74174N	AU2N09	3		-10	AU2	1309	3	INA
C6	74174N	AU2N10	3		-10	AU2	1310	3	INA
C6	74174N	AU2H07	3		-10	AU2	807	3	INA
C6	74163N	AU2K09	4		-10	AU2	1009	4	INB
C6	74163N	AU2G17	4		-10	AU2	717	4	INB
C6	74163N	AU2K06	4		-10	AU2	1006	4	INB
C6	74163N	AU2M08	4		-10	AU2	1208	4	INB
C6	74163N	AU2E06	4		-10	AU2	506	4	INB
C6	74153N	AU2E05	7	*	100	AU2	505	7	OUT1
					10 NET LOADS				
C7	74163N	AU2E06	3		-10	AU2	506	3	INA
C7	74163N	AU2M08	3		-10	AU2	1208	3	INA
C7	74163N	AU2K06	3		-10	AU2	1006	3	INA
C7	74163N	AU2G17	3		-10	AU2	717	3	INA
C7	74163N	AU2K09	3		-10	AU2	1009	3	INA
C7	74174N	AU2H07	4		-10	AU2	807	4	INB
C7	74174N	AU2N10	4		-10	AU2	1310	4	INB
C7	74174N	AU2N07	4		-10	AU2	1307	4	INB
C7	74174N	AU2N09	4		-10	AU2	1309	4	INB
C7	74153N	AU2E05	9	*	100	AU2	505	9	OUT2
					10 NET LOADS				
C8	74174N	AU2N09	6		-10	AU2	1309	6	INC
C8	74163N	AU2P05	6		-10	AU2	1405	6	IND
C8	74163N	AU2M17	6		-10	AU2	1217	6	IND
C8	74174N	AU2N07	6		-10	AU2	1307	6	INC
C8	74163N	AU2P06	6		-10	AU2	1406	6	IND

NEXT PAGE IS 48

DRAWING NUMBER 960687-9903 REVISION LTR A

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
C8	74163N	AU2P10	6		-10	AU2	1410	6	IND
C8	74174N	AU2N10	6		-10	AU2	1310	6	INC
C8	74174N	AU2H07	6		-10	AU2	807	6	INC
C8	74163N	AU2G05	6		-10	AU2	705	6	IND
C8	74153N	AU2F05	7	*	100	AU2	605	7	OUT1
					10 NET LOADS				
C80P	74H11N	AU1M09	1		-12	AU1	1209	1	INA1
C80P	7400N	AU1J07	2		-10	AU1	907	2	INB1
C80P	74H20N	AU1E18	4		-12	AU1	518	4	INC1
C80P	74188N	AU1L06	5	*	700	AU1	1106	5	OUT5
C80P	RES	AU1K05	13		0	AU1	1005	13	OTA*
					666 NET LOADS				
C9	74163N	AU2G05	5		-10	AU2	705	5	INC
C9	74163N	AU2M17	5		-10	AU2	1217	5	INC
C9	74163N	AU2P10	5		-10	AU2	1410	5	INC
C9	74163N	AU2P05	5		-10	AU2	1405	5	INC
C9	74163N	AU2P06	5		-10	AU2	1406	5	INC
C9	74153N	AU2F05	9	*	100	AU2	605	9	OUT2
C9	74174N	AU2H07	11		-10	AU2	807	11	IND
C9	74174N	AU2N10	11		-10	AU2	1310	11	IND
C9	74174N	AU2N09	11		-10	AU2	1309	11	IND
C9	74174N	AU2N07	11		-10	AU2	1307	11	IND
					10 NET LOADS				
CA0	CB	DMAPORT	21	CN	0	9999	11P1/802	21	CONN
DA0	CB	MEMCONP2	53	CN	0	9999	06P2/205	53	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA1	CB	DMAPORT	23	CN	0	9999	11P1/802	23	CONN
CA1	CB	MEMCONP2	59	CN	0	9999	06P2/205	59	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA10	CB	MEMCONP1	24	CN	0	9999	06P1/605	24	CONN
DA10	CB	DMAPORT	4	CN	0	9999	11P1/802	4	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA11	CB	MEMCONP1	40	CN	0	9999	06P1/605	40	CONN
DA11	CB	DMAPORT	6	CN	0	9999	11P1/802	6	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA12	CB	MEMCONP1	20	CN	0	9999	06P1/605	20	CONN
CA12	CB	DMAPORT	51	CN	0	9999	11P1/802	51	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA13	CB	MEMCONP1	33	CN	0	9999	06P1/605	33	CONN
DA13	CB	DMAPORT	53	CN	0	9999	11P1/802	53	CONN
					0 NET LOADS *EXTERNAL SOURCE*				

NEXT PAGE IS 49

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 49

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
CA14	CB	DMAPORT	57	CN	0	9999	11P1/802	57	CCNN
CA14	CB	MEMCONP2	65	CN	0	9999	06P2/205	65	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA15	CB	DMAPORT	55	CN	0	9999	11P1/802	55	CONN
CA15	CB	MEMCONP2	62	CN	0	9999	06P2/205	62	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA2	CB	DMAPORT	29	CN	0	9999	11P1/802	29	CONN
CA2	CB	MEMCONP2	55	CN	0	9999	06P2/205	55	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA3	CB	DMAPORT	27	CN	0	9999	11P1/802	27	CONN
CA3	CB	MEMCONP2	61	CN	0	9999	06P2/205	61	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA4	CB	MEMCONP1	16	CN	0	9999	06P1/605	16	CONN
CA4	CB	DMAPORT	25	CN	0	9999	11P1/802	25	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA5	CB	MEMCONP1	17	CN	0	9999	06P1/605	17	CONN
CA5	CB	DMAPORT	50	CN	0	9999	11P1/802	50	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA6	CB	MEMCONP1	18	CN	0	9999	06P1/605	18	CONN
CA6	CB	DMAPORT	48	CN	0	9999	11P1/802	48	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA7	CB	MEMCONP1	19	CN	0	9999	06P1/605	19	CONN
CA7	CB	DMAPORT	52	CN	0	9999	11P1/802	52	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA8	CB	MEMCONP1	21	CN	0	9999	06P1/605	21	CONN
CA8	CB	DMAPORT	10	CN	0	9999	11P1/802	10	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
CA9	CB	MEMCONP1	29	CN	0	9999	06P1/605	29	CONN
CA9	CB	DMAPORT	12	CN	0	9999	11P1/802	12	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
DBL	74182N	AU1L06	2	*	700	AU1	1106	2	OUT2
DBL	7474N	AU1M06	2		-10	AU1	1206	2	10
DBL	RFS	AU1K05	9		0	AU1	1005	9	OTA*
					690 NET LOADS				
DBLEXTF-	7410N	AU1L14	4		-10	AU1	1114	4	INB2
DBLEXTF-	7400N	AU1M12	11	*	100	AU1	1212	11	OUT4
					90 NET LOADS				

NEXT PAGE IS 50

DRAWING NUMBER 960687-9903 REVISION LTR A

LOAD LISTING FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE 50

PIN SIGNATURE	CIRCUIT TYPE	DEVICE NAME	PIN NAME	PIN FUNCTION	N+ LOAD	BLOCK NUMBER	LOCATION NAME	PIN NAME	WIRING COMMENT
DBLQ	7474N	AU1M06	5	*	100	AU1	1206	5	1Q
DBLQ	7400N	AU1M12	12		-10	AU1	1212	12	INA4
					90 NET LOADS				
DBLQ-	7474N	AU1M06	6	*	100	AU1	1206	6	1Q-
					100 NET LOADS *****UNUSED*****				
DEVTHRE-	74H51N	AU1E07	1		-12	AU1	507	1	INA1
DEVTHRE-	74S03N	AU1D06	5		-10	AU1	406	5	INB2
DEVTHRE-	RES	AU1D01	14		0	AU1	401	14	OTA*
DEVTHRE-	CB	AUXPORT	73	CN	0	9999	10P1/801	73	CONN
DEVTHRE-	CB	AU1P2	39	CN	0	9999	07P2/301	39	CONN
					-22 NET LOADS *EXTERNAL SOURCE*				
CIVIT-	7410N	AU1F21	12	*	100	AU1	621	12	OUT1
DIVIT-	74H11N	AU2D16	13		-12	AU2	416	13	INC1
DIVIT-	7400N	AU2G19	13		-10	AU2	719	13	INB4
CIVIT-	CT	AU1CT2	21	CN	0	AU1	07CTP2	21	CONN
DIVIT-	CT	AU2CT2	21	CN	0	AU2	08CTP2	21	CONN
					78 NET LOADS				
DIVOV-	74H3CN	AU2L15	5		-12	AU2	1115	5	INE
DIVOV-	74H55N	AU2R16	8	*	120	AU2	1516	8	OUT
					108 NET LOADS				
DMAACCB	CB	DMAPORT	7	CN	0	9999	11P1/802	7	CONN
DMAACCB	CB	MEMCONP2	69	CN	0	9999	06P2/205	69	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
DMAACR-	CB	DMAPORT	9	CN	0	9999	11P1/802	9	CONN
DMAACR-	CB	MEMCONP2	63	CN	0	9999	06P2/205	63	CONN
					0 NET LOADS *EXTERNAL SOURCE*				
DMACLR-	74H20N	AU2K20	4		-12	AU2	1020	4	INC1
DMACLR-	74H10N	AU2H20	12	*	120	AU2	820	12	OUT1
					108 NET LOADS				
DMaint	7474N	AU1J19	12		-10	AU1	919	12	2D
DMaint	7404N	AU1J04	12	*	100	AU1	904	12	OUT6
					90 NET LOADS				
DMaint-	RES	AU1H01	10		0	AU1	801	10	OTA*
DMaint-	7404N	AU1J04	13		-10	AU1	904	13	IN6
DMaint-	CB	AU1P1	14	CN	0	9999	07P1/701	14	CONN
DMaint-	CB	DMAPORT	76	CN	0	9999	11P1/802	76	CONN
					-10 NET LOADS *EXTERNAL SOURCE*				
DMAIO	74H21N	AU1G14	5		-12	AU1	714	5	IND1

NEXT PAGE IS 51

DRAWING NUMBER 960687-9903 REVISION LTR A