Demand怎么做App
&需求和用户心理
Techniques技法与实践
&监管与审核
Marketing市场与销售

All Technologies

AVFoundation

{} AVCamBarcode: detecting barcodes an...

AVCaptureSession

AVCaptureMultiCamSession

Determining multi-camera support

class var isMultiCamSupported: Bool

Managing resources

var hardwareCost: Float

var systemPressureCost: Float

AVCaptureInput

Accessing ports

var ports: [AVCaptureInput.Port]

AVCaptureInput.Port

AVCaptureOutput

AVCaptureConnection

Capture devices

Choosing a capture device

Adopting smart framing in your camera ...

Filter /

Class

AVCaptureMultiCamSession

A capture session that supports simultaneous capture from multiple inputs of the same media type.

iOS 13.0+ | iPadOS 13.0+ | Mac Catalyst 14.0+ | tvOS 17.0+ | visionOS 2.1+

```
class AVCaptureMultiCamSession
```

Overview

The session preset for a multicamera session is always `inputPriority`. Set each capture device's `activeFormat` value to the desired quality of service.

You can dynamically enable and disable this session's individual camera inputs without interrupting capture preview. To stop an individual camera, disable all of its connections or connected ports. The camera then stops streaming data to save power and bandwidth. Other inputs that are streaming data through the session are unaffected.

Note

If your app only needs to capture from a single camera at a time, use AVCaptureSession instead