



Report from Oct 10, 2026, 9:27:29 PM

<https://upkidscentermanager.io.vn/>

Analyze



Discover what your real users are experiencing

[No Data](#)



Diagnose performance issues



Performance




Accessibility



Best Practices



SEO



Agentic Browsing



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)




0–49



50–89



90–100



METRICS

[Expand view](#)

● First Contentful Paint
0.8 s

■ Largest Contentful Paint
2.7 s

▲ Total Blocking Time
680 ms

● Cumulative Layout Shift
0

● Speed Index
1.9 s

📅 Captured at Oct 10, 2026, 9:27
PM GMT+7

📱 Emulated Moto G Power with
Lighthouse 13.5.0

🔗 Single page session

🕒 Initial page load

🔧 Slow 4G throttling

🔗 Using HeadlessChromium

153.0.8010.36 with Ir



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#)

INSIGHTS

■ Use efficient cache lifetimes — Est savings of 2 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) [LCP](#)

[FCP](#) [Unscored](#)

cloudflare.com

2 KB

Request

Cache TTL

Transfer
Size

☐ LCP breakdown ^

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Time to first byte


0 ms

Element render delay

650 ms

Subpart

Duration



upkidscentermanager.io.vn
<h1>

☐ 3rd parties ^

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

cloudflare.com

28 KiB

47 ms

...4df4a60fa397/api.js?onload=zeEi4&render=explicit (challenges.cloudflare.com)

28 KiB

47 ms

3rd party

Transfer size Main thread time

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

 Reduce JavaScript execution time — 1.6 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#). TBT Unscored

☒ Show 3rd-party resources (1)

upkidscentermanager.io.vn 1st Party	1,660 ms	1,516 ms	35 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	1,589 ms	1,511 ms	34 ms
https://upkidscentermanager.io.vn	71 ms	5 ms	1 ms
Unattributable	149 ms	16 ms	0 ms
Unattributable	149 ms	16 ms	0 ms
cloudflare.com	58 ms	41 ms	11 ms
...4df4a60fa397/api.js? onload=zeEi4&render=explicit (challenges.cloudflare.com)	58 ms	41 ms	11 ms

▲ Reduce unused JavaScript — Est savings of 21 KiB

URL	Total CPU Time	Script Evaluation	Script Parse
consumed by network activity. Learn how to reduce unused JavaScript. TBT Unscored			
upkidscentermanager.io.vn 1st Party		92.7 KiB	21.0 KiB
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)		Transfer Size	Est Savings

○ Avoid long main-thread tasks — 1 / long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

upkidscentermanager.io.vn 1st Party	1,531 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	1,414 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,746 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	1,864 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,296 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	1,785 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,521 ms

...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,020 ms	73 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,377 ms	72 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,449 ms	72 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,599 ms	71 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,156 ms	70 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,226 ms	70 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,093 ms	63 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,687 ms	59 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	2,900 ms	55 ms
...chl_page/v1?ray=a4864e71ade0a0c5 (upkidscentermanager.io.vn)	1,360 ms	54 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (21)

Hide

- Layout shift culprits

▼
- Document request latency

▼
- URL

Start Time

Duration
- Duplicated JavaScript

▼
- Font display

▼
- Forced reflow

▼
- Improve image delivery

▼
- INP breakdown

▼
- LCP request discovery

▼
- Legacy JavaScript

▼
- URL

Start Time

Duration



Optimize viewport for mobile

- Minify CSS ▼
- Minify JavaScript ▼
- Reduce unused CSS ▼
- Avoids enormous network payloads — Total size was 999 KiB ▼
- User Timing marks and measures ▼
- Minimizes main-thread work — 1.9 s ▼
- Avoid non-composited animations ▼
- Image elements have explicit [width](#) and [height](#) ▼



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- ▲ The document uses `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag](#).



```
<meta http-equiv="refresh" content="360">
```

Failing Elements

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Hide](#)

- ☐ Interactive controls are keyboard focusable [▼](#)
- ☐ Interactive elements indicate their purpose and state [▼](#)
- ☐ The page has a logical tab order [▼](#)
- ☐ Visual order on the page follows DOM order [▼](#)
- ☐ User focus is not accidentally trapped in a region [▼](#)
- ☐ The user's focus is directed to new content added to the page [▼](#)
- ☐ HTML5 landmark elements are used to improve navigation [▼](#)
- ☐ Offscreen content is hidden from assistive technology [▼](#)
- ☐ Custom controls have associated labels [▼](#)
- ☐ Custom controls have ARIA roles [▼](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (19)

[Hide](#)

- ☒ [\[aria-*\]](#) attributes match their roles [▼](#)
- ☒ [\[aria-hidden="true"\]](#) is not present on the document [<body>](#) [▼](#)
- ☒ [\[role\]](#)s have all required [\[aria-*\]](#) attributes [▼](#)
- ☒ [\[role\]](#) values are valid [▼](#)
- ☒ [\[aria-*\]](#) attributes have valid values [▼](#)
- ☒ [\[aria-*\]](#) attributes are valid and not misspelled [▼](#)



- `[user-scalable=no]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ▼
- ARIA attributes are used as specified for the element's role ▼
- Elements use only permitted ARIA attributes ▼
- Background and foreground colors have a sufficient contrast ratio ▼
- Document has a `<title>` element ▼
- `<html>` element has a `[lang]` attribute ▼
- `<html>` element has a valid value for its `[lang]` attribute ▼
- Links have a discernible name ▼
- Touch targets have sufficient size and spacing. ▼
- Heading elements appear in a sequentially-descending order ▼
- Document has a main landmark. ▼
- Deprecated ARIA roles were not used ▼

NOT APPLICABLE (43)

[Hide](#)

- `[accesskey]` values are unique ▼
- `button`, `link`, and `menuitem` elements have accessible names ▼
- Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ▼
- `[aria-hidden="true"]` elements do not contain focusable descendents ▼
- ARIA input fields have accessible names ▼
- ARIA `meter` elements have accessible names ▼
- ARIA `progressbar` elements have accessible names ▼
- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ▼



○ Elements with the `role="button"` attribute do not have focusable descendants.

○ ARIA toggle fields have accessible names

○ ARIA `tooltip` elements have accessible names

○ ARIA `treeitem` elements have accessible names

○ Buttons have an accessible name

○ The page contains a heading, skip link, or landmark region

○ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

○ Definition list items are wrapped in `<dl>` elements

○ ARIA IDs are unique

○ No form fields have multiple labels

○ `<frame>` or `<iframe>` elements have a title

○ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.

○ Input buttons have discernible text.

○ `<input type="image">` elements have `[alt]` text

○ Form elements have associated labels

○ Links are distinguishable without relying on color.

○ Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

○ List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

○ `<object>` elements have alternate text

○ Select elements have associated label elements.

○ Skip links are focusable.

○ No element has a `[tabindex]` value greater than 0



- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ▼
- ☐ `[lang]` attributes have a valid value ▼
- ☐ `<video>` elements contain a `<track>` element with `[kind="captions"]` ▼
- ☐ `autocomplete` attributes are used correctly ▼
- ☐ Elements with `role="none"` or `role="presentation"` do not have conflicts ▼
- ☐ SVG elements with an `img` role have an accessible text alternative ▼
- ☐ Tables have different content in the summary attribute and `<caption>`. ▼
- ☐ All heading elements contain content. ▼
- ☐ Uses ARIA roles only on compatible elements ▼
- ☐ Image elements do not have `[alt]` attributes that are redundant text. ▼
- ☐ Identical links have the same purpose. ▼



Best Practices

GENERAL

- ▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)



https://upkidscentermanager.io.vn:1:	Failed to load resource: the server responded with a status of 404 (Not Found)
Source	Description

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks ▼
- ☐ Use a strong HSTS policy ▼
- ☐ Mitigate DOM-based XSS with Trusted Types ▼

BROWSER COMPATIBILITY

- ☐ Baseline Features ▼

PASSED AUDITS (12) Show

NOT APPLICABLE (4) Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).



▲ Page has unsuccessful HTTP status code — 403 ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

To appear in search results, crawlers need access to your app.

CONTENT BEST PRACTICES

▲ Document does not have a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

[Show](#)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (5)

[Show](#)

NOT APPLICABLE (2)

[Show](#)

● 2/2

Agentic Browsing

PASSED AUDITS (2)

[Show](#)

NOT APPLICABLE (5)

[Show](#)

More on PageSpeed Insights

[What's new](#)[Documentation](#)[Learn about Web Performance](#)[Ask questions on Stack Overflow](#)[Mailing list](#)

Related Content

[Updates](#)[Web Fundamentals](#)[Case Studies](#)[Podcasts](#)

Connect

[Twitter](#)[Youtube](#)[Google for Developers](#)[Chrome](#)[Firebase](#)[All products](#)[Terms and Privacy Policy](#)

For details, see the [Google Developers Site Policies](#).