

Gary Jungermann

From: Heather Tazalla <htazalla@crusoe.ai>
Sent: Friday, July 17, 2026 5:46 PM
To: Christopher Scott
Cc: Conor Bates-Janigo; Curt Warfield; Gary Jungermann
Subject: Re: Post-Discussion questions from today

Good afternoon, Commissioner Scott. Thank you for continuing to field the public's questions. Please see answers below in red.

Have a nice weekend.

Heather Tazalla
htazalla@crusoe.ai | 214-263-8388

On Fri, Jul 17, 2026 at 12:01 PM Christopher Scott <cscott@callawaycounty.org> wrote:
Heather, Conor,

I had a good discussion with Danielle Lawson and Jennifer Love today (FB: Callaway Data Watch). It was positive. Danielle expressed that the open house answered most of her questions. She did say that she still has some questions not answered or feels that she received answers that differed from what she felt like she heard from other community discussions.

Below are a couple topics on which she said she would like more detail:

1. Site studies
 - a.

She asked if there was a "Heritage Review" being performed. She referenced the MO Dept. of Conservation. Here is a link to their site.

<https://naturalheritagereview.mdc.mo.gov/>

This appears to be an unofficial site review that can be performed online to determine if the area of interest contains any plant or animal species considered to be a "sensitive natural resource". A full on-site review may be requested. Yes, we completed this as part of our site diligence. Nothing requiring further study was noted / no sensitive natural resources.

- Will any of the site studies performed (environmental, geological, etc) be made public? We have completed all of these reports (which inform both our site design and our decision to move forward at a given site). However, as we do not own the underlying parcel, our ability to access and complete diligence on the site is through an access agreement with confidentiality provisions. We therefore are unable to release these reports publicly as it would put us in breach of our confidentiality provisions.

- Discharge of treated water

- a. What type(s) of water will be discharged from the site? There are 2 waste streams: septic (only from domestic sinks and toilets). This will be traditional spray or leach field. Cooling system: Collection and offsite disposal. This does not discharge to the site, it is collected.

- b.

What is the expected discharge of the glycol-mix cooling fluids? What quantity? What frequency?

Most weeks, the glycol mix will be 0 gal discharge. Our engineering lead estimates that if there ever were repairs requiring discharge (possibly every few months), there may be a collection of 500 - 2,000 gallons. This really depends on operations and maintenance requirements.

• **How will discharged fluids be treated? Where will they be treated?**

The cooling system fluids will be collected by vacuum truck and hauled to a qualified disposal facility in a nearby city. The glycol mix will never be sent to storm, or septic, or disposed onsite by any other means

Thank you for your continued cooperation.

Christopher Scott

Callaway County Commission

Western District

10 East 5th Street Fulton, MO 65251

573-642-0737 (Office)

573-418-4561 (Mobile)

573-642-1032 (Fax)

cscott@callawaycounty.org



Callaway County

Celebrating 200 years in the heart of Mid-Missouri