

SQ29/AH/11

Physics Relationships Sheet

Date — Not applicable





Relationships required for Physics Advanced Higher

$$v = \frac{ds}{dt}$$

$$a = \frac{dv}{dt} = \frac{d^2s}{dt^2}$$

$$v = u + at$$

$$s = ut + \frac{1}{2}at^2$$

$$v^2 = u^2 + 2as$$

$$\omega = \frac{d\theta}{dt}$$

$$\alpha = \frac{d\omega}{dt} = \frac{d^2\theta}{dt^2}$$

$$\omega = \omega_o + \alpha t$$

$$\theta = \omega_o t + \frac{1}{2} \alpha t^2$$

$$\omega^2 = \omega_o^2 + 2\alpha\theta$$

$$s = r\theta$$

$$v = r\omega$$

$$a_{t} = r\alpha$$

$$a_r = \frac{v^2}{r} = r\omega^2$$

$$F = \frac{mv^2}{r} = mr\omega^2$$

$$T = Fr$$

$$T = I\alpha$$

$$L = mvr = mr^2\omega$$

$$L = I\omega$$

$$E_K = \frac{1}{2}I\omega^2$$

$$F = G \frac{Mm}{r^2}$$

$$V = -\frac{GM}{r}$$

$$v = \sqrt{\frac{2GM}{r}}$$

apparent brightness,
$$b = \frac{L}{4\pi r^2}$$

Power per unit area = σT^4

$$L = 4\pi r^2 \sigma T^4$$

$$r_{Schwarzschild} = \frac{2GM}{c^2}$$

$$E = hf$$

$$\lambda = \frac{h}{p}$$

$$mvr = \frac{nh}{2\pi}$$

$$\Delta x \, \Delta p_x \ge \frac{h}{4\pi}$$

$$\Delta E \ \Delta t \ge \frac{h}{4\pi}$$

$$F = qvB$$

$$\omega = 2\pi f$$

$$a = \frac{d^2y}{dt^2} = -\omega^2 y$$

$$y = A\cos\omega t$$
 or $y = A\sin\omega t$

$$v = \pm \omega \sqrt{(A^2 - y^2)}$$

$$E_K = \frac{1}{2}m\omega^2(A^2 - y^2)$$

$$E_P = \frac{1}{2}m\omega^2 y^2$$

$$y = A\sin 2\pi (ft - \frac{x}{\lambda})$$

$$\phi = \frac{2\pi x}{\lambda}$$

optical path difference = $m\lambda$ or $\left(m + \frac{1}{2}\right)\lambda$ where m = 0, 1, 2...

$$\Delta x = \frac{\lambda l}{2d}$$

$$d = \frac{\lambda}{4n}$$

$$\Delta x = \frac{\lambda D}{d}$$

 $n = \tan i_P$

$$F = \frac{Q_1 Q_2}{4 \pi \varepsilon_o r^2}$$

$$E = \frac{Q}{4\pi\varepsilon_o r^2}$$

$$V = \frac{Q}{4\pi\varepsilon_o r}$$

$$F = QE$$

$$V = Ed$$

$$F = IlB\sin\theta$$

$$B = \frac{\mu_o I}{2\pi r}$$

$$c = \frac{1}{\sqrt{\varepsilon_o \mu_o}}$$

$$t = RC$$

$$X_C = \frac{V}{I}$$

$$X_C = \frac{1}{2\pi fC}$$

$$\mathcal{E} = -L\frac{dI}{dt}$$

$$E = \frac{1}{2}LI^2$$

$$X_L = \frac{V}{I}$$

$$X_L = 2\pi f L$$

$$\frac{\Delta W}{W} = \sqrt{\left(\frac{\Delta X}{X}\right)^2 + \left(\frac{\Delta Y}{Y}\right)^2 + \left(\frac{\Delta Z}{Z}\right)^2}$$

$$\Delta W = \sqrt{\Delta X^2 + \Delta Y^2 + \Delta Z^2}$$

$$d = \overline{v}t$$

$$s = \overline{v}t$$

$$v = u + at$$

$$s = ut + \frac{1}{2}at^{2}$$

$$v^{2} = u^{2} + 2as$$

$$s = \frac{1}{2}(u + v)t$$

$$W = mg$$

$$F = ma$$

$$E_{W} = Fd$$

$$E_{P} = mgh$$

$$E_{K} = \frac{1}{2}mv^{2}$$

$$P = \frac{E}{t}$$

$$p = mv$$

$$Ft = mv - mu$$

$$F = G\frac{Mm}{r^{2}}$$

$$t' = \frac{t}{\sqrt{1 - (v/c)^{2}}}$$

$$t' = t\sqrt{1 - (v/c)^{2}}$$

$$t' = \frac{t}{\sqrt{1 - (v/c)^{2}}}$$

 $v = H_0 d$

$$E_{W} = QV \qquad V_{peak} = \sqrt{2}V_{rms}$$

$$E = mc^{2} \qquad I_{peak} = \sqrt{2}I_{rms}$$

$$E = hf \qquad Q = It$$

$$E_{K} = hf - hf_{0} \qquad V = IR$$

$$E_{2} - E_{1} = hf \qquad P = IV = I^{2}R = \frac{V^{2}}{R}$$

$$T = \frac{1}{f} \qquad R_{T} = R_{1} + R_{2} + \dots$$

$$v = f\lambda \qquad \frac{1}{R_{T}} = \frac{1}{R_{1}} + \frac{1}{R_{2}} + \dots$$

$$d\sin\theta = m\lambda \qquad E = V + Ir$$

$$n = \frac{\sin\theta_{1}}{\sin\theta_{2}} \qquad V_{1} = \left(\frac{R_{1}}{R_{1} + R_{2}}\right)V_{S}$$

$$\frac{\sin\theta_{1}}{\sin\theta_{2}} = \frac{\lambda_{1}}{\lambda_{2}} = \frac{v_{1}}{v_{2}} \qquad \frac{V_{1}}{V_{2}} = \frac{R_{1}}{R_{2}}$$

$$\sin\theta_{c} = \frac{1}{n} \qquad C = \frac{Q}{V}$$

$$I = \frac{k}{d^{2}} \qquad E = \frac{1}{2}QV = \frac{1}{2}CV^{2} = \frac{1}{2}\frac{Q^{2}}{C}$$

$$I = \frac{P}{A}$$

$$\text{path difference} = m\lambda \quad \text{or} \quad \left(m + \frac{1}{2}\right)\lambda \text{ where } m = 0, 1, 2...$$

path difference = $m\lambda$ or $\left(m + \frac{1}{2}\right)\lambda$ where m = 0, 1, 2...

random uncertainty = $\frac{\text{max. value - min. value}}{\text{number of values}}$

Additional Relationships

Circle

 $circumference = 2\pi r$

$$area = \pi r^2$$

Sphere

 $area = 4\pi r^2$

$$volume = \frac{4}{3}\pi r^3$$

Trigonometry

$$\sin \theta = \frac{opposite}{hypotenuse}$$

$$\cos\theta = \frac{adjacent}{hypotenuse}$$

$$\tan \theta = \frac{opposite}{adjacent}$$

$$\sin^2\theta + \cos^2\theta = 1$$

Moment of inertia

point mass

$$I = mr^2$$

rod about centre

$$I = \frac{1}{12}ml^2$$

rod about end

$$I = \frac{1}{3} m l^2$$

disc about centre

$$I = \frac{1}{2} mr^2$$

sphere about centre

$$I = \frac{2}{5} mr^2$$

Table of standard derivatives

f(x)	f'(x)
sin ax	$a\cos ax$
cosax	$-a\sin ax$

Table of standard integrals

f(x)	$\int f(x)dx$
sin <i>ax</i>	$-\frac{1}{a}\cos ax + C$
cosax	$\frac{1}{a}\sin ax + C$

Electron Arrangements of Elements

Group 0	(18) 2 He 2 Helium	10 Ne 2, 8 Ne on	18 Ar 2,8,8	Argon	36 Kr 2, 8, 18, 8	Krypton	54 Xe 2, 8, 18, 18, 8 Xenon	86 Rn 2, 8, 18, 32, 18, 8 Radon	
				_			8,7 2,8, X		
Grou 7	(17)	9 F 2,7 Fluorine	17 CI 2,8,7	Chlorine	35 Br 2, 8, 18, 7	Bromine	53 I 2,8,18,18 Iodine	85 At 2, 8, 18, 32, 18, 7 Astatine	
Group Group 6 7	(16)	8 O 2, 6 Oxygen	16 S 2,8,6	Sulphur	34 Se 2, 8, 18, 6	Selenium	49 50 51 52 53 In Sn Sb Te I 2,8,18,18,3 2,8,18,18,4 2,8,18,18,5 2,8,18,18,6 2,8,18,18,7 Indium Tin Antimony Tellurium Iodine	84 Po 2, 8, 18, 32, 18, 6 Polonium	
Group 5	(15)	7 N 2, 5 Nitrogen	15 P 2, 8, 5	Phosphorus	33 AS 2, 8, 18, 5	Arsenic	51 Sb 2, 8, 18, 18, 5 Antimony	83 Bi 2, 8, 18, 32, 18, 5 Bismuth	
Group Group 3 4 5	(14)	6 C 2,4 Carbon	Si 2,8,4	Silicon	32 Ge 2, 8, 18, 4	Germanium	50 Sn 2, 8, 18, 18, 4 Tin	82 Pb 2, 8, 18, 32, 18, 4 Lead	
Group 3	(13)	5 Boron	13 Al 2,8,3	Aluminium	31 Ga 2, 8, 18, 3	Gallium	49 In 2, 8, 18, 18, 3 Indium	81 T1 2, 8, 18, 32, 18, 3 Thallium	
	_			Γ	7		1, 2 n	, y	· [
				(12)	30 Zn 2, 8, 18, 2	Zinc	48 Cd 2,8,18,18, Cad Cad Cadmium	80 Hg 18,2 Mercury	
				(11)	29 Cu 2, 8, 18, 1	Copper	47 Ag 2, 8, 18, 18,	79 Au 2, 8, 18, 32, 18, 1 Gold	
				(10)	28 Ni 2, 8, 16, 2	Nickel	46 Pd 2, 8, 18, 18, 0 Palladium	78 Pt 2, 8, 18, 32, 17, 1 Platinum	
			nts	6)	27 C0 2, 8, 15, 2	Cobalt	45 Rh 2, 8, 18, 16, 1 Rhodium	77 Ir 2, 8, 18, 32, 15, 2 Iridium	109 Mt 2, 8, 18, 32, 32, 15, 2 Meitnerium
	er		Eleme	(8)	26 Fe 2,8,14,2	Iron	44 Ru 2,8,18,15,1 Ruthenium	76 OS 2, 8, 18, 32, 14, 2 Osmium	108 HS 2, 8, 18, 32, 32, 14, 2 Hassium
	Atomic number Symbol Electron arrangement	Name	nsition Elements	6	25 Mn 2,8,13,2	Manganese	TC Ru 45 46 47 48 TC Ru Rh Pd Ag Cd 2,8,18,13,2 2,8,18,13,1 2,8,18,16,1 2,8,18,18,1 2,8,18,18,1 2,8,18,18,1 Technetium Ruthenium Rhodium Palladium Silver Cadmium	75 Re 2, 8, 18, 32, 13, 2 Rhenium	107 Bh 2, 8, 18, 32, 32, 13, 2 Bohrium
	Ator		Trai	(9)	24 Cr 2,8,13,1	Chromium		74 W 2, 8, 18, 32, 12, 2 Tungsten	Sg 2, 8, 18, 32, 32, 12, 2 Seaborgium
	s a			(3)	23 V 2,8,11,2	Vanadium	40 41 42 Zr Nb Mo 2,8,18,10,2 2,8,18,12,1 2,8,18,13,1 Zirconium Niobium Molybdenum	73 Ta 2, 8, 18, 32, 11, 2 Tantalum	105 Db 2, 8, 18, 32, 32, 11, 2 Dubnium
	Key			4	22 Ti 2, 8, 10, 2	Titanium	40 Zr 2, 8, 18, 10, 2 Zirconium	72 Hf 2, 8, 18, 32, 10, 2 Hafnium	104 Rf 2, 8, 18, 32, 32, 10, 2 Rutherfordium
				(3)	21 Sc 2,8,9,2	Scandium	39 Y 2,8,18,9,2	57 La 2, 8, 18, 18, 2, 9, 2 Lanthanum	89 AC 2, 8, 18, 32, 18, 9, 2 Actinium F
•	Г		<u> </u>	اء			2 -		
Group Group	(2)	Be 2, 2 Beryllium	Mg 2, 8, 2	Magnesium	20 Ca 2,8,8,2	Calcium	38 Sr 2,8,18,8,2 Strontium	56 Ba 2, 8, 18, 18, 8, 2 Barium	88 Ra 2, 8, 18, 32, 18, 8, 2 Radium
Group 1	(1) 1 H 1 Hydrogen	3 Li 2, 1 Lithium	Na 2, 8, 1	Sodium	19 K 2, 8, 8, 1	Potassium	37 Rb 2, 8, 18, 8, 1 Rubidium	55 CS 2, 8, 18, 18, 8, 1 Caesium	87 Fr 2,8,18,32, 18,8,1 Francium

Lanthanides	57 La 2, 8, 18, 18, 9, 2 Lanthanum	57 58 59 La Ce Pr 2,8,18,18, 28,18,20, 8,2 Lanthanum Cerium Praseodym	.; <u>"</u>	60 Nd 2, 8, 18, 22, 8, 2 Neodymium	61 Pm 2, 8, 18, 23, 8, 2 Promethium	62 Sm 2, 8, 18, 24, 8, 2 Samarium	63 Eu 2, 8, 18, 25, 8, 2 Europium	64 Gd 2, 8, 18, 25, 9, 2 Gadolinium	65 Tb 2, 8, 18, 27, 8, 2 Terbium	66 Dy 2, 8, 18, 28, 8, 2 8, 2 Dysprosium	67 H0 2, 8, 18, 29, 8, 2 Holmium	68 Er 2, 8, 18, 30, 8, 2 Erbium	$\begin{array}{c} 69 \\ Tm \\ 2,8,18,31,\\ 8,2 \\ Thulium \end{array}$	70 Yb 2, 8, 18, 32, 8, 2 Ytterbium	71 Lu 2, 8, 18, 32, 9, 2 Lutetium
Actinides	89 AC 2,8,18,32, 18,9,2 Actinium	Actinium (100 m) 101 (100 m) 102 (100 m) 103 (100 m) 103 (100 m) 103 (100 m) 104 (100 m) 105 (100 m) 1	% <u> </u>	92 U 2,8,18,32, 21,9,2 Uranium	93 N p 2, 8, 18, 32, 22, 9, 2 Neptunium	94 Pu 2, 8, 18, 32, 24, 8, 2 Plutonium	95 Am 2,8,18,32,25,8,2 Americium	96 Cm 2,8,18,32, 25,9,2 Curium	97 Bk 2, 8, 18, 32, 27, 8, 2 Berkelium	98 Cf 2,8,18,32, 28,8,2 Californium	99 Es 2, 8, 18, 32, 29, 8, 2 Einsteinium	100 Fm 2, 8, 18, 32, 30, 8, 2 Fermium	101 Md 2, 8, 18, 32, 31, 8, 2 Mendelevium	No 2, 8, 18, 32, 32, 8, 2 Nobelium	103 Lr 2, 8, 18, 32, 32, 9, 2 Lawrencium