






		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
1	101/APG 01/02	Air Plug Gauge	8.04 ± 0.008 mm		PE-161 2 H	6 MONTHS	01	LAB	In house	N/A	29	Jan-23	29	Jul-23	Profession al Eng	TOOL ROOM
2	101/APG 02/03	Air Plug Gauge	42.058 ± 0.02 mm		-	6 MONTHS	135020069R	- 50 60	In house	N/A	23	Dec-22	22	Jun-23	Size Control	TOOL ROOM
3	101/APG 03/03	Air Plug Gauge	71.063 ± 0.015 mm		PE-162 2 B	6 MONTHS	135020069R	- 50 60	In house	N/A	29	Jan-23	28	Jul-23	Profession al Eng	TOOL ROOM
4	101/APG 04/04	Air Plug Gauge	27.708 ± 0.0105 mm		PE-162 5 B	6 MONTHS	135020069R	- 50 60	In house	N/A	26	Jan-23	26	Jul-23	Profession al Eng	BRAZIL
5	101/APG 04/06	Air Plug Gauge	27.708 ± 0.0105 mm		-	6 MONTHS	135020069R	- 50 60	In house	N/A	29	Jan-23	28	Jul-23	Size Control	BRAZIL
6	101/APG 05/02	Air Plug Gauge	52.0195 ± 0.0195 mm		R-3208 8	6 MONTHS	135020069R	- 50 60	In house	N/A	2	Jan-23	1	Jul-23	Swaroop	M/C SHOP
7	101/APG 05/05	Air Plug Gauge	52.0195 ± 0.0195 mm		PE162 3C	6 MONTHS	135020069R	- 50 60	In house	N/A	16	Mar-23	16	Sep-23	PMS	TOOL ROOM
8	101/BIG 01/01	Bend Gauge	0.02 Max mm		-	12 MONTHS			In house	N/A	27	Aug-22	27	Aug-23	Spin Innovation	M/C SHOP
9	101/DG 01/01	Depth Gauge	6.50/6.54 mm		-	6 MONTHS	135020069R	- 50 60	In house	N/A	23	Feb-23	23	Aug-23	Err-Eng	M/C SHOP
10	101/FPG 01/03	Flush Pin Gauge	3.8 ± 0.2 mm		-	6 MONTHS	135020069R	- 50 60	In house	N/A	3	Jan-23	2	Jul-23	Spin Innovation	M/C SHOP
11	101/PPG 01/03	Plain Plug Gauge	7.2/7.5 mm		REP 128	6 MONTHS	135020069R	- 50 60	In house	N/A	14	Oct-23	13	Apr-24	Mech Well	M/C SHOP
12	101/PPG 03/02	Plain Plug Gauge	6.9/7.1 mm		-	6 MONTHS	135020069R	- 50 60	In house	N/A	23	Feb-23	23	Aug-23	Mech Well	M/C SHOP








		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
24	101/TPG 03/05	Thread Plug Gauge	M6X1-6H mm		T9518 / T9522	6 MONTHS	135020069R	- 50 60	In house	N/A	28	Nov-23	28	May-24	Master Metrology	M/C SHOP
25	101/TPG 05/05	Thread Plug Gauge	M10X1.5-6H mm		T9607 / T9612	6 MONTHS	135020069R	- 50 60	N/A	Out Source	8	Feb-23	8	Aug-23	Master Metrology	M/C SHOP
26	102/APG 02/03	Air Plug Gauge	89.027 ± 0.027 mm		PE 1572A	6 MONTHS	122976787R	-	In house	N/A	2	Jan-23	1	Jul-23	Profession al Eng	M/C SHOP
27	102/PPG 01/03	Plain Plug Gauge	4.92/5.15 mm		-	6 MONTHS	122976787R	-	In house	N/A	25	Mar-23	25	Sep-23	Master Metrology	M/C SHOP
28	102/PPG 02/02	Plain Plug Gauge	6.9/7.1 mm		PF-722 / PF-727	6 MONTHS	122976787R	-	In house	N/A	28	Nov-22	27	May-23	Spin Innovation	M/C SHOP
29	102/PPG 04/03	Plain Plug Gauge	8.03/8.07 mm		-	6 MONTHS	122976787R	-	In house	N/A	28	Feb-23	28	Aug-23	Master Metrology	M/C SHOP
30	102/SG 02/02	Snap Gauge	11.7/11.3 mm		-	6 MONTHS	122976787R	-	In house	N/A	28	Feb-23	28	Aug-23	Err-Eng	M/C SHOP
31	102/TPG 01/02	Thread Plug Gauge	M6X1-6H mm		T 9593/T 9597	12 MONTHS	122976787R	-	N/A	Out Source	27	Sep-22	27	Sep-23	Master Metrology	M/C SHOP
32	103/PPG 01/04	Plain Plug Gauge	8.0/8.026 mm	<b>E</b>	PF 645/PF 646	6 MONTHS	2D0003199P	50	In house	N/A	25	Dec-22	24	Jun-23	Spin Innovation	M/C SHOP
33	103/PPG 01/05	Plain Plug Gauge	8/8.026 mm	<b>E</b>	-	3 MONTHS	2D0003199P	50	In house	N/A	6	Feb-23	6	May-23	Spin Innovation	TOOL ROOM
34	103/PPG 02/04	Plain Plug Gauge	6.9/7.1 mm		-	6 MONTHS	2D0003199P	50	In house	N/A	25	Mar-23	25	Sep-23	Spin Innovation	M/C SHOP
35	103/RG 01/02	Receiver Gauge	Position Gauge		-	12 MONTHS	2D0003199P	50	In house	N/A	17	Feb-23	17	Feb-24	Spin Innovation	STAND ARDS ROOM

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
36	103/SG 01/03	Snap Gauge	22.1/21.9 mm		SOP-90B	6 MONTHS	2D0003199P	50	In house	N/A	18	Jan-23	17	Jul-23	Master Metrology	M/C SHOP
37	104/APG 01/04	Air Plug Gauge	8.013±0.013 mm		-	6 MONTHS	2D0003198P	50	In house	N/A	30	Mar-23	30	Sep-23	Size Control	M/C SHOP
38	104/FPG 01/02	Flush Pin Gauge	4.6±0.2 mm		-	6 MONTHS	2D0003198P	50	In house	N/A	7	Dec-22	7	Jun-23	Err	M/C SHOP
39	104/RG 01/02	Receiver Gauge	Position Gauge		-	12 MONTHS			In house	N/A	17	Feb-23	17	Feb-24	Spin Innovation	TOOL ROOM
40	104/SG 01/02	Snap Gauge	22.1/21.9 mm		-	6 MONTHS	2D0003198P	50	In house	N/A	3	Jan-23	2	Jul-23	Mech Well	M/C SHOP
41	105/APG 01/03	Air Plug Gauge	7.963±0.013 mm	R	S238/4	6 MONTHS	-	-	In house	N/A	23	Sep-23	23	Mar-24	MES	M/C SHOP
42	105/APG 01/07	Air Plug Gauge	7.963±0.013 mm	R	-	3 MONTHS	8201415146	-	In house	N/A	25	Mar-23	25	Jun-23	Size Control	FINAL QA
43	105/CCG 01/04	Concentricity Gauge	7.963 & 6.5 mm		-	6 MONTHS	8201415146	-	In house	N/A	25	Mar-23	25	Sep-23	-	M/C SHOP
44	105/FPG 01/06	Flush Pin Gauge	4.0±0.2 mm		-	6 MONTHS	-	-	In house	N/A	4	Jan-23	4	Jul-23	Err-Eng	M/C SHOP
45	105/PPG 01/04	Plain Plug Gauge	7.950/7.976 mm	R	-	3 MONTHS	8201415146	-	In house	N/A	20	Mar-23	20	Jun-23	Mech Well	FINAL QA
46	105/RG 02/01	Receiver Gauge	Position Gauge		-	12 MONTHS	-	-	In house	N/A	7	Feb-23	6	Feb-24	Spin Innovation	M/C SHOP
47	106/APG 01/04	Air Plug Gauge	8.013±0.013 mm		-	3 MONTHS	0		In house	N/A	3	Feb-23	3	May-23	Size Control	FINAL QA







		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
48	106/FPG 01/06	Flush Pin Gauge	4.0±0.2 mm		-	6 MONTHS	0		In house	N/A	4	Jan-23	3	Jul-23	Err-Eng	M/C SHOP
49	106/RG 01/01	Receiver Gauge	Position Gauge mm		-	12 MONTHS	2D0017373P	-	In house	N/A	28	Mar-23	28	Mar-24	Spin Innovation	M/C SHOP
50	106/RG 02/01	Receiver Gauge	Position Gauge mm		-	12 MONTHS	2D0017373P	-	In house	N/A	28	Mar-23	28	Mar-24	Spin Innovation	M/C SHOP
51	106/RG 03/01	Receiver Gauge	Position Gauge mm		-	12 MONTHS	2D0017373P	-	In house	N/A	28	Mar-23	28	Mar-24	Spin Innovation	M/C SHOP
52	106/SG 01/05	Snap Gauge	13.15/12.85 mm		96B	6 MONTHS	0		In house	N/A	4	Jan-23	3	Jul-23	Master Metrology	M/C SHOP
53	107/APG 01/03	Air Plug Gauge	8.075 ± 0.025 mm	R	PE 1919C	6 MONTHS	111114932R	50 60	In house	N/A	17	Dec-22	16	Jun-23	Professional Eng	M/C SHOP
54	107/APG 02/03	Air Plug Gauge	18.035 ± 0.035 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	22	Nov-22	21	May-23	PMS	M/C SHOP
55	107/CPG 12/02	Core Plug Gauge	18.376/18.676 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	27	Jan-23	26	Jul-23	Spin Innovation	M/C SHOP
56	107/FPG 01/01	Flush Pin Gauge	1.0/2.0 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	31	Jan-23	30	Jul-23	Mech Well	M/C SHOP
57	107/FPG 02/01	Flush Pin Gauge	57.4 ± 0.10 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	31	Jan-23	30	Jul-23	Err-Eng	M/C SHOP
58	107/PPG 01/01	Plain Plug Gauge	3.5/3.7 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	18	Jan-23	17	Jul-23	Spin Innovation	M/C SHOP
59	107/PPG 01/02	Plain Plug Gauge	5.6/6 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	27	Jan-23	26	Jul-23	Spin Innovation	M/C SHOP




SL No		GAUGE NO		TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		FORMAT NO				QFO 99	
													REV NO & DATE				01, 1-Apr-22	
											CALIBRATION				MAKE	Current Location		
DONE ON		DUE ON																
INHOUSE		EXTERNAL		Date	Month & Year	Date	Month & Year											
60	107/PPG 02/02	Plain Plug Gauge	6.9/7.1 mm		RFP 60B	6 MONTHS	111114932R	50 60	In house	N/A	9	Aug-23	9	Feb-24	Master Metrology	M/C SHOP		
61	107/PPG 03/03	Plain Plug Gauge	7.6/8 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	12	Aug-23	12	Feb-24	Mech Well	M/C SHOP		
62	107/PPG 04/02	Plain Plug Gauge	8.38/8.68 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	16	Feb-23	16	Aug-23	Err-Eng	M/C SHOP		
63	107/PPG 05/03	Plain Plug Gauge	10.9/11.1 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	16	Feb-23	16	Aug-23	Mech Well	M/C SHOP		
64	107/PPG 06/02	Plain Plug Gauge	11.8/12 mm		-	6 MONTHS			In house	N/A	16	Feb-23	16	Aug-23	Err-Eng	M/C SHOP		
65	107/PPG 07/02	Plain Plug Gauge	11.9/12.1 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	16	Mar-23	16	Sep-23	Mech Well	M/C SHOP		
66	107/PPG 08/02	Plain Plug Gauge	18/18.07 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	16	Feb-23	16	Aug-23	Err-Eng	M/C SHOP		
67	107/PPG 10/01	Plain Plug Gauge	8.05/8.10 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	15	Apr-23	15	Oct-23	Mech Well	STANDARDS ROOM		
68	107/PPG 11/01	Plain Plug Gauge	4.92/5.15 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	1	Dec-22	1	Jun-23	Master Metrology	M/C SHOP		
69	107/RG 01/01	Receiver Gauge	Position Gauge mm		-	12 MONTHS	111114932R	50 60	In house	N/A	12	Aug-22	11	Aug-23	Err-Eng	M/C SHOP		
70	107/SPG 09/03	Slot Plug Gauge	8.075 ± 0.025, 9.075±0.10 mm	R	-	6 MONTHS	111114932R	50 60	In house	N/A	20	Mar-23	20	Sep-23	-	M/C SHOP		
71	107/SPG 09/05	Slot Plug Gauge	8.075±0.025/9.075 ±0.1 mm	R	-	6 MONTHS	111114932R	50 60	In house	N/A	5	Jan-23	5	Jul-23	Spin Innovation	STANDARDS ROOM		

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
72	107/TPG 01/07	Thread Plug Gauge	M6X1-6H mm		O860 / 0870	6 MONTHS	111114932R	50 60	N/A	Out Source	8	Feb-23	8	Aug-23	Master Metrology	M/C SHOP
73	107/TPG 01/08	Thread Plug Gauge	M6*1-6H mm		T-0394 /T-0398	6 MONTHS	111114932R	50 60	N/A	Out Source	5	Jan-23	5	Jul-23	Master Metrology	Metric Measurements Technologies
74	107/TPG 02/03	Thread Plug Gauge	M10X1.5-6H mm		055/1/2	6 MONTHS	111114932R	50 60	N/A	Out Source	8	Feb-23	8	Aug-23	Master Metrology	M/C SHOP
75	107/TPG 03/02	Thread Plug Gauge	M16X1.5-6H mm		T-0452 /T-0455	6 MONTHS	111114932R	50 60	N/A	Out Source	8	Feb-23	8	Aug-23	Size Control	M/C SHOP
76	107/TPG 04/03	Thread Plug Gauge	M20X1.5-6H mm		T0434/ T0437	6 MONTHS	111114932R	50 60	N/A	Out Source	8	Feb-23	8	Aug-23	Master Metrology	M/C SHOP
77	107/TPG 04/04	Thread Plug Gauge	M20*1.5-6H mm		T-9577 /T-9581	6 MONTHS	111114932R	50 60	N/A	Out Source	5	Jan-23	5	Jul-23	Master Metrology	Metric Measurements Technologies
78	107/TPG 05/02	Thread Plug Gauge	M8x1.25-6H mm		T0441 / T0444	6 MONTHS	111114932R	50 60	N/A	Out Source	8	Feb-23	8	Aug-23	Swasthik	M/C SHOP
79	107/UPG 01/01	U Profile Gauge	- mm		-	6 MONTHS	111114932R	50 60	In house	N/A	1	Mar-23	1	Sep-23	Spin Innovation	M/C SHOP
80	107/WG 01/01	Width Gauge	4.0±0.1 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	18	Jan-23	17	Jul-23	Size Masters	M/C SHOP
81	108/DG 01/01	Depth Gauge	1.45/1.55 mm		-	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP
82	108/PPG 01/03	Plain Plug Gauge	6.85/7.15 mm		X326	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
83	108/PPG 01/04	Plain Plug Gauge	6.85/7.15 mm		X324	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP
84	108/PPG 02/03	Plain Plug Gauge	5.8/6.2 mm		X334	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP
85	108/PPG 02/04	Plain Plug Gauge	5.8/6.2 mm		X335	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	FINAL QA
86	108/PPG 03/04	Plain Plug Gauge	12.9/13.1 mm		X318	6 MONTHS	110111154R	-	In house	N/A	3	Dec-22	2	Jun-23	Graphica Gauges Tools	FINAL QA
87	108/PPG 03/06	Plain Plug Gauge	12.9/13.1 mm		-	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP
88	108/PPG 04/04	Plain Plug Gauge	4.9/5.1 mm		X337	6 MONTHS	110111154R	-	In house	N/A	3	Dec-22	2	Jun-23	Graphica Gauges Tools	FINAL QA
89	108/PPG 04/05	Plain Plug Gauge	4.9/5.1 mm		-	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP
90	108/PPG 05/03	Plain Plug Gauge	8.9/9.1 mm		-	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	FINAL QA
91	108/PPG 05/04	Plain Plug Gauge	8.9/9.1 mm		X332	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP
92	108/PPG 06/03	Plain Plug Gauge	15.9/16.1 mm		X321	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP
93	108/PPG 06/04	Plain Plug Gauge	15.9/16.1 mm		X323	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	FINAL QA
94	108/PPG 07/03	Plain Plug Gauge	13.9/14.1 mm		X314	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP







		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
95	108/PPG 08/03	Plain Plug Gauge	7.9/8.1 mm		X329	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP
96	108/PPG 08/04	Plain Plug Gauge	7.9/8.1 mm		X328	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	FINAL QA
97	108/PPG 09/03	Plain Plug Gauge	12.95/13.05 mm		X315	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	M/C SHOP
98	108/PPG 09/04	Plain Plug Gauge	12.95/13.05 mm		X316	6 MONTHS	110111154R	-	In house	N/A	2	Dec-22	1	Jun-23	Graphica Gauges Tools	FINAL QA
99	108/RG 01/01	Receiver Gauge	Position Gauge		-	12 MONTHS			In house	N/A	30	Apr-22	30	Apr-23	Spin Innovation	M/C SHOP
100	108/SPG 01/01	Slot Plug Gauge	6.5*23.25 mm		-	6 MONTHS	110111154R	-	In house	N/A	11	Feb-23	11	Aug-23	Mech Well	M/C SHOP
101	109/APG 01/02	Air Plug Gauge	71.063 ± 0.015 mm		R3255 7	6 MONTHS	135023385R	-	In house	N/A	5	Jan-23	5	Jul-23	Swaroop	M/C SHOP
102	109/APG 01/04	Air Plug Gauge	71.063 ± 0.015 mm		PE 1622A	6 MONTHS	135023385R	-	In house	N/A	3	Mar-23	3	Sep-23	Profession al Eng	FINAL QA
103	109/APG 03/02	Air Plug Gauge	42.058 ± 0.02 mm		PE162 4B	6 MONTHS	135023385R	-	In house	N/A	5	Jan-23	5	Jul-23	Profession al Eng	M/C SHOP
104	109/APG 04/02	Air Plug Gauge	27.708 ± 0.0105 mm		PE162 5B	6 MONTHS	135023385R	-	In house	N/A	5	Jan-23	5	Jul-23	Size Control	M/C SHOP
105	109/APG 04/04	Air Plug Gauge	27.708 ± 0.0105 mm		1595/8/ 1	6 MONTHS	135020069R	- 50 60	In house	N/A	24	Feb-23	24	Aug-23	Size Control	FINAL QA
106	109/APG 05/04	Air Plug Gauge	52.0195 ± 0.0195 mm		-	6 MONTHS	135023385R	-	In house	N/A	15	Dec-22	15	Jun-23	Size Control	M/C SHOP

SL No		GAUGE NO		TYPE OF GAUGE		SPECIFICATION		Customer Designated Symbols		Gauge Serial Number		FREQUENCY OF CALIBRATION		USED ON COMPONENT		OPERATION NO'S		SOURCE OF CALIBRATION		FORMAT NO				QFO 99					
																				REV NO & DATE				01, 1-Apr-22					
																				CALIBRATION				MAKE		Current Location			
																		DONE ON		DUE ON									
																				Date		Month & Year		Date		Month & Year			
107	109/APG05/06	Air Plug Gauge	52.0195 ± 0.0195 mm		1595/6/1	6 MONTHS	135023385R	-	In house	N/A	27	Feb-23	27	Aug-23	Size Control	FINAL QA													
108	109/BIG 01/01	Bend Gauge	mm		-	12 MONTHS			In house	N/A	27	Aug-22	27	Aug-23	Spin Innovation	STANDARDS ROOM													
109	109/CCG 01/01	Concentricity Gauge	DIA 71 & 42 mm		-	12 MONTHS	135023385R	-	In house	N/A	25	Feb-23	24	Aug-23	Err-Eng	M/C SHOP													
110	109/PPG 01/01	Plain Plug Gauge	49.85/50.15 mm		-	6 MONTHS	135023385R	-	In house	N/A	21	Dec-22	20	Jun-23	Master Metrology	M/C SHOP													
111	109/PPG 04/03	Plain Plug Gauge	9.11/9.51 mm		-	6 MONTHS	135023385R	-	In house	N/A	21	Dec-22	20	Jun-23	Mech Well	M/C SHOP													
112	109/PPG 09/04	Plain Plug Gauge	3.5/3.7 mm		-	6 MONTHS	135023385R	-	In house	N/A	21	Feb-23	21	Aug-23	Spin Innovation	M/C SHOP													
113	109/PPG 10/04	Plain Plug Gauge	7.69/7.91 mm		SOP-15	6 MONTHS	135023385R	-	In house	N/A	10	Dec-22	9	Jun-23	Master Metrology	M/C SHOP													
114	109/PPG 10/05	Plain Plug Gauge	7.69/7.91 mm		-	6 MONTHS	111119774R	50	In house	N/A	7	Sep-23	7	Mar-24	-	M/C SHOP													
115	109/PPG 11/02	Plain Plug Gauge	7.2/7.5 mm		-	6 MONTHS	135023385R	-	In house	N/A	16	Feb-23	16	Aug-23	Mech Well	M/C SHOP													
116	109/PPG 12/02	Plain Plug Gauge	6.9/7.1 mm		-	6 MONTHS	135023385R	-	In house	N/A	28	Nov-22	27	May-23	Mech Well	M/C SHOP													
117	109/PPG 13/03	Plain Plug Gauge	10.4/10.6 mm		-	6 MONTHS	135023385R	-	In house	N/A	9	Mar-23	9	Sep-23	Master Metrology	M/C SHOP													
118	109/PPG 15/02	Plain Plug Gauge	8.1/8.3 mm		-	6 MONTHS	135023385R	-	In house	N/A	23	Dec-22	22	Jun-23	Mech Well	M/C SHOP													


SL No		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
		GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE
INHOUSE	EXTERNAL									DONE ON		DUE ON				
		Date	Month & Year	Date	Month & Year											
119	109/PPG 16/01	Plain Plug Gauge	8.03/8.07 mm		-	6 MONTHS	135023385R	-	In house	N/A	25	Mar-23	25	Sep-23	Spin Innovation	M/C SHOP
120	109/RG 01/01	Receiver Gauge	Position Gauge		-	12 MONTHS			In house	N/A	17	Nov-22	16	Nov-23	GNN	FINAL QA
121	109/SG 01/02	Snap Gauge	22.72/22.12 mm		-	6 MONTHS	135023385R	-	In house	N/A	23	Nov-22	22	May-23	Mech Well	M/C SHOP
122	109/SG 03/02	Snap Gauge	29.1/28.3 mm		RFP 64B	6 MONTHS	135023385R	-	In house	N/A	23	Nov-22	22	May-23	Mech Well	M/C SHOP
123	109/TPG 02/03	Thread Plug Gauge	M6X1-6H mm		T9600 / T9604	6 MONTHS	135023385R	-	N/A	Out Source	8	Feb-23	8	Aug-23	Master Metrology	M/C SHOP
124	109/TPG 04/04	Thread Plug Gauge	M10X1.5-6H mm		Q2833/ Q2836	6 MONTHS			N/A	Out Source	8	Feb-23	8	Aug-23	Master Metrology	M/C SHOP
125	110/FPG 01/01	Flush Pin Gauge	3.7±0.1 mm		-	6 MONTHS	111119774R	50	In house	N/A	18	Jan-23	17	Jul-23	Spin Innovation	M/C SHOP
126	110/FPG 02/01	Flush Pin Gauge	7.5±0.25 mm		-	6 MONTHS	111119774R	50	In house	N/A	18	Jan-23	17	Jul-23	Spin Innovation	M/C SHOP
127	110/FPG 03/01	Flush Pin Gauge	8±0.2 mm		-	6 MONTHS	111119774R	50	In house	N/A	18	Jan-23	17	Jul-23	Spin Innovation	M/C SHOP
128	110/ODRG 01/01	Plain Plug Gauge	19.925/20.075 mm		-	6 MONTHS	111119774R	50	In house	N/A	18	Jan-23	17	Jul-23	Spin Innovation	M/C SHOP
129	110/PPG 01/01	Plain Plug Gauge	3.325/3.475 mm		-	6 MONTHS	111114932R	50 60	In house	N/A	18	Jan-23	17	Jul-23	Spin Innovation	M/C SHOP
130	110/RG 01/01	Receiver Gauge	Position Gauge mm		-	12 MONTHS			In house	N/A	12	Aug-22	12	Aug-23	Err-Eng	M/C SHOP




		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
140	111/PPG 02/02	Plain Plug Gauge	6.65/6.88 mm		-	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	6	Jan-23	5	Jul-23	Spin Innovation	M/C SHOP
141	111/PPG 03/01	Plain Plug Gauge	8.38/8.68 mm		PE386/ PE389	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	17	May-23	Spin Innovation	M/C SHOP
142	111/PPG 04/02	Plain Plug Gauge	4.92/5.15 mm		-	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	25	Mar-23	25	Sep-23	Spin Innovation	M/C SHOP
143	111/PPG 04/07	Plain Plug Gauge	4.92/5.15 mm		PE343/ PE361	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	17	May-23	Spin Innovation	M/C SHOP
144	111/PPG 04/11	Plain Plug Gauge	4.92/5.15 mm		PE349/ PE374	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	17	May-23	Spin Innovation	M/C SHOP
145	111/PPG 05/01	Plain Plug Gauge	9/9.22 mm		-	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	17	May-23	Spin Innovation	M/C SHOP
146	111/PPG 06/01	Plain Plug Gauge	10.3/10.7 mm		PE337	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	17	May-23	Spin Innovation	M/C SHOP
147	111/PPG 07/01	Plain Plug Gauge	11/11.27 mm		PE453/ PE456	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	17	May-23	Spin Innovation	M/C SHOP
148	111/PPG 08/02	Plain Plug Gauge	7/7.22 mm		-	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	10	Dec-22	9	Jun-23	Mech Well	M/C SHOP


		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
149	111/PPG 09/01	Plain Plug Gauge	9.82/10.22 mm		-	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	17	May-23	Mech Well	M/C SHOP
150	111/RG 01/01	Receiver Gauge	Position		-	12 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	17	Feb-23	17	Feb-24	Spin Innovation	M/C SHOP
151	111/SG 01/01	Snap Gauge	28.45/28.15 mm		-	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	17	May-23	Spin Innovation	M/C SHOP
152	111/SG 02/01	Snap Gauge	54.95/53.45 mm		-	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	17	May-23	Spin Innovation	M/C SHOP
153	111/SG 03/01	Snap Gauge	8.15/6.85 mm		-	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	17	May-23	Spin Innovation	M/C SHOP
154	111/SG 04/01	Snap Gauge	47.075/46.925 mm		T8072 114	6 MONTHS			In house	N/A	18	Nov-22	18	May-23	Spin Innovation	M/C SHOP
155	111/SPG 08/01	Slot Plug Gauge	8.053/8.1* 10.52/10.1 mm		T8057 486	6 MONTHS	13501PY1B	- 60 70 FULL	In house	N/A	18	Nov-22	18	May-23	Spin Innovation	M/C SHOP
156	111/TPG 01/02	Thread Plug Gauge	M6X1-6H mm		K497/ K509	6 MONTHS			N/A	Out Source	8	Feb-23	8	Aug-23	Spin Innovation	M/C SHOP
157	111/TPG 03/02	Thread Plug Gauge	M6X1-6H mm		L046 / L061	6 MONTHS			N/A	Out Source	8	Feb-23	8	Aug-23	Spin Innovation	M/C SHOP
158	111/TPG 05/02	Thread Plug Gauge	M8X1.25-6H mm		L080 / L084	6 MONTHS			N/A	Out Source	8	Feb-23	8	Aug-23	Spin Innovation	M/C SHOP




		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
159	111/TPG 06/02	Thread Plug Gauge	M10X1.5-6H mm		L087 / L092	6 MONTHS			N/A	Out Source	8	Feb-23	8	Aug-23	Spin Innovation	M/C SHOP
160	111/TPG 07/02	Thread Plug Gauge	M16X2-6H mm		L031 / L035	6 MONTHS			N/A	Out Source	8	Feb-23	8	Aug-23	Spin Innovation	M/C SHOP
161	113/APG 01/06	Air Plug Gauge	89.027 ± 0.027 mm		1672 D	6 MONTHS	122970030R	60 70	In house	N/A	5	Jan-23	4	Jul-23	Professional Eng	FINAL QA
162	113/APG 01/07	Air Plug Gauge	89.027 ± 0.027 mm		1672 B	6 MONTHS	122970030R	60 70	In house	N/A	5	Jan-23	4	Jul-23	Professional Eng	FINAL QA
163	113/APG 02/02	Air Plug Gauge	8.04 ± 0.008 mm		PE 1612G	6 MONTHS	122970030R	60 70	In house	N/A	25	Mar-23	25	Sep-23	Professional Eng	M/C SHOP
164	113/PG 01/01	Profile Gauge	Profile Checking Gauge		-	12 MONTHS	122970030R	60 70	In house	N/A	10	Nov-22	9	Nov-23	Professional Eng	STANDARDS ROOM
165	113/RG 01/01	Receiver Gauge	Position Gauge		-	12 MONTHS	122970030R	60 70	In house	N/A	11	Nov-22	11	Nov-23	Professional Eng	M/C SHOP
166	113/SG 05/03	Snap Gauge	6.3/5.7 mm		-	6 MONTHS	122970030R	60 70	In house	N/A	5	Jan-23	4	Jul-23	Mech Well	M/C SHOP
167	113/SG 06/03	Snap Gauge	11.7/11.3 mm		-	6 MONTHS	122970030R	60 70	In house	N/A	5	Jan-23	4	Jul-23	Err-Eng	M/C SHOP
168	114/APG 01/03	Air Plug Gauge	8.04 ± 0.008 mm		-	6 MONTHS	135023982R	50	In house	N/A	3	Feb-23	2	Aug-23	-	M/C SHOP
169	114/APG 02/02	Air Plug Gauge	20.0105 ± 0.0105 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Nov-22	22	May-23	PMS	M/C SHOP
170	114/APG 02/06	Air Plug Gauge	20.0105 ± 0.0105 mm		-	6 MONTHS	135023982R	50	In house	N/A	27	Mar-23	27	Sep-23	PMS	FINAL QA

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
171	114/APG 03/04	Air Plug Gauge	20.2165 ± 0.0165 mm		-	6 MONTHS	135023982R	50	In house	N/A	23	Nov-22	23	May-23	PMS	M/C SHOP
172	114/APG 03/05	Air Plug Gauge	20.2165 ± 0.0165 mm		-	6 MONTHS	135020069R	- 50 60	In house	N/A	10	Nov-22	9	May-23	PMS	FINAL QA
173	114/APG 04/02	Air Plug Gauge	33.0195 ± 0.0195 mm		-	6 MONTHS	135023982R	50	In house	N/A	21	Nov-22	20	May-23	Universal Engg	M/C SHOP
174	114/APG 05/02	Air Plug Gauge	44.090± 0.020 mm		-	6 MONTHS	135023982R	50	In house	N/A	21	Nov-22	21	May-23	PMS	M/C SHOP
175	114/APG 06/02	Air Plug Gauge	52.0195± 0.0195 mm		-	6 MONTHS			In house	N/A	21	Nov-22	21	May-23	PMS	M/C SHOP
176	114/AWG 01/01	Air Width Gauge	20.0 (+0.025,+0.052) mm		-	6 MONTHS	135023982R	50	In house	N/A	17	Feb-23	17	Aug-23	MGPL	M/C SHOP
177	114/AWG 02/01	Air Width Gauge	40.0 (+0.025,+0.052) mm		-	6 MONTHS			In house	N/A	17	Feb-23	17	Aug-23	MGPL	M/C SHOP
178	114/BIG 01/01	Bend Gauge	mm		-	12 MONTHS			In house	N/A	27	Aug-22	27	Aug-23	Spin Innovation	HPDC QA
179	114/DG 02/01	Depth Gauge	12.80 (+0.02, +0.05) mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	21	Jun-23	Spin Innovation	FINAL QA
180	114/FPG 02/01	Flush Pin Gauge	2.3±0.1 mm		-	6 MONTHS	135023982R	50	In house	N/A	25	Nov-22	24	May-23	Spin Innovation	FINAL QA
181	114/PPG 01/01	Plain Plug Gauge	4/4.2 min		-	6 MONTHS	135023982R	50	In house	N/A	18	Jan-23	17	Jul-23	Spin Innovation	M/C SHOP
182	114/PPG 01/02	Plain Plug Gauge	7.9/8.1 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	21	Jun-23	Mech Well	M/C SHOP



SL No		GAUGE NO		TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		FORMAT NO				QFO 99	
													REV NO & DATE				01, 1-Apr-22	
													CALIBRATION				MAKE	Current Location
DONE ON		DUE ON																
				Date	Month & Year	Date	Month & Year											
183	114/PPG 02/02	Plain Plug Gauge	3.8/4.2 mm		-	6 MONTHS	135023982R	50	In house	N/A	7	Jan-23	6	Jul-23	Master Metrology	M/C SHOP		
184	114/PPG 03/04	Plain Plug Gauge	6.8/7.2 mm		-	6 MONTHS	135023982R	50	In house	N/A	7	Jan-23	6	Jul-23	Err-Eng	M/C SHOP		
185	114/PPG 04/05	Plain Plug Gauge	4.92/5.15 mm		-	6 MONTHS	135023982R	50	In house	N/A	27	Mar-23	27	Sep-23	Err-Eng	M/C SHOP		
186	114/PPG 05/02	Plain Plug Gauge	6.4/6.9 mm		-	6 MONTHS	135023982R	50	In house	N/A	7	Jan-23	6	Jul-23	Master Metrology	M/C SHOP		
187	114/PPG 06/02	Plain Plug Gauge	7/7.22 mm		-	6 MONTHS	135023982R	50	In house	N/A	7	Jan-23	6	Jul-23	Master Metrology	M/C SHOP		
188	114/PPG 08/05	Plain Plug Gauge	7.69/7.91 mm		-	6 MONTHS	135023982R	50	In house	N/A	16	Mar-23	16	Sep-23	Master Metrology	FINAL QA		
189	114/PPG 10/03	Plain Plug Gauge	8.38/8.68 mm		-	6 MONTHS	135023982R	50	In house	N/A	7	Jan-23	6	Jul-23	Master Metrology	M/C SHOP		
190	114/PPG 11/02	Plain Plug Gauge	8.9/9.1 mm		-	6 MONTHS	135023982R	50	In house	N/A	7	Jan-23	6	Jul-23	Master Metrology	M/C SHOP		
191	114/PPG 12/02	Plain Plug Gauge	12/12.07 mm		-	6 MONTHS	135023982R	50	In house	N/A	7	Jan-23	6	Jul-23	Master Metrology	M/C SHOP		
192	114/PPG 13/03	Plain Plug Gauge	20.20/20.233 mm		-	6 MONTHS	135023982R	50	In house	N/A	7	Jan-23	6	Jul-23	Master Metrology	M/C SHOP		
193	114/PPG 13/04	Plain Plug Gauge	20.2/20.233 mm		-	6 MONTHS	135023982R	50	In house	N/A	23	Dec-22	22	Jun-23	Master Metrology	FINAL QA		
194	114/PPG 14/02	Plain Plug Gauge	9.11/9.51 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	21	Jun-23	Mech Well	M/C SHOP		

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
195	114/PPG 14/03	Plain Plug Gauge	9.11/9.51 mm		-	6 MONTHS			In house	N/A	22	Dec-22	21	Jun-23	Mech Well	M/C SHOP
196	114/PPG 14/04	Plain Plug Gauge	9.11/9.51 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	21	Dec-23	Mech Well	M/C SHOP
197	114/PPG 15/02	Plain Plug Gauge	15.8/16.2 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	21	Jun-23	Master Metrology	M/C SHOP
198	114/PPG 15/03	Plain Plug Gauge	15.8/16.2 mm		-	6 MONTHS	135023982R	50	In house	N/A	23	Dec-22	22	Jun-23	Master Metrology	FINAL QA
199	114/PPG 16/03	Plain Plug Gauge	28.42/28.82 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	22	Jun-23	Master Metrology	M/C SHOP
200	114/PPG 16/04	Plain Plug Gauge	28.42/28.82 mm		-	6 MONTHS	01	LAB	In house	N/A	22	Dec-23	22	Jun-24	Master Metrology	FINAL QA
201	114/PPG 17/03	Plain Plug Gauge	33.35/33.45 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	21	Jun-23	Master Metrology	M/C SHOP
202	114/PPG 18/02	Plain Plug Gauge	7.2/7.5 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	21	Jun-23	Mech Well	M/C SHOP
203	114/PPG 21/04	Plain Plug Gauge	7.948/7.97 mm		-	6 MONTHS	135023982R	50	In house	N/A	11	Jan-23	11	Jul-23	Err-Eng	M/C SHOP
204	114/PPG 21/05	Plain Plug Gauge	7.948/7.970 mm		-	3 MONTHS	135023385R	-	In house	N/A	5	Mar-23	5	Jun-23	Spin Innovation	FINAL QA
205	114/PPG 22/04	Plain Plug Gauge	20/20.021 mm		-	6 MONTHS	135023982R	50	In house	N/A	10	Nov-22	9	May-23	Err-Eng	FINAL QA
206	114/PPG 22/06	Plain Plug Gauge	20/20.021 mm		-	6 MONTHS	135023982R	50	In house	N/A	11	Nov-22	11	May-23	Err-Eng	M/C SHOP

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
207	114/PPG 23/02	Plain Plug Gauge	8.03/8.07 mm		-	6 MONTHS			In house	N/A	28	Feb-23	28	Aug-23	Err-Eng	M/C SHOP
208	114/PPG 25/01	Plain Plug Gauge	7.60/7.615 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	22	Jun-23	-	M/C SHOP
209	114/PPG 26/03	Plain Plug Gauge	2.8/3.2 mm		-	6 MONTHS	135023982R	50	In house	N/A	25	Mar-23	25	Sep-23	Err-Eng	M/C SHOP
210	114/PPG 26/04	Plain Plug Gauge	2.8/3.2 mm		-	6 MONTHS	135023982R	50	In house	N/A	5	Jan-23	5	Jul-23	Err-Eng	M/C SHOP
211	114/PPG 27/01	Plain Plug Gauge	33/33.039 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	21	Jun-23	Mech Well	FINAL QA
212	114/PPG 28/01	Plain Plug Gauge	5.8/6.2 mm		-	6 MONTHS			In house	N/A	22	Dec-22	22	Jun-23	Err-Eng	M/C SHOP
213	114/PPG01/02	Plain Plug Gauge	7.9/8.1 mm		-	6 MONTHS	135023982R	50	In house	N/A	22	Dec-22	21	Jun-23	Spin Innovation	M/C SHOP
214	114/RG 01/01	Receiver Gauge	POSITION GAUGE mm		-	12 MONTHS			In house	N/A	9	Jan-23	9	Jan-24	Spin Innovation	FINAL QA
215	114/RG 02/01	Receiver Gauge	POSITION GAUGE(VTC AREA) mm		-	12 MONTHS			In house	N/A	4	Jan-23	4	Jan-24	GGN	M/C SHOP
216	114/SG 01/02	Snap Gauge	8.1/7.3 mm		-	6 MONTHS	135023982R	50	In house	N/A	12	Dec-22	11	Jun-23	Mech Well	M/C SHOP
217	114/SG 02/02	Snap Gauge	21.66/21.26 mm		-	6 MONTHS	135023982R	50	In house	N/A	12	Dec-22	11	Jun-23	Master Metrology	M/C SHOP
218	114/SG 02/04	Snap Gauge	21.26/21.66 mm		-	6 MONTHS	135023982R	50	In house	N/A	12	Dec-22	12	Jun-23	Master Metrology	FINAL QA

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
219	114/SG 03/02	Snap Gauge	29.1/28.3 mm		-	6 MONTHS	135023982R	50	In house	N/A	12	Dec-22	11	Jun-23	Mech Well	M/C SHOP
220	114/SG 03/03	Snap Gauge	29.1/28.3 mm		-	6 MONTHS	135023982R	50	In house	N/A	25	Nov-22	25	May-23	Master Metrology	FINAL QA
221	114/TPG 01/02	Thread Plug Gauge	M8*1.25-6H mm		E1538/ E1563	6 MONTHS	135023982R	50	N/A	Out Source	8	Feb-23	8	Aug-23	Master Metrology	STAND ARDS ROOM
222	114/TPG 01/04	Thread Plug Gauge	M8x1.25-6H mm		-	6 MONTHS	135023982R	50	N/A	Out Source	2	Feb-23	2	Aug-23	Master Metrology	M/C SHOP
223	114/TPG 02/04	Thread Plug Gauge	M10*1.5-6H mm		T9585/ T-9589	6 MONTHS	01	LAB	N/A	Out Source	20	Mar-23	20	Sep-23	Master Metrology	STAND ARDS ROOM
224	114/TPG 02/05	Thread Plug Gauge	M10 x1.5-6H mm		T-9585 /T-9589	6 MONTHS	135023982R	50	N/A	Out Source	2	Feb-23	2	Aug-23	Master Metrology	M/C SHOP
225	114/TPG 05/03	Thread Plug Gauge	M6X1.0-6H mm		-	6 MONTHS	135023982R	50	N/A	Out Source	8	Feb-23	8	Aug-23	Master Metrology	M/C SHOP
226	114/TPG 06/04	Thread Plug Gauge	M6X1.0-6H mm		T-9542 /T-9546	6 MONTHS	135023982R	50	N/A	Out Source	2	Feb-23	2	Aug-23	Master Metrology	M/C SHOP
227	114/WG 04/01	Width Gauge	20.0 (+0.025,+0.052) mm		-	6 MONTHS	135023982R	50	In house	N/A	11	Dec-22	11	Jun-23	Spin Innovation	M/C SHOP
228	115/APG 02/02	Air Plug Gauge	6.197±0.0175 mm		351/2/3	6 MONTHS	130410036R	60	In house	N/A	26	Dec-22	25	Jun-23	PMS	STAND ARDS ROOM
229	115/APG 03/02	Air Plug Gauge	5.985 ±0.018 mm		1230/1/ 2	6 MONTHS			N/A	Out Source	27	Jun-23	27	Dec-23	Pms/Size Control	STAND ARDS ROOM
230	115/ARG 01/04	Air Ring Gauge	33-0.05/-0.025 mm		PE 2071D	6 MONTHS	130410036R	60	In house	N/A	25	Feb-23	25	Aug-23	Profession al Eng	STAND ARDS ROOM

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
231	115/BIG 01/01	Bend Gauge	mm		-	12 MONTHS			In house	N/A	27	Aug-22	27	Aug-23	Spin Innovation	STAND ARDS ROOM
232	115/DG 01/01	Depth Gauge	1.5/1.6 mm		-	6 MONTHS	130410036R	60	In house	N/A	18	Apr-23	18	Oct-23	-	STAND ARDS ROOM
233	115/DG 02/01	Depth Gauge	2.25/2.15 mm		-	6 MONTHS	130410036R	60	In house	N/A	3	Jan-23	2	Jul-23	-	STAND ARDS ROOM
234	115/FPG 01/01	Flush Pin Gauge	0.8/1.2 mm		-	6 MONTHS	130410036R	60	In house	N/A	3	Nov-22	2	May-23	Master Metrology	STAND ARDS ROOM
235	115/FPG 02/01	Flush Pin Gauge	0.6/1.0 mm		-	6 MONTHS			In house	N/A	3	Nov-22	3	May-23	Master Metrology	STAND ARDS ROOM
236	115/ODRG 01/01	Ring Gauge	42.130/42.33 mm		-	6 MONTHS	130410036R	60	In house	N/A	25	Nov-22	24	May-23	Spin Innovation	STAND ARDS ROOM
237	115/ODRG 01/02	Ring Gauge	27.27/27.23 mm		-	6 MONTHS	130410036R	60	In house	N/A	12	Apr-23	12	Oct-23	Spin Innovation	STAND ARDS ROOM
238	115/PPG 01/03	Plain Plug Gauge	7.687/7.777 mm		REP 128	6 MONTHS	130410036R	60	In house	N/A	7	Nov-22	6	May-23	Master Metrology	STAND ARDS ROOM
239	115/PPG 03/03	Plain Plug Gauge	7.3/7.52 mm		-	6 MONTHS	130410036R	60	In house	N/A	7	Nov-22	6	May-23	PMS	M/C SHOP
240	115/PPG 04/02	Plain Plug Gauge	5.967/6.085 mm		SKP-2 08A	6 MONTHS	130410036R	60	In house	N/A	7	Nov-22	6	May-23	Master Metrology	STAND ARDS ROOM
241	115/PPG 05/02	Plain Plug Gauge	7/7.22 mm		SKP 207	6 MONTHS	130410036R	60	In house	N/A	7	Nov-22	6	May-23	Master Metrology	M/C SHOP
242	115/PPG 07/01	Plain Plug Gauge	12.15/12.275 mm		T8057 868	6 MONTHS	130410036R	60	In house	N/A	25	Nov-22	24	May-23	Spin Innovation	STAND ARDS ROOM

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
243	115/PPG 08/01	Plain Plug Gauge	37.52/38.02 mm		-	6 MONTHS	130410036R	60	In house	N/A	7	Dec-22	6	Jun-23	Spin Innovation	M/C SHOP
244	115/PPG 09/01	Plain Plug Gauge	8.65/9.15 mm		-	6 MONTHS	130410036R	60	In house	N/A	7	Dec-22	6	Jun-23	Spin Innovation	STAND ARDS ROOM
245	115/RG 01/01	Receiver Gauge	POSITION GAUGE mm		-	12 MONTHS			In house	N/A	28	Dec-22	28	Dec-23	PMS	STAND ARDS ROOM
246	115/RG 02/01	Receiver Gauge	WRONG SLOT IDENTIFY GAUGE mm		-	12 MONTHS			In house	N/A	14	May-22	13	May-23	PMS	STAND ARDS ROOM
247	115/SG 01/03	Snap Gauge	20.25/20.05 mm		-	6 MONTHS	130410036R	60	In house	N/A	7	Nov-22	6	May-23	Err-Eng	STAND ARDS ROOM
248	115/SG 03/02	Snap Gauge	3.7/3.5 mm		T8057 497	6 MONTHS	130410036R	60	In house	N/A	7	Nov-22	6	May-23	Spin Innovation	STAND ARDS ROOM
249	115/SG 04/05	Snap Gauge	6.25/5.75 mm		-	6 MONTHS	130410036R	60	In house	N/A	25	Nov-22	24	May-23	Master Metrology	STAND ARDS ROOM
250	115/SPG 06/02	Slot Plug Gauge	7.1/7.5 mm		-	6 MONTHS	130410036R	60	In house	N/A	7	Nov-22	6	May-23	PMS	STAND ARDS ROOM
251	115/WG 02/06	Width Gauge	1.84±0.03 mm		-	6 MONTHS	130410036R	60	In house	N/A	14	Mar-23	14	Sep-23	Spin Innovation	M/C SHOP
252	115/WRG 02/01	Width Gauge/Ring Model	3.75 ±0.1 mm		T8057 498	6 MONTHS	130410036R	60	In house	N/A	25	Nov-22	25	May-23	Spin Innovation	STAND ARDS ROOM
253	116/RG 01/01	Receiver Gauge	POSITION GAUGE mm		-	12 MONTHS			In house	N/A	28	Dec-22	28	Dec-23	PMS	M/C SHOP
254	116/RG 02/01	Receiver Gauge	WRONG SLOT IDENTIFY GAUGE mm		-	12 MONTHS			In house	N/A	14	May-22	13	May-23	PMS	M/C SHOP

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
255	117/DCG 01/01	Distance Check Gauge	8.1±□0.05 mm		-	12 MONTHS			In house	N/A	17	Feb-23	17	Aug-23	Profession al Eng	FINAL QA
256	117/DCG 02/01	Distance Check Gauge	8.1±□0.05 mm		-	12 MONTHS	130516380R	-	In house	N/A	17	Feb-23	17	Aug-23	Profession al Eng	M/C SHOP
257	117/FPG 02/01	Flush Pin Gauge	2.45 ±0.25 mm		-	6 MONTHS	130516380R	-	In house	N/A	8	Apr-23	8	Oct-23	Err-Eng	M/C SHOP
258	117/RG 01/01	Receiver Gauge	Position Gauge mm		-	12 MONTHS			In house	N/A	26	Dec-22	26	Dec-23	Profession al Eng	M/C SHOP
259	117/RG 03/01	Receiver Gauge	Position Gauge(After Bush Assembly) mm		-	12 MONTHS			In house	N/A	19	Dec-22	19	Dec-23	Profession al Eng	FINAL QA
260	117/SG 01/04	Snap Gauge	22.15/21.85 mm		92D	6 MONTHS			In house	N/A	3	Jan-23	3	Jul-23	Master Metrology	M/C SHOP
261	118/APG 01/04	Air Plug Gauge	7.963±0.013 mm		-	6 MONTHS			In house	N/A	11	Mar-23	11	Sep-23	Size Control	M/C SHOP
262	118/DCG 01/01	Distance Check Gauge	8.1±□0.05 mm		-	12 MONTHS	130516342R	-	In house	N/A	17	Feb-23	17	Aug-23	Profession al Eng	FINAL QA
263	118/DCG 02/01	Distance Check Gauge	8.1±□0.05 mm		-	12 MONTHS	130516342R	-	In house	N/A	17	Feb-23	17	Aug-23	Profession al Eng	M/C SHOP
264	118/PPG 02/02	Plain Plug Gauge	6.9/7.1 mm		RFP 60A	6 MONTHS	130516342R	-	In house	N/A	11	Mar-23	11	Sep-23	Mech Well	M/C SHOP
265	118/RG 01/01	Receiver Gauge	Position Gauge mm		-	12 MONTHS			In house	N/A	26	Dec-22	26	Dec-23	Profession al Eng	M/C SHOP
266	118/RG 03/01	Receiver Gauge	Position Gauge(After Bush Assembly) mm		-	12 MONTHS	130516342R	-	In house	N/A	9	Dec-22	8	Dec-23	Profession al Eng	FINAL QA

SL No		GAUGE NO		TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		FORMAT NO				QFO 99	
													REV NO & DATE				01, 1-Apr-22	
													CALIBRATION				MAKE	Current Location
DONE ON		DUE ON																
INHOUSE		EXTERNAL		Date	Month & Year	Date	Month & Year											
267	118/SG 01/03	Snap Gauge	22.15/21.85 mm		SOP 92	6 MONTHS			In house	N/A	3	Jan-23	2	Jul-23	Master Metrology	M/C SHOP		
268	119/PG 01/01	Receiver Gauge	WATER JACKET AREA mm		-	12 MONTHS			In house	N/A	19	Oct-22	18	Oct-23	Spin Innovation	HPDC QA		
269	119/RG 01/01	Receiver Gauge	POSITION GAUGE mm		-	12 MONTHS			In house	N/A	29	Nov-22	29	Nov-23	Spin Innovation	M/C SHOP		
270	123/APG 02/05	Air Plug Gauge	47.0 (+0.039) mm		-	3 MONTHS	965591080	-	In house	N/A	20	Apr-23	20	Jul-23	Size Masters	M/C SHOP		
271	123/APG 03/01	Air Plug Gauge	47.0 (+0.039) mm		-	3 MONTHS	-	-	In house	N/A	25	Jan-23	25	Apr-23	Esya	FINAL QA		
272	123/ARG 01/05	Air Ring Gauge	62.960 (-0.05) mm		-	3 MONTHS	-	-	In house	N/A	4	Feb-23	4	May-23	Size Masters	FINAL QA		
273	123/ARG 01/06	Air Ring Gauge	62.960 (-0.05) mm		-	3 MONTHS	-	-	In house	N/A	4	Feb-23	4	May-23	Size Masters	M/C SHOP		
274	123/PPG 01/01	Plain Plug Gauge	47/47.039 mm		-	6 MONTHS	-	-	In house	N/A	22	Jan-23	22	Jul-23	Spin Innovation	M/C SHOP		
275	123/RG 01/01	Receiver Gauge	Position Gauge		-	12 MONTHS			In house	N/A	1	Nov-22	31	Oct-23	Spin Innovation	M/C SHOP		
276	124/PPG 01/01	Plain Plug Gauge	12.3/13.3 mm		-	6 MONTHS	9811243810	-	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		
277	124/PPG 03/01	Plain Plug Gauge	8.38/8.69 mm		-	6 MONTHS	9811243810	-	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		
278	124/PPG 04/01	Plain Plug Gauge	8.3/8.7 mm		-	6 MONTHS	9811243810	-	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		



SL No		GAUGE NO		TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		FORMAT NO				QFO 99	
													REV NO & DATE				01, 1-Apr-22	
													CALIBRATION				MAKE	Current Location
DONE ON		DUE ON																
				Date	Month & Year	Date	Month & Year											
279	124/PPG 05/01	Plain Plug Gauge	11.7/12.2 mm		-	6 MONTHS	9811243810	-	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		
280	124/PPG 06/01	Plain Plug Gauge	6.65/6.92 mm		-	6 MONTHS	9811243810	-	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		
281	124/PPG 07/01	Plain Plug Gauge	7.1/7.5 mm		-	6 MONTHS	9811243810	-	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		
282	124/PPG 08/01	Plain Plug Gauge	5.92/6.15 mm		-	6 MONTHS	9811243810	-	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		
283	124/PPG 10/01	Plain Plug Gauge	4.7/6.2 mm		-	6 MONTHS	35143-0J010	FULL	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		
284	124/PPG 11/01	Plain Plug Gauge	6.65/6.92 mm		-	6 MONTHS	9811243810	-	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		
285	124/PPG 12/01	Plain Plug Gauge	8.07/8.69 mm		-	6 MONTHS	9811243810	-	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		
286	124/PPG 14/01	Plain Plug Gauge	11.6/12.2 mm		-	6 MONTHS	9811243810	-	In house	N/A	11	Jan-23	10	Jul-23	Mech Well	HPDC QA		
287	126/APG 01/01	Air Plug Gauge	12.5+0.027		-	6 MONTHS	21111-2M001	-	In house	N/A	14	Mar-23	14	Sep-23	Professional Eng	M/C SHOP		
288	126/PG 01/01	Profile Gauge	WATER JACKET AREA mm		-	12 MONTHS			In house	N/A	19	Oct-22	18	Oct-23	Spin Innovation	HPDC QA		
289	126/PG 02/01	Profile Gauge	WATER JACKET AREA mm		-	12 MONTHS			In house	N/A	19	Oct-22	18	Oct-23	Spin Innovation	HPDC QA		
290	126/PPG 03/01	Plain Plug Gauge	3.8/4.2 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP		

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
		SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION			
INHOUSE	EXTERNAL										DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
291	126/PPG 04/01	Plain Plug Gauge	6.8/7.2 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP
292	126/PPG 05/02	Plain Plug Gauge	12.3/12.7 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP
293	126/PPG 05/03	Plain Plug Gauge	12.3/12.7 mm		-	6 MONTHS	-	-	In house	N/A	18	Apr-23	18	Oct-23	Mech Well	STAND ARDS ROOM
294	126/PPG 06/02	Plain Plug Gauge	9.8/10.2 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP
295	126/PPG 06/03	Plain Plug Gauge	9.8/10.2 mm		-	6 MONTHS	-	-	In house	N/A	18	Apr-23	18	Oct-23	Mech Well	STAND ARDS ROOM
296	126/PPG 07/01	Plain Plug Gauge	5.9/6.3 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP
297	126/PPG 08/01	Plain Plug Gauge	5.9/6.1 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP
298	126/PPG 10/02	Plain Plug Gauge	6.8/7.2 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP
299	126/PPG 11/02	Plain Plug Gauge	9.3/9.7 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP
300	126/PPG 11/04	Plain Plug Gauge	9.3/9.7 mm		-	6 MONTHS	-	-	In house	N/A	18	Apr-23	18	Oct-23	Mech Well	STAND ARDS ROOM
301	126/PPG 12/01	Plain Plug Gauge	5.8/6.2 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP
302	126/PPG 13/02	Plain Plug Gauge	14.3/14.7 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
		SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION			
INHOUSE	EXTERNAL										DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
303	126/PPG 13/03	Plain Plug Gauge	14.3/14.7 mm		-	6 MONTHS	-	-	In house	N/A	18	Apr-23	18	Oct-23	Mech Well	STAND ARDS ROOM
304	126/PPG 14/01	Plain Plug Gauge	11.8/12.2 mm		-	6 MONTHS			In house	N/A	24	Feb-23	24	Aug-23	Mech Well	M/C SHOP
305	126/PPG 14/03	Plain Plug Gauge	11.8/12.2 mm		-	6 MONTHS	-	-	In house	N/A	18	Apr-23	18	Oct-23	Mech Well	STAND ARDS ROOM
306	126/PPG 16/01	Plain Plug Gauge	12.H8 mm		-	6 MONTHS			In house	N/A	11	Feb-23	11	Aug-23	Mech Well	M/C SHOP
307	126/PPG 17/02	Plain Plug Gauge	6.9/7.1 mm		-	6 MONTHS			In house	N/A	14	Mar-23	14	Sep-23	Mech Well	FINAL QA
308	126/RG 01/01	Receiver Gauge	Position Gauge		-	12 MONTHS			In house	N/A	21	Sep-22	20	Sep-23	Spin Innovation	M/C SHOP
309	126/RG 02/01	Receiver Gauge	Position Gauge mm		-	12 MONTHS			In house	N/A	15	Feb-23	15	Feb-24	Spin Innovation	HPDC QA
310	127/RG 01/01	Receiver Gauge	Position Gauge		-	12 MONTHS			In house	N/A	30	Aug-22	30	Aug-23	Spin Innovation	M/C SHOP
311	128/BIG 01/01	Bend Gauge	mm		-	12 MONTHS			In house	N/A	27	Aug-22	27	Aug-23	Spin Innovation	HPDC QA
312	129/BIG 01/01	Bend Gauge	mm		-	12 MONTHS			In house	N/A	27	Aug-22	27	Aug-23	Spin Innovation	HPDC QA
313	210/CPG 01/01	Core Plug Gauge	4.92/5.15 mm		-	6 MONTHS	11151-F2060	-	In house	N/A	27	Jan-23	26	Jul-23	Mech Well	CALIBR ATION LAB-2
314	210/DDG 01/01	Dial Depth Gauge	4.0 ± 0.05 mm		-	6 MONTHS	11151-F2060	-	In house	N/A	18	Jan-23	17	Jul-23	-	CALIBR ATION LAB-2

SL No		GAUGE NO		TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		FORMAT NO				QFO 99	
													REV NO & DATE				01, 1-Apr-22	
													CALIBRATION				MAKE	Current Location
DONE ON		DUE ON																
											INHOUSE	EXTERNAL	Date	Month & Year	Date	Month & Year		
315	210/PPG 01/01	Plain Plug Gauge	7.60/8.00 mm		-	6 MONTHS	11151-F2060	-	In house	N/A	18	Jan-23	17	Jul-23	Mech Well	CALIBRATION LAB-2		
316	210/PPG 02/01	Plain Plug Gauge	14.90/15.10 mm		-	6 MONTHS	11151-F2060	-	In house	N/A	9	Feb-23	8	Aug-23	Mech Well	CALIBRATION LAB-2		
317	210/PPG 03/01	Plain Plug Gauge	4.40/4.80 mm		-	6 MONTHS	11151-F2060	-	In house	N/A	27	Jan-23	26	Jul-23	Mech Well	CALIBRATION LAB-2		
318	210/PPG 04/01	Plain Plug Gauge	10.60/11.0 mm		-	6 MONTHS	11151-F2060	-	In house	N/A	9	Feb-23	8	Aug-23	Mech Well	CALIBRATION LAB-2		
319	210/RG 01/01	Receiver Gauge	RECEVIER GAUGE mm		-	12 MONTHS	11151-F2060	-	In house	N/A	5	Sep-22	4	Sep-23	-	CALIBRATION LAB-2		
320	210/SG 01/01	Snap Gauge	25.41/24.59 mm		-	6 MONTHS	11151-F2060	-	In house	N/A	27	Jan-23	27	Jul-23	-	CALIBRATION LAB-2		
321	210/SG 02/01	Snap Gauge	21.91/21.09 mm		-	6 MONTHS	11151-F2060	-	In house	N/A	27	Jan-23	27	Jul-23	-	CALIBRATION LAB-2		
322	210/SG 03/01	Snap Gauge	29.6/29.4 mm		-	6 MONTHS	11151-F2060	-	In house	N/A	31	Oct-22	30	Apr-23	Spin Innovation	CALIBRATION LAB-2		
323	210/TPG 01/01	Thread Plug Gauge	M6X1-6H mm		RA901 /SF855	6 MONTHS	11151-F2060	-	N/A	Out Source	20	Nov-22	20	May-23	Size Masters	TOOL ROOM		
324	213/APG 02/01	Air Plug Gauge	Ø 11(-0.023/-0.053) mm		-	6 MONTHS	11154-F2060	-	In house	N/A	21	Nov-22	21	May-23	-	CALIBRATION LAB-2		
325	213/CPG 01/01	Core Plug Gauge	6.65/6.90 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	20	Jan-23	20	Jul-23	-	CALIBRATION LAB-2		
326	213/CPG 02/01	Core Plug Gauge	4.92/5.15 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	20	Jan-23	20	Jul-23	Mech Well	CALIBRATION LAB-2		

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
327	213/FPG 01/01	Flush Pin Gauge	1.12 ± 0.08 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	31	Oct-22	30	Apr-23	-	CALIBR ATION LAB-2
328	213/FPG 02/01	Flush Pin Gauge	Ø 0.92 ± 0.2 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	31	Oct-22	30	Apr-23	Spin Innovation	CALIBR ATION LAB-2
329	213/FPG 03/01	Flush Pin Gauge	Ø 4.3±0.30 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	21	Dec-22	20	Jun-23	Spin Innovation	CALIBR ATION LAB-2
330	213/FPG 04/01	Flush Pin Gauge	Ø3.5±0.30 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	21	Dec-22	21	Jun-23	Spin Innovation	CALIBR ATION LAB-2
331	213/PPG 01/01	Plain Plug Gauge	10.60/11.0 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	9	Feb-23	8	Aug-23	Mech Well	CALIBR ATION LAB-2
332	213/PPG 02/01	Plain Plug Gauge	7.60/8.00 mm		-	6 MONTHS			In house	N/A	18	Jan-23	17	Jul-23	Mech Well	CALIBR ATION LAB-2
333	213/PPG 03/01	Plain Plug Gauge	15.00/15.20 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	31	Oct-22	30	Apr-23	Spin Innovation	CALIBR ATION LAB-2
334	213/PPG 04/01	Plain Plug Gauge	2.90/3.20 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	31	Oct-22	30	Apr-23	Spin Innovation	CALIBR ATION LAB-2
335	213/PPG 05/01	Plain Plug Gauge	1.10/1.40 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	31	Oct-22	30	Apr-23	Spin Innovation	CALIBR ATION LAB-2
336	213/PPG 06/01	Plain Plug Gauge	4.90/5.30 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	31	Oct-22	30	Apr-23	Spin Innovation	CALIBR ATION LAB-2
337	213/PPG 07/01	Plain Plug Gauge	10.947/10.977 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	31	Oct-22	30	Apr-23	Spin Innovation	CALIBR ATION LAB-2
338	213/PPG 08/01	Plain Plug Gauge	3.947/3.978 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	31	Oct-22	30	Apr-23	-	CALIBR ATION LAB-2

SL No		GAUGE NO		TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		FORMAT NO				QFO 99	
													REV NO & DATE				01, 1-Apr-22	
											CALIBRATION		MAKE	Current Location				
DONE ON		DUE ON																
INHOUSE		EXTERNAL		Date	Month & Year	Date	Month & Year											
339	213/RG 01/01	Receiver Gauge	RECEVIER GAUGE mm		-	12 MONTHS			In house	N/A	5	Oct-22	4	Oct-23	-	CALIBRATION LAB-2		
340	213/SG 01/01	Snap Gauge	25.41/24.59 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	29	Jan-23	29	Jul-23	-	CALIBRATION LAB-2		
341	213/SG 02/01	Snap Gauge	21.91/21.09 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	28	Jan-23	28	Jul-23	-	CALIBRATION LAB-2		
342	213/SG 03/01	Snap Gauge	17.11/16.29 mm		-	6 MONTHS	11154-F2060	-	In house	N/A	28	Jan-23	28	Jul-23	-	CALIBRATION LAB-2		
343	213/TPG 01/01	Thread Plug Gauge	M8X1.25-6H mm		-	12 MONTHS			N/A	Out Source	20	Jul-22	20	Jul-23	Size Masters	CALIBRATION LAB-2		
344	213/TPG 03/01	Thread Plug Gauge	M6X1-6H mm		-	12 MONTHS			N/A	Out Source	20	Jul-22	20	Jul-23	Techno	CALIBRATION LAB-2		
345	214/APG 01/01	Air Plug Gauge	Ø28 +0.052 mm		-	6 MONTHS	11103-F2090	-	In house	N/A	4	Oct-22	4	Apr-23	-	CALIBRATION LAB-2		
346	214/FPG 02/01	Flush Pin Gauge	4.0 +0.3/-0.8 mm		-	6 MONTHS	11103-F2090	-	In house	N/A	5	Jan-23	5	Jul-23	Spin Innovation	CALIBRATION LAB-2		
347	214/RG 01/01	Receiver Gauge	RECEVIER GAUGE mm		-	12 MONTHS	11103-F2090	-	In house	N/A	10	Oct-22	9	Oct-23	-	CALIBRATION LAB-2		
348	214/RG 01/02	Receiver Gauge	RECEVIER GAUGE mm		-	12 MONTHS	11103-F2090	-	In house	N/A	10	Oct-22	9	Oct-23	-	CALIBRATION LAB-2		
349	216/CPG 01/01	Core Plug Gauge	4.92/5.15 mm		-	6 MONTHS	11152-F2070	-	In house	N/A	9	Jan-23	8	Jul-23	Mech Well	CALIBRATION LAB-2		
350	216/PPG 01/01	Plain Plug Gauge	7.60/8.0 mm		-	6 MONTHS	11152-F2070	-	In house	N/A	9	Jan-23	8	Jul-23	Mech Well	CALIBRATION LAB-2		

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
351	216/PPG 02/01	Plain Plug Gauge	10.60/11.0 mm		-	6 MONTHS	11152-F2070	-	In house	N/A	9	Jan-23	8	Jul-23	Mech Well	CALIBR ATION LAB-2
352	216/RG 01/01	Receiver Gauge	RECEVIER GAUGE mm			12 MONTHS			In house	N/A	6	Sep-22	5	Sep-23		CALIBR ATION LAB-2
353	216/SG 01/01	Snap Gauge	25.41/24.59 mm		-	6 MONTHS	11152-F2070	-	In house	N/A	31	Dec-22	30	Jun-23	Mech Well	CALIBR ATION LAB-2
354	216/SG 02/01	Snap Gauge	21.91/21.09 mm		-	6 MONTHS	11152-F2070	-	In house	N/A	31	Dec-22	30	Jun-23	Mech Well	CALIBR ATION LAB-2
355	216/TPG 01/01	Thread Plug Gauge	M6X1-6H mm		HB476 /RS374	12 MONTHS			In house	N/A	20	Jul-22	20	Jul-23	Size Masters	CALIBR ATION LAB-2
356	217/CPG 01/01	Core Plug Gauge	4.92/5.15 mm		-	6 MONTHS	11153-F2070	-	In house	N/A	9	Jan-23	8	Jul-23	Mech Well	CALIBR ATION LAB-2
357	217/PPG 01/01	Plain Plug Gauge	7.60/8.00 mm		-	6 MONTHS	11153-F2070	-	In house	N/A	9	Jan-23	8	Jul-23	Mech Well	CALIBR ATION LAB-2
358	217/PPG 02/01	Plain Plug Gauge	10.60/11.0 mm		-	6 MONTHS	11153-F2070	-	In house	N/A	9	Jan-23	8	Jul-23	Mech Well	CALIBR ATION LAB-2
359	217/RG01/01	Receiver Gauge	RECEVIER GAUGE mm		-	12 MONTHS	11153-F2070	-	In house	N/A	6	Sep-22	5	Sep-23	-	CALIBR ATION LAB-2
360	217/SG 01/01	Snap Gauge	21.91/21.09 mm		-	6 MONTHS	11153-F2070	-	In house	N/A	31	Dec-22	30	Jun-23	Mech Well	CALIBR ATION LAB-2
361	217/SG 02/01	Snap Gauge	25.41/24.59 mm		-	6 MONTHS	11153-F2070	-	In house	N/A	31	Dec-22	30	Jun-23	-	CALIBR ATION LAB-2
362	218/RG 01/01	Receiver Gauge	RECEVIER GAUGE mm		-	12 MONTHS	11154-F2070	-	In house	N/A	23	Sep-22	22	Sep-23	-	CALIBR ATION LAB-2

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
363	219/APG 01/01	Air Plug Gauge	Ø18.8 (- 0.03) mm		NE186 7/69/71	6 MONTHS	16305-F2050	-	In house	N/A	28	Feb-23	28	Aug-23	Baker	CALIBR ATION LAB-2
364	219/APG 02/01	Air Plug Gauge	Ø 13.8(- 0.03) mm		NE187 4/76/78	6 MONTHS	16305-F2050	-	In house	N/A	28	Feb-23	28	Aug-23	Baker	CALIBR ATION LAB-2
365	219/CCG 01/01	Concentricity Gauge	Ø15.1/Ø8.0 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBR ATION LAB-2
366	219/CCG 02/01	Concentricity Gauge	Ø13.80/Ø9.0 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBR ATION LAB-2
367	219/FPG 01/01	Flush Pin Gauge	11.80±0.20 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBR ATION LAB-2
368	219/FPG 02/01	Flush Pin Gauge	19±0.30 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBR ATION LAB-2
369	219/FPG 03/01	Flush Pin Gauge	13 ± 0.30 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBR ATION LAB-2
370	219/FPG 04/01	Flush Pin Gauge	31.8 ± 0.30 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBR ATION LAB-2
371	219/FPG 05/01	Flush Pin Gauge	31 ± 1.0 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBR ATION LAB-2
372	219/ODRG 01/01	Od Ring Gauge	20.70±0.20 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	TOOL ROOM
373	219/PPG 01/01	Plain Plug Gauge	Ø6.5±0.05 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	XXX
374	219/PPG 02/02	Plain Plug Gauge	7.45/7.55 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBR ATION LAB-2



SL No		GAUGE NO		TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		FORMAT NO				QFO 99	
													REV NO & DATE				01, 1-Apr-22	
											CALIBRATION				MAKE	Current Location		
DONE ON		DUE ON																
INHOUSE	EXTERNAL	Date	Month & Year	Date	Month & Year													
375	219/PPG 03/01	Plain Plug Gauge	15.10/15.30 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBRATION LAB-2		
376	219/PPG 04/01	Plain Plug Gauge	8.0/8.10 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBRATION LAB-2		
377	219/PPG 05/01	Plain Plug Gauge	8.85/9.40 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBRATION LAB-2		
378	219/PPG 06/01	Plain Plug Gauge	10.10/11.0 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBRATION LAB-2		
379	219/PPG 07/01	Plain Plug Gauge	7.25/7.75 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBRATION LAB-2		
380	219/PPG 08/01	Plain Plug Gauge	6.25/6.75 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBRATION LAB-2		
381	219/RG 01/01	Receiver Gauge Before Assy	Position Check Gauge mm		-	12 MONTHS	16305-F2050	-	In house	N/A	30	Aug-22	29	Aug-23	K.V Auto Tech	CALIBRATION LAB-2		
382	219/RG 02/01	Receiver Gauge After Assy	POSITION CHECK GAUGE mm			0 MONTHS			In house	N/A	30	Aug-22	29	Aug-23		CALIBRATION LAB-2		
383	219/SG 01/01	Snap Gauge	7.50/7.30 mm		-	6 MONTHS			In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBRATION LAB-2		
384	219/SG 02/01	Snap Gauge	19.20/18.80 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	CALIBRATION LAB-2		
385	219/WG 01/01	Width Gauge	2.0± 0.10 mm		-	6 MONTHS	16305-F2050	-	In house	N/A	4	Oct-22	4	Apr-23	K.V Auto Tech	XXX		
386	BP/A/001	Bevel Protractor	0-90 °		147817	24 MONTHS	03	LAB	N/A	Out Source	7	Jun-22	7	Jun-24	Mitutoyo	XXX		

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
387	CMM/001	Cmm	700X1000X600 mm		67351223	12 MONTHS	01	LAB	N/A	N/A	20	Sep-22	20	Sep-23	Mitutoyo	STANDARDS ROOM
388	CMM/002	Cmm	900X1200/800 mm		207676	12 MONTHS	03	LAB	N/A	N/A	31	Jan-23	31	Jan-24	Zeiss	STANDARDS ROOM-2
389	CMM/003	Cmm	900X1000x800 mm		71186280	12 MONTHS	03	LAB	N/A	N/A	23	May-23	23	May-24	Mitutoyo	STANDARDS ROOM-2
390	CT/001	Contracer	0-100 mm		481411	12 MONTHS	03	LAB	N/A	N/A	19	Aug-22	19	Aug-23	Mitutoyo	STANDARDS ROOM-2
391	DB/A/001	Electronic Weighing Scale	220 g		2735500049	24 MONTHS	01	LAB	N/A	Out Source	25	Feb-22	24	Feb-24	Mettler Toledo	STANDARDS ROOM
392	DB/A/002	Electronic Weighing Scale	0.02-320 g		M21090481	12 MONTHS	03	LAB	N/A	Out Source	6	Jan-23	6	Jan-24	Saffron	STANDARDS ROOM-2
393	DHG/A/001	Digital Height Gauge	0-300 mm		1905429	12 MONTHS	01	LAB	N/A	Out Source	23	Mar-23	23	Mar-24	Insize	HPDC QA
394	DHG/A/002	Digital Height Gauge	0-300 mm		2106239	12 MONTHS	03	LAB	N/A	Out Source	15	Jul-23	15	Jul-24	Insize	BRAZIL
395	DHG/A/003	Digital Height Gauge	0-300 mm		2012245	12 MONTHS	03	LAB	N/A	Out Source	23	Mar-23	23	Mar-24	Mitutoyo	STANDARDS ROOM-2
396	DHG/A/004	Digital Height Gauge	0-300 mm		2100823	12 MONTHS	01	LAB	N/A	Out Source	12	Jul-22	12	Jul-23	Mitutoyo	HPDC QA
397	DHG/A/005	Digital Height Gauge	0-300 mm		2000106	12 MONTHS	01	LAB	N/A	Out Source	23	Mar-23	23	Mar-24	Insize	TOOL ROOM
398	DHG/B/001	Digital Height Gauge	0-600 mm		2201710	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Mitutoyo	STANDARDS ROOM

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
399	DHG/B/002	Digital Height Gauge	0-600 mm		1412469	12 MONTHS	03	LAB	N/A	Out Source	10	Jun-22	10	Jun-23	Mitutoyo	STANDARDS ROOM-2
400	DHG/B/003	Digital Height Gauge	0-600 mm		2101191	12 MONTHS	03	LAB	N/A	Out Source	23	Mar-23	23	Mar-24	Mitutoyo	STANDARDS ROOM-2
401	DHG/B/004	Digital Height Gauge	0-300 mm		2201726	12 MONTHS	01	LAB	N/A	Out Source	22	Apr-23	22	Apr-24	Mitutoyo	STANDARDS ROOM
402	DI/A/001	Plunger Dial(Digital)	12.7 mm		2237B60145	12 MONTHS	01	LAB	N/A	Out Source	12	Jan-23	12	Jan-24	Sylvac	M/C SHOP
403	DI/A/002	Plunger Dial(Digital)	12.7 mm		2237B60144	12 MONTHS	01	LAB	N/A	Out Source	9	Feb-23	9	Feb-24	Sylvac	M/C SHOP
404	DI/A/003	Plunger Dial(Digital)	0-12.7 mm		2510180189	12 MONTHS	03	LAB	N/A	Out Source	20	Mar-23	20	Mar-24	Insize	M/C SHOP QA
405	DI/B/001	Plunger Dial(Digital)	0-12.7 mm		2510190607	12 MONTHS	03	LAB	N/A	Out Source	10	Jun-22	10	Jun-23	Insize	STANDARDS ROOM-2
406	DI/B/002	Plunger Dial(Digital)	12.75 mm		2110190285	12 MONTHS	01	LAB	N/A	Out Source	20	Mar-23	20	Mar-24	Insize	STANDARDS ROOM
407	DI/B/003	Plunger Dial(Digital)	12.7 mm		1710190438	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Insize	STANDARDS ROOM
408	DI/B/004	Plunger Dial(Digital)	12.7 mm		1710190480	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Insize	STANDARDS ROOM
409	DI/B/006	Plunger Dial(Digital)	12.7 mm		1009190723	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Insize	STANDARDS ROOM
410	DI/B/008	Plunger Dial(Digital)	12.7 mm		2008190872	12 MONTHS	01	LAB	N/A	Out Source	10	Jun-22	10	Jun-23	Insize	STANDARDS ROOM

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
411	DI/B/009	Plunger Dial(Digital)	12.7 mm		503202276	12 MONTHS	01	LAB	N/A	Out Source	30	Nov-23	30	Nov-24	Insize	M/C SHOP QA
412	DI/B/010	Plunger Dial(Digital)	12.7 mm		0503202297	12 MONTHS	01	LAB	N/A	Out Source	1	Dec-23	1	Dec-24	Insize	HPDC QA
413	DI/B/011	Plunger Dial(Digital)	12.7 mm		0503202281	12 MONTHS	01	LAB	N/A	Out Source	1	Dec-23	1	Dec-24	Insize	HPDC QA
414	DI/B/012	Plunger Dial(Digital)	12.7 mm		0503202293	12 MONTHS	01	LAB	N/A	Out Source	17	Dec-22	17	Dec-23	Insize	Metric Sales
415	DI/B/013	Plunger Dial(Digital)	12.7 mm		0407170265	12 MONTHS	01	LAB	N/A	Out Source	16	Jul-22	16	Jul-23	Insize	M/C SHOP
416	DI/B/014	Plunger Dial(Digital)	12.7 mm		2110190247	12 MONTHS	01	LAB	N/A	Out Source	20	Mar-23	20	Mar-24	Insize	STAND ARDS ROOM
417	DI/B/015	Plunger Dial(Digital)	0-12.7 mm		402210114	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Insize	STAND ARDS ROOM
418	DTH/001	Digital Thermohygrometer	0-50°C/10-95%		111/H YG 02	12 MONTHS	01	LAB	N/A	Out Source	14	Sep-22	13	Sep-23	Htc	STAND ARDS ROOM
419	DTH/002	Digital Thermohygrometer	-50-70°C/10-95% -		-	12 MONTHS	03	LAB	N/A	Out Source	29	Sep-22	29	Sep-23	Htc	STAND ARDS ROOM-2
420	DTH/003	Digital Thermohygrometer	-50-70°C/10-95% -		-	12 MONTHS	03	LAB	N/A	Out Source	29	Sep-22	29	Sep-23	Htc	STAND ARDS ROOM-2
421	DVC/A/001	Digital Vernier Caliper	0-200 mm		B21090238	12 MONTHS	01	LAB	N/A	Out Source	17	Dec-22	17	Dec-23	Professional Eng	STAND ARDS ROOM
422	DVC/A/002	Digital Vernier Caliper	0-200 mm		A22015308	12 MONTHS	01	LAB	N/A	Out Source	21	Jun-22	21	Jun-23	Mitutoyo	M/C SHOP QA

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
		SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION			
DONE ON													DUE ON			
INHOUSE	EXTERNAL										Date	Month & Year	Date	Month & Year		
423	DVC/A/003	Digital Vernier Caliper	0-200 mm		A2201 5407	12 MONTHS	01	LAB	N/A	Out Source	21	Jun-22	21	Jun-23	Mitutoyo	M/C SHOP QA
424	DVC/A/004	Digital Vernier Caliper	0-200 mm		A2201 3852	12 MONTHS	01	LAB	N/A	Out Source	12	Jul-22	12	Jul-23	Mitutoyo	HPDC QA
425	DVC/A/006	Digital Vernier Caliper	0-200 mm		A2133 5408	12 MONTHS	03	LAB	N/A	Out Source	23	Nov-23	23	Nov-24	Mitutoyo	STAND ARDS ROOM-2
426	DVC/A/007	Depth Vernier Caliper	0-200 mm		X1505 201716	12 MONTHS	01	LAB	N/A	Out Source	6	Mar-23	6	Mar-24	Insize	Metric Sales
427	DVC/A/008	Digital Vernier Caliper	0-200 mm		131021 1337	12 MONTHS	01	LAB	N/A	Out Source	7	Jul-22	6	Jul-23	Insize	MAINTA NACE
428	DVC/A/009	Digital Vernier Caliper	0-200 mm		B2021 0933	12 MONTHS	03	LAB	N/A	Out Source	24	Feb-23	24	Feb-24	Mitutoyo	STAND ARDS ROOM-2
429	DVC/A/010	Digital Vernier Caliper	0-200 mm		B2133 6013	12 MONTHS	03	LAB	N/A	Out Source	10	Jan-23	10	Jan-24	Mitutoyo	STAND ARDS ROOM-2
430	DVC/A/011	Digital Vernier Caliper	0-200 mm		741442 1	12 MONTHS	01	LAB	N/A	Out Source	22	Feb-23	22	Feb-24	Mitutoyo	HPDC QA
431	DVC/A/012	Digital Vernier Caliper	0-200 mm		741441 4	12 MONTHS	01	LAB	N/A	Out Source	22	Feb-23	22	Feb-24	Mitutoyo	HPDC QA
432	DVC/A/013	Digital Vernier Caliper	0-200 mm		B2020 9367	12 MONTHS	03	LAB	N/A	Out Source	23	Mar-23	23	Mar-24	Mitutoyo	HPDC QA-TKA P
433	DVC/A/014	Digital Vernier Caliper	0-200 mm		B2020 7665	12 MONTHS	03	LAB	N/A	Out Source	23	Mar-23	23	Mar-24	Mitutoyo	STAND ARDS ROOM-2
434	DVC/B/001	Digital Vernier Caliper	0-300 mm		3526	12 MONTHS	03	LAB	N/A	Out Source	5	Sep-23	5	Sep-24	Mitutoyo	STAND ARDS ROOM-2

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
435	DVC/B/002	Digital Vernier Caliper	0-300 mm		20929	12 MONTHS	01	LAB	N/A	Out Source	24	Dec-22	23	Dec-23	Mitutoyo	HPDC-PRODUCTION
436	DVC/B/003	Digital Vernier Caliper	0-300 mm		0027967	12 MONTHS	01	LAB	N/A	Out Source	17	Dec-22	17	Dec-23	Mitutoyo	M/C SHOP
437	DVC/B/004	Digital Vernier Caliper	0-300 mm		21158	12 MONTHS	01	LAB	N/A	Out Source	17	Dec-22	17	Dec-23	Mitutoyo	M/C SHOP QA
438	DVC/B/005	Digital Vernier Caliper	0-300 mm		3744	12 MONTHS	03	LAB	N/A	Out Source	15	Mar-23	15	Mar-24	Mitutoyo	STANDARDS ROOM-2
439	DVC/B/006	Digital Vernier Caliper	0-300 mm		3743	12 MONTHS	03	LAB	N/A	Out Source	21	Apr-23	21	Apr-24	Mitutoyo	STANDARDS ROOM
440	DVC/B/007	Digital Vernier Caliper	0-300 mm		611201487	12 MONTHS	03	LAB	N/A	Out Source	23	Mar-23	23	Mar-24	Insize	STANDARDS ROOM-2
441	DVC/B/008	Digital Vernier Caliper	0-300 mm		T8020043-02	12 MONTHS	01	LAB	N/A	Out Source	12	Aug-22	12	Aug-23	Mitutoyo	STANDARDS ROOM
442	DVC/B/009	Digital Vernier Caliper	0-300 mm		X2704202547	12 MONTHS	01	LAB	N/A	Out Source	3	Aug-22	3	Aug-23	Insize	HPDC QA
443	EDC/001	External Dial Caliper	50 - 100 mm		W 03	12 MONTHS	03	LAB	In house	N/A	12	May-22	12	May-23	Gaugewel	STANDARDS ROOM-2
444	EDC/002	External Dial Caliper	0-10 mm		-	12 MONTHS	01	LAB	N/A	Out Source	16	Jul-22	16	Jul-23	Tse Gauges	STANDARDS ROOM
445	FG/A/001	Feeler Gauge	0.05-1.0 mm		-	24 MONTHS	01	LAB	N/A	Out Source	24	Mar-22	23	Mar-24	Mitutoyo	STANDARDS ROOM
446	HT/001	Hardness Tester	10-3000 HBW		2014-170	12 MONTHS	01	LAB	N/A	Out Source	7	Jan-23	6	Jan-24	Fasne	STANDARDS ROOM

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
447	IM/A/001	Inside Micrometer	50-1000 mm		3001280	12 MONTHS			In house	N/A	23	Jul-22	23	Jul-23	-	STAND ARDS ROOM
448	IRTM/A/001	Infrared Thermometer	-50-1200°C -		202202199	12 MONTHS	03	LAB	N/A	Out Source	17	Aug-22	17	Aug-23	Htc	Perfect Calibrati on Centre Pvt.Ltd
449	LDI/B/001	Lever Dial Indicator	0-0.8 mm		BHFM05	12 MONTHS	01	LAB	N/A	Out Source	30	Nov-23	30	Nov-24	Mitutoyo	STAND ARDS ROOM
450	LDI/B/002	Lever Dial Indicator	0-0.8 mm		BHFL09	12 MONTHS			In house	N/A	30	Oct-22	30	Oct-23	-	STAND ARDS ROOM
451	LDI/B/003	Lever Dial Indicator	0-0.8 mm		BHEY26	12 MONTHS	01	LAB	N/A	Out Source	16	Jul-22	16	Jul-23	Mitutoyo	HPDC QA
452	LDI/B/004	Lever Dial Indicator	0-0.8 mm		BAVR02	12 MONTHS			In house	N/A	23	Jul-22	22	Jul-23	-	STAND ARDS ROOM
453	LDI/B/005	Lever Dial Indicator	0-0.8 mm		BAVR06	12 MONTHS			In house	N/A	23	Jul-22	22	Jul-23	-	STAND ARDS ROOM
454	LDI/B/006	Lever Dial Indicator	0-0.8 mm		YBX227	12 MONTHS	01	LAB	N/A	Out Source	10	Jun-22	10	Jun-23	Mitutoyo	STAND ARDS ROOM
455	LDI/B/007	Lever Dial Indicator	0-0.8 mm		0505185	12 MONTHS	01	LAB	N/A	Out Source	10	Jun-22	10	Jun-23	Insize	STAND ARDS ROOM
456	LDI/B/008	Lever Dial Indicator	0-0.8 mm		BAVR37	12 MONTHS	01	LAB	N/A	Out Source	25	Jun-22	25	Jun-23	Mitutoyo	M/C SHOP QA
457	LDI/B/009	Lever Dial Indicator	0-0.8 mm		BDER11	12 MONTHS	03	LAB	N/A	Out Source	16	Jul-22	16	Jul-23	Mitutoyo	STAND ARDS ROOM-2

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
458	LDI/B/010	Lever Dial Indicator	0-0.8 mm		AFEY28	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Mitutoyo	HPDC QA
459	LDI/B/011	Lever Dial Indicator	0-0.8 mm		BHEY16	12 MONTHS	01	LAB	N/A	Out Source	6	Mar-23	6	Mar-24	Mitutoyo	STANDARDS ROOM
460	LDI/C/001	Lever Dial Indicator	0-0.2 mm		AKC J56	12 MONTHS	01	LAB	N/A	Out Source	10	Jun-22	10	Jun-23	Mitutoyo	STANDARDS ROOM
461	LDI/C/002	Lever Dial Indicator	0-0.2 mm		AKCT03	12 MONTHS	01	LAB	N/A	Out Source	25	Jun-22	25	Jun-23	Mitutoyo	STANDARDS ROOM
462	LDI/C/003	Lever Dial Indicator	0-0.2 mm		AKCJ47	12 MONTHS	03	LAB	N/A	Out Source	6	Mar-23	6	Mar-24	Mitutoyo	STANDARDS ROOM
463	LHG/001	2D Height Gauge Trimos	0-700 mm		14043402	12 MONTHS	01	LAB	N/A	N/A	10	Feb-23	9	Feb-24	Trimos	STANDARDS ROOM
464	LHG/002	2D Height Gauge Trimos	0-700 mm		17149412	12 MONTHS	03	LAB	N/A	N/A	27	Jun-23	27	Jun-24	Trimos	STANDARDS ROOM-2
465	M-0716-11-7	Thread Ring Gauge	M40 X 1.5 Spez mm		-	1 MONTHS			N/A	Out Source	8	Jul-22	8	Aug-22	-	STANDARDS ROOM
466	M-0716-11-8	Thread Ring Gauge	M40 X 1.5 Spez mm		-	1 MONTHS			N/A	Out Source	21	Jul-22	21	Aug-22	-	STANDARDS ROOM
467	M-0716-11-9	Thread Ring Gauge	M40 X 1.5 Spez mm		-	1 MONTHS			N/A	Out Source	29	Jul-22	29	Aug-22	-	STANDARDS ROOM
468	MP/001	Standard Pin	0.5-1.0 mm		219	36 MONTHS	01	LAB	N/A	Out Source	10	Jun-20	9	Jun-23	Aditya	STANDARDS ROOM
469	MP/002	Standard Pin	1.01-2.50 mm		220	36 MONTHS	01	LAB	N/A	Out Source	10	Jun-20	9	Jun-23	Aditya	STANDARDS ROOM



SL No		GAUGE NO		TYPE OF GAUGE		SPECIFICATION		Customer Designated Symbols		Gauge Serial Number		FREQUENCY OF CALIBRATION		USED ON COMPONENT		OPERATION NO'S		SOURCE OF CALIBRATION		FORMAT NO				QFO 99							
																				REV NO & DATE				01, 1-Apr-22							
																		CALIBRATION													
																				DONE ON		DUE ON									
																				Date		Month & Year		Date		Month & Year		MAKE		Current Location	
470	MP/003	Standard Pin	2.51-4.00 mm		221	36 MONTHS	01	LAB	N/A	Out Source	10	Jun-20	9	Jun-23	Aditya	STANDARDS ROOM															
471	MP/004	Standard Pin	4.01-5.50 mm		222	36 MONTHS	01	LAB	N/A	Out Source	10	Jun-20	9	Jun-23	Aditya	STANDARDS ROOM															
472	MP/005	Standard Pin	7.01-8.50 mm		223	36 MONTHS	01	LAB	N/A	Out Source	10	Jun-20	9	Jun-23	Aditya	STANDARDS ROOM															
473	MP/006	Standard Pin	10.01-11.00 mm		224	36 MONTHS	01	LAB	N/A	Out Source	10	Jun-20	10	Jun-23	Aditya	STANDARDS ROOM															
474	MP/007	Standard Pin	11.01-12.00 mm		225	36 MONTHS	01	LAB	N/A	Out Source	10	Jun-20	9	Jun-23	Aditya	STANDARDS ROOM															
475	MP/008	Standard Pin	12.01-13.00 mm		226	36 MONTHS	01	LAB	N/A	Out Source	10	Jun-20	9	Jun-23	Aditya	STANDARDS ROOM															
476	MP/009	Standard Pin	13.01-14.00 mm		227	36 MONTHS	01	LAB	N/A	Out Source	10	Jun-20	9	Jun-23	Aditya	STANDARDS ROOM															
477	MP/010	Standard Pin	14.01-15.00 mm		228	36 MONTHS	01	LAB	N/A	Out Source	10	Jun-20	9	Jun-23	Aditya	STANDARDS ROOM															
478	MT/001	Marposs	Ø24 & Ø41 mm		-	12 MONTHS	03	LAB	In house	N/A	30	Aug-22	30	Aug-23	Marposs	STANDARDS ROOM-2															
479	MVB/B/001	Magnetic "V"Block	160*80 mm		-	12 MONTHS	01	LAB	In house	N/A	19	Apr-22	18	Apr-23	Crystal	STANDARDS ROOM															
480	ODM/A/001	Outside Micrometer	0-25 mm		67743477	12 MONTHS	01	LAB	N/A	Out Source	17	Dec-22	17	Dec-23	Mitutoyo	STANDARDS ROOM															
481	ODM/A/003	Outside Micrometer	0-25 mm		71459945	12 MONTHS	03	LAB	N/A	Out Source	7	Sep-23	7	Sep-24	Mitutoyo	STANDARDS ROOM-2															

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
482	ODM/B/001	Outside Micrometer	25-50 mm		5062118	12 MONTHS	01	LAB	N/A	Out Source	23	Jul-22	23	Jul-23	Mitutoyo	M/C SHOP
483	ODM/C/001	Outside Micrometer	50-75 mm		66813186	12 MONTHS	01	LAB	N/A	Out Source	6	Sep-22	6	Sep-23	Mitutoyo	STAND ARDS ROOM
484	ODM/D/001	Outside Micrometer	75-100 mm		66834478	12 MONTHS	01	LAB	N/A	Out Source	23	Jul-22	23	Jul-23	Mitutoyo	STAND ARDS ROOM
485	PDI/A/001	Plunger Dial(Analog)	0-1.0 mm		BUGA 06	12 MONTHS	03	LAB	N/A	Out Source	21	Jul-22	21	Jul-23	Mitutoyo	STAND ARDS ROOM-2
486	PDI/A/002	Plunger Dial(Analog)	0-1.0 mm		BUGB 40	12 MONTHS	03	LAB	N/A	Out Source	21	Jul-22	21	Jul-23	Mitutoyo	STAND ARDS ROOM-2
487	PDI/A/003	Plunger Dial(Analog)	0-1.0 mm		BUGA 09	12 MONTHS			In house	N/A	21	Jul-22	20	Jul-23	-	STAND ARDS ROOM
488	PDI/A/004	Plunger Dial(Analog)	0-1.0 mm		BMUQ 25	12 MONTHS	03	LAB	N/A	Out Source	21	Jul-22	21	Jul-23	Mitutoyo	STAND ARDS ROOM-2
489	PDI/A/005	Plunger Dial(Analog)	0-1.0 mm		BMUQ 22	12 MONTHS	03	LAB	N/A	Out Source	21	Jul-22	21	Jul-23	Mitutoyo	STAND ARDS ROOM-2
490	PDI/A/006	Plunger Dial(Analog)	0-1.0 mm		WZU4 24	12 MONTHS	03	LAB	N/A	Out Source	17	Dec-22	17	Dec-23	Mitutoyo	STAND ARDS ROOM-2
491	PDI/A/007	Plunger Dial(Analog)	0-1.0 mm		SZR667	12 MONTHS	03	LAB	N/A	Out Source	10	Jun-22	10	Jun-23	Mitutoyo	STAND ARDS ROOM-2
492	PDI/A/008	Plunger Dial(Analog)	0-1.0 mm		TJB889	12 MONTHS	03	LAB	N/A	Out Source	31	Oct-22	31	Oct-23	Mitutoyo	STAND ARDS ROOM-2
493	PDI/A/009	Plunger Dial(Analog)	0-1.0 mm		WZU4 20	12 MONTHS	03	LAB	N/A	Out Source	6	Mar-23	6	Mar-24	Mitutoyo	STAND ARDS ROOM-2

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
494	PDI/A/048	Plunger Dial(Analog)	0-10 mm		BBZC 13	12 MONTHS	01	LAB	N/A	Out Source	6	Mar-23	6	Mar-24	Mitutoyo	STAND ARDS ROOM
495	PDI/B/001	Plunger Dial(Analog)	0.8 mm		BGET0 6	12 MONTHS			N/A	Out Source	18	May-22	18	May-23	-	STAND ARDS ROOM-2
496	PDI/B/002	Plunger Dial(Analog)	0.8 mm		BQ GK 11	12 MONTHS			In house	N/A	6	Sep-22	6	Sep-23	-	STAND ARDS ROOM
497	PDI/B/003	Plunger Dial(Analog)	0.8 mm		BFJS6 9	12 MONTHS			In house	N/A	29	Aug-22	29	Aug-23	-	STAND ARDS ROOM
498	PDI/B/004	Plunger Dial(Analog)	0-1.0 mm		BNMG 46	12 MONTHS			In house	N/A	29	Aug-22	29	Aug-23	-	STAND ARDS ROOM
499	PDI/B/005	Plunger Dial(Analog)	0-1.0 mm		BRKW 68	12 MONTHS			In house	N/A	29	Aug-22	29	Aug-23	-	STAND ARDS ROOM
500	PDI/B/006	Plunger Dial(Analog)	0-1.0 mm		BSNN 28	12 MONTHS			In house	N/A	1	Aug-22	1	Aug-23	-	STAND ARDS ROOM
501	PDI/B/007	Plunger Dial(Analog)	0-1.0 mm		RQR82 2	12 MONTHS			N/A	Out Source	10	Jun-22	10	Jun-23	Mitutoyo	STAND ARDS ROOM
502	PDI/B/008	Plunger Dial(Analog)	0-10 mm		BBBN 33	12 MONTHS			N/A	Out Source	6	Sep-22	6	Sep-23	Mitutoyo	STAND ARDS ROOM-2
503	PDI/B/009	Plunger Dial(Analog)	0-1.0 mm		BRKW 72	12 MONTHS			In house	N/A	29	Aug-22	29	Aug-23	-	STAND ARDS ROOM
504	PDI/B/010	Plunger Dial(Analog)	0-10 mm		TLU78 7	12 MONTHS			N/A	Out Source	8	Feb-23	8	Feb-24	Mitutoyo	STAND ARDS ROOM
505	PDI/B/011	Plunger Dial(Analog)	0-10 mm		BFYD 83	12 MONTHS	01	LAB	N/A	N/A	18	Mar-22	18	Mar-23	Mitutoyo	STAND ARDS ROOM

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
506	PDI/B/013	Plunger Dial(Analog)	0-10 mm		BBBN 32	12 MONTHS			N/A	Out Source	10	Jun-22	10	Jun-23	Mitutoyo	STAND ARDS ROOM
507	PDI/B/014	Plunger Dial(Analog)	0-10 mm		ATWK 12	12 MONTHS			N/A	Out Source	6	Oct-22	6	Oct-23	Mitutoyo	STAND ARDS ROOM
508	PDI/B/015	Plunger Dial(Analog)	0-10 mm		AMUJ 44	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Mitutoyo	STAND ARDS ROOM
509	PDI/B/016	Plunger Dial(Analog)	0-10 mm		BBSU 50	12 MONTHS			N/A	Out Source	30	Oct-22	30	Oct-23	Mitutoyo	STAND ARDS ROOM-2
510	PDI/B/017	Plunger Dial(Analog)	0-10 mm		BFYC 83	12 MONTHS			In house	N/A	29	Aug-22	29	Aug-23	-	STAND ARDS ROOM
511	PDI/B/018	Plunger Dial(Analog)	0-10 mm		BBSU 68	12 MONTHS	01	LAB	N/A	Out Source	30	Oct-22	30	Oct-23	Mitutoyo	STAND ARDS ROOM
512	PDI/B/019	Plunger Dial(Analog)	0-10 mm		BHLD 20	12 MONTHS			In house	N/A	1	Nov-22	1	Nov-23	Mitutoyo	STAND ARDS ROOM
513	PDI/B/021	Plunger Dial(Analog)	0-10 mm		BBBN 29	12 MONTHS			N/A	Out Source	6	Sep-22	6	Sep-23	Mitutoyo	STAND ARDS ROOM-2
514	PDI/B/022	Plunger Dial(Analog)	0-10 mm		BBBN 28	12 MONTHS			N/A	Out Source	16	Jul-22	16	Jul-23	Mitutoyo	STAND ARDS ROOM-2
515	PDI/B/023	Plunger Dial(Analog)	0-10 mm		ATWK 24	12 MONTHS			N/A	Out Source	6	Sep-22	6	Sep-23	Mitutoyo	STAND ARDS ROOM-2
516	PDI/B/024	Plunger Dial(Analog)	0-10 mm		ATWK 44	12 MONTHS			N/A	Out Source	6	Sep-22	6	Sep-23	Mitutoyo	STAND ARDS ROOM-2
517	PDI/B/025	Plunger Dial(Analog)	0-10 mm		ASUD 75	12 MONTHS			N/A	Out Source	6	Sep-22	6	Sep-23	Mitutoyo	STAND ARDS ROOM-2

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
518	PDI/B/026	Plunger Dial(Analog)	0-10 mm		BCDT 86	12 MONTHS			N/A	Out Source	6	Sep-22	6	Sep-23	Mitutoyo	TIEI-M/C Shop
519	PDI/B/027	Plunger Dial(Analog)	0-10 mm		BBSU 43	12 MONTHS			N/A	Out Source	31	Oct-22	31	Oct-23	Mitutoyo	STANDARDS ROOM-2
520	PDI/B/028	Plunger Dial(Analog)	0-10 mm		BBSU 46	12 MONTHS			N/A	Out Source	31	Oct-22	31	Oct-23	Mitutoyo	TIEI-M/C Shop
521	PDI/B/029	Plunger Dial(Analog)	0-10 mm		BBSU 35	12 MONTHS			N/A	Out Source	12	Feb-23	12	Feb-24	Mitutoyo	TIEI-M/C Shop
522	PDI/B/030	Plunger Dial(Analog)	0-10 mm		BFYC 83	12 MONTHS			N/A	Out Source	30	Aug-22	30	Aug-23	Mitutoyo	TIEI-M/C Shop
523	PDI/B/031	Plunger Dial(Analog)	0-0.8 mm		BHLD 20	12 MONTHS			N/A	Out Source	30	Aug-22	30	Aug-23	Mitutoyo	TIEI-M/C Shop
524	PDI/B/032	Plunger Dial(Analog)	0-0.8 mm		BFJS6 9	12 MONTHS			N/A	Out Source	30	Aug-22	30	Aug-23	Mitutoyo	TIEI-M/C Shop
525	PDI/B/033	Plunger Dial(Analog)	0-0.8 mm		BGET0 6	12 MONTHS	03	LAB	N/A	Out Source	29	May-22	29	May-23	Mitutoyo	STANDARDS ROOM-2
526	PDI/B/034	Plunger Dial(Analog)	0-0.8 mm		BHLD 08	12 MONTHS			N/A	Out Source	30	Aug-22	30	Aug-23	Mitutoyo	STANDARDS ROOM-2
527	PDI/B/035	Plunger Dial(Analog)	0-1.0 mm		BRKW 68	12 MONTHS	11153-F2070	-	N/A	Out Source	30	Aug-22	30	Aug-23	Mitutoyo	STANDARDS ROOM-2
528	PDI/B/036	Plunger Dial(Analog)	0.1 mm		BNMG 46	12 MONTHS			N/A	Out Source	30	Aug-22	30	Aug-23	Mitutoyo	STANDARDS ROOM-2
529	PDI/B/037	Plunger Dial(Analog)	0.1 mm		UEA99 8	12 MONTHS			N/A	Out Source	6	Sep-22	6	Sep-23	Mitutoyo	STANDARDS ROOM-2

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATION	USED ON COMPONENT	OPERATION NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
530	PDI/B/038	Plunger Dial(Analog)	0.1 mm		BSNN 28	12 MONTHS			N/A	Out Source	30	Aug-22	30	Aug-23	Mitutoyo	STAND ARDS ROOM-2
531	PDI/B/039	Plunger Dial(Analog)	0.1 mm		BRKW 72	12 MONTHS			N/A	Out Source	30	Aug-22	30	Aug-23	Mitutoyo	STAND ARDS ROOM-2
532	PDI/B/040	Plunger Dial(Analog)	0.1 mm		BSNN 33	12 MONTHS			N/A	Out Source	30	Aug-22	30	Aug-23	Mitutoyo	STAND ARDS ROOM-2
533	PDI/B/041	Plunger Dial(Analog)	0.10 mm		BJPF1 6	12 MONTHS			N/A	Out Source	6	Mar-23	6	Mar-24	Mitutoyo	STAND ARDS ROOM-2
534	PDI/B/042	Plunger Dial(Analog)	0-10 mm		BPFA0 3	12 MONTHS	03	LAB	N/A	Out Source	10	Jan-23	10	Jan-24	Mitutoyo	STAND ARDS ROOM-2
535	PDI/B/043	Plunger Dial(Analog)	0-10 mm		BBSU 64	12 MONTHS	03	LAB	N/A	Out Source	21	Jul-22	21	Jul-23	Mitutoyo	STAND ARDS ROOM-2
536	PDI/B/044	Plunger Dial(Analog)	0-10 mm		BBZC 65	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Mitutoyo	M/C SHOP
537	PDI/B/045	Plunger Dial(Analog)	0-10 mm		AMUF 66	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Mitutoyo	STAND ARDS ROOM
538	PDI/B/046	Plunger Dial(Analog)	0-10 mm		BBSU 61	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Mitutoyo	STAND ARDS ROOM
539	PDI/B/047	Plunger Dial(Analog)	0-10 mm		BFXJ2 7	12 MONTHS	03	LAB	N/A	Out Source	20	Mar-23	20	Mar-24	Mitutoyo	STAND ARDS ROOM-2
540	PG/A/001	Pressure Gauge	0-7 Bar		646357	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Ki	STAND ARDS ROOM
541	PG/B/001	Pressure Gauge	0-10 kg/Cm2		648465	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Ki	STAND ARDS ROOM

SL No		GAUGE NO		TYPE OF GAUGE		SPECIFICATION		Customer Designated Symbols		Gauge Serial Number		FREQUENCY OF CALIBRATION		USED ON COMPONENT		OPERATION NO'S		SOURCE OF CALIBRATION		FORMAT NO				QFO 99	
																				REV NO & DATE				01, 1-Apr-22	





		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
565	SRT/A/002	Surface Roughness Tester	0 mm		KF051 36FV/6 099461 1FV	24 MONTHS	01	LAB	N/A	N/A	24	Jun-21	24	Jun-23	Zeiss	STAND ARDS ROOM
566	Test 2001	Plain Plug Gauge	20.5/20.9 mm		222	6 MONTHS	11103-F2080	-	In house	N/A	4	Sep-23	4	Mar-24	Gnn	STAND ARDS ROOM
567	Test1	Plain Plug Gauge	20.2/20.3 mm		1	6 MONTHS			In house	N/A	27	Jun-23	27	Jun-23	Met	STAND ARDS ROOM
568	test1000	Air Plug Gauge	123 g		123	6 MONTHS			In house	N/A	27	Jun-23	27	Dec-23	123	STAND ARDS ROOM
569	test123	Digital Vernier Caliper	0-150 mm		25646	12 MONTHS	110111154R	-	N/A	Out Source	16	Sep-23	16	Sep-24	Fasne	TOOL ROOM
570	test2	Air Gauge Unit			23	12 MONTHS			In house	N/A	27	Jun-23	27	Jun-24	234	STAND ARDS ROOM
571	Test5001	Receiver Gauge	20.2 mm		123	12 MONTHS			In house	N/A	17	Jul-23	17	Jul-24	Metric	STAND ARDS ROOM
572	Test8000	Plunger Dial(Analog)	0-10 mm		22	12 MONTHS			In house	N/A	6	Dec-23	6	Dec-24	Mitutoyo	STAND ARDS ROOM
573	TIC/A/002	Thermal Imaging Camera	50-1200 °C		785206 41	12 MONTHS	03	LAB	N/A	Out Source	1	Mar-23	1	Mar-24	Flir	STAND ARDS ROOM-2
574	TRG 01/01	Thread Ring Gauge	M7x1- 6H mm		LBH 963 / LBH 965	12 MONTHS	03	LAB	N/A	Out Source	12	May-22	12	May-23	Size Masters	STAND ARDS ROOM-2
575	TRG 02/01	Thread Ring Gauge	M10x1.25-6H mm		LBH 879 / LBH 881	12 MONTHS	03	LAB	N/A	Out Source	12	May-22	12	May-23	Size Masters	STAND ARDS ROOM-2

		MASTER LIST OF GAUGES									FORMAT NO		QFO 99			
											REV NO & DATE		01, 1-Apr-22			
SL No	GAUGE NO	TYPE OF GAUGE	SPECIFICATION	Customer Designated Symbols	Gauge Serial Number	FREQUENCY OF CALIBRATIO	USED ON COMPONENT	OPERATIO N NO'S	SOURCE OF CALIBRATION		CALIBRATION				MAKE	Current Location
									INHOUSE	EXTERNAL	DONE ON		DUE ON			
											Date	Month & Year	Date	Month & Year		
576	TRG 03/01	Thread Ring Gauge	M16*1.5-6E mm		BD104 /BD105	12 MONTHS	01	LAB	N/A	Out Source	20	Mar-23	20	Mar-24	Pqg	STAND ARDS ROOM
577	tttt	Plain Plug Gauge	20.2/20.5 mm		2255	6 MONTHS	11011154R	-	In house	N/A	12	Aug-23	12	Feb-24	Flir	STAND ARDS ROOM
578	TW/A/001	Torque Wrench	0-50 N-m		300624 H	12 MONTHS	03	LAB	N/A	Out Source	25	Jul-22	25	Jul-23	Tohnichi	STAND ARDS ROOM-2
579	TW/B/001	Torque Wrench	27-135 N-m		300200 4707	12 MONTHS	03	LAB	N/A	Out Source	15	Jun-22	15	Jun-23	Insize	STAND ARDS ROOM-2
580	VG/A/001	Vacuum Gauge	760-0 mmKg		646421	12 MONTHS	01	LAB	N/A	Out Source	8	Feb-23	8	Feb-24	Ki	STAND ARDS ROOM
581	WCR/A/001	Thread Wear Check Master	M6*1-6H mm		G4396/ G4395	24 MONTHS	01	LAB	N/A	Out Source	17	Dec-22	17	Dec-24	Master Metrology	STAND ARDS ROOM
582	WCR/B/001	Thread Wear Check Master	M8*1.25-6H mm		G4406/ G4405	24 MONTHS	01	LAB	N/A	Out Source	17	Dec-22	17	Dec-24	Master Metrology	STAND ARDS ROOM
583	WCR/C/001	Thread Wear Check Master	M10*1.5-6H mm		G4402/ G4401	24 MONTHS	01	LAB	N/A	Out Source	17	Dec-22	17	Dec-24	Master Metrology	STAND ARDS ROOM
584	WCR/D/001	Thread Wear Check Master	M*16.5-6H mm		G4398/ G4397	24 MONTHS	01	LAB	N/A	Out Source	17	Dec-22	17	Dec-24	Master Metrology	STAND ARDS ROOM
585	WCR/E/001	Thread Wear Check Master	M20*1.5-6H mm		G4400/ G4399	24 MONTHS	01	LAB	N/A	Out Source	17	Dec-22	17	Dec-24	Master Metrology	STAND ARDS ROOM
586	XRAY/001	X-Ray Machine	-		EVO 160KV	12 MONTHS	01	LAB	N/A	Out Source	10	Oct-22	9	Oct-23	-	STAND ARDS ROOM
587	Z-1204-3-5	Air Plug Gauge	103.28 / 102.78 mm		-	1 MONTHS			In house	N/A	2	Jul-22	2	Aug-22	-	STAND ARDS ROOM