


THE PORTSIDE P.U.D.
14926 Portside Dr., North Padre Island
Phase 3, Lot 24



LOCATION MAP:

LOT LOCATION MAP:



NOT TO SCALE

SHEET INDEX:

ARCHITECTURAL
A-0.0 Cover Sheet
A-2.1 Plans - 1st, 2nd, Roof, Electrical
A-3.1 Exterior Elevations
A-4.1 Bldg. Sections & Wall Section

ARCHITECT:

Kissling Architecture, Inc.
3420 West Ammann Rd.
Bulverde, TX 78163
t (830) 980-4773
f (888) 832-4859
e james@kisslingarchitecture.com
Contact: Jim Kissling, AIA

OWNER:

Mc J's & Associates, LLC
14493 SPID, Suite A, PMB 614
Corpus Christi, TX 78418
t 361-563-4928
f -
e jcalvi@hotmail.com
Contact: Juan Carlos Calvi

GENERAL NOTES:

1. THESE GENERAL NOTES APPLY TO EACH SHEET.
2. THESE DRAWINGS ARE PART OF A SET OF CONSTRUCTION DOCUMENTS.
3. VERIFY THAT ALL CONDITIONS ALLOW FOR CONSTRUCTION AS INDICATED IN THE CONSTRUCTION DOCUMENTS.
4. CONTRACTOR SHALL NOTIFY THE ARCHITECT OF RECORD OF ANY AND ALL OMISSIONS, CONFLICTS, ERRORS OR DISCREPANCIES AS SOON AS THEY ARE DISCOVERED AND PRIOR TO CONTINUING WITH THE WORK.
5. ALL DIMENSIONS ARE TO THE FACE OF STUD, EDGE OF SLAB, OR CENTER OF OPENINGS UNLESS SPECIFICALLY INDICATED OR NOTED OTHERWISE.
6. GANG ALL VENTS THROUGH ROOF AS MUCH AS POSSIBLE TO MINIMIZE ROOF PENETRATIONS.
7. ALL EXTERIOR WALLS 2X6 WOOD FRAMING WITH R-23 INSULATION.
8. ALL INTERIOR WALLS 2X4 WOOD FRAMING UNLESS NOTED OTHERWISE.
9. ALL PLUMBING WALLS BEHIND TOILETS AND LAVATORIES SHALL BE 2X6.
10. ROOF INSULATION R-38.
11. REFERENCE STRUCTURAL DRAWINGS FOR SIZING OF STRUCTURAL MEMBERS.
12. PROVIDE CONCEALED WOOD BLOCKING AT ALL WALL HUNG AND CEILING MOUNTED ITEMS.
13. SIZES GIVEN IN THESE CONSTRUCTION DOCUMENTS ARE NOMINAL UNLESS INDICATED OR NOTED OTHERWISE. VERIFY EXACT SIZES BEFORE PLACING ORDERS.
14. COORDINATE THE PROVISION AND INSTALLATION OF SECURITY AND AUDIO/VISUAL SYSTEMS W/OWNER.
15. PROVIDE MATERIALS AND CONSTRUCTION THAT MEET OR EXCEED THE STANDARDS SET BY APPLICABLE QUALIFIED INDEPENDENT TESTING AND INSPECTING AGENCIES AND NATIONALLY RECOGNIZED TRADE STANDARDS.
16. CONTRACTOR SHALL ENSURE ALL WORK COMPLES WITH THE CURRENT INTERNATIONAL AND LOCAL BUILDING CODE REGULATIONS. THE CONTRACTOR SHALL PERFORM ALL WORK IN CONFORMITY WITH THESE REGULATIONS WHETHER OR NOT SUCH WORK IS SPECIFICALLY SHOWN ON DRAWINGS.
17. ALL FLASHING MATERIALS AND METAL FASTENERS TO BE TYPE 316 STAINLESS STEEL.
18. THIS RESIDENCE IS LOCATED IN A COASTAL REGION. ALL EXTERIOR BUILDING SYSTEMS SHALL BE DESIGNED TO WITHSTAND HIGH COASTAL WINDS AND IMPACT. REFERENCE STRUCTURAL ENGINEER'S DOCUMENTS FOR FURTHER DETAILS. PROVIDE SUBMITTALS FOR STRUCTURAL ENGINEER'S APPROVAL PRIOR TO CONSTRUCTION.
19. ENGINEER SHALL NOT MODIFY THE HANDRAILS, BEAMS, AND/OR COLUMN SIZING WITH OUT PRIOR WRITTEN APPROVAL FROM ARCHITECT.
20. ANY INDICATED SIZES FOR CONNECTIONS, FASTENERS AND/OR STRUCTURAL MEMBERS ARE FOR ILLUSTRATIVE PURPOSES ONLY. REFERENCE STRUCTURAL DRAWINGS FOR SIZING, PLACEMENT AND PATTERNS.

SYMBOL LEGEND:

- 1/4"=1'-0" EXTERIOR ELEVATIONS
- 1/4"=1'-0" BUILDING SECTION
- 1/4"=1'-0" INTERIOR ELEVATION
- 1/4"=1'-0" LARGER SCALE PLAN DETAIL
- 1/4"=1'-0" DETAIL
- 1/4"=1'-0" NEW WINDOW KEY
- 1/4"=1'-0" DOOR KEY
- 1/4"=1'-0" SECTION

SQUARE FOOTAGES:

CONDITIONED AREA	AREA (SF)
FIRST FLOOR	432
SECOND FLOOR	619
TOTAL	1,051

UN-CONDITIONED AREA	AREA (SF)
FIRST FLOOR	108
SECOND FLOOR	-
TOTAL	108

TOTAL UNDER ROOF	AREA (SF)
CONDITIONED + UN-CONDITIONED	1,159

Plotted: 12 - 08 - 2021

1. ALUMINUM STANDING SEAM ROOF
2. FIBER-CEMENT BOARD & BATTEN
3. TREATED WOOD SHUTTER
4. LIGHT FIXTURE
5. TREATED 12X12 COLUMN
6. 15" ARTISAN FIBER-CEMENT BOARD CORNER TRIM
7. TREATED WOOD ROLLING SHUTTER
8. TREATED KD. 4X8 BEAM
9. TREATED KD. 2X8 OUTLOOKERS
10. 15" ARTISAN FIBER-CEMENT TRIM
11. TREATED KD BEAM
12. TREATED KD RAFTER TAIL PLUMB CUT
13. ARTISAN FIBER-CEMENT TRIM BANDING
14. TREATED WOOD STEPS
15. TRIMER BEAM RE. STRUCTURAL
16. TREATED WOOD PILASTER MISC 12X12 COLUMN
17. FOUNDATION SCREENING (x TREATED OR FIBER-CEMENT)
18. TREATED KD DECK LANDING



**KISSLING
ARCHITECTURE**

3405 WEST AMANN ROAD BULVERDE, TEXAS 78163
1 800 980 4773 F 888 832 4809
INFO@KISSLINGARCHITECTURE.COM



THE PORTSIDE COTTAGES

14926 Portside Dr., North Padre Island
Phase 3, Lot 24
Corpus Christi, Nueces County, Texas 78418

NOTE: Revisions are inclusive. Revisions below may or may not be applicable to this sheet.

PRINTED
DEC 08, 2021

A-3.1
Exterior Elevations





KISSLING ARCHITECTURE

3425 WEST AMANN ROAD, BULVERDE, TEXAS 78163
1.800.980.4773 F. 888.832.4809
INFO@KISSLINGARCHITECTURE.COM

THE PORTSIDE COTTAGES


14926 Portside Dr., North Padre Island
Phase 3, Lot 24
Corpus Christi, Nueces County, Texas 78418

NOTE: Revisions are inclusive. Revisions below may or may not be applicable to this sheet.

PRINTED
DEC 08, 2021


A-4.1

Big. Sections, Int. Elevs., Wall Section




1 Building Section
SCALE: 1/4" = 1'-0"

2 Building Section
SCALE: 1/4" = 1'-0"




3 Building Section
SCALE: 1/4" = 1'-0"



4 Bath Int. Elevation
SCALE: 1/4" = 1'-0"



5 Bedroom Int. Elevation
SCALE: 1/4" = 1'-0"



6 Typ. Wall Section
SCALE: 1/2" = 1'-0"