MOCK EXAM · 40 QUESTIONS

# Mock Exam — Certification LSEG Workspace

Simulation en conditions réelles — questions en anglais, corrigé détaillé en français, 45 minutes

Questions en anglais = format exact du jour J. Corrigé détaillé en français avec renvois [M1]-[M6] vers la fiche de révision. Les questions marquées ★ reprennent (quasi) à l'identique les sample questions officielles ou le pool candidats : points quasi garantis.

**INSTRUCTIONS — simulation en conditions réelles**

- **40 QCM** · 1 seule bonne réponse SAUF mention « Which two » (coche-en exactement 2) · durée conseillée : **45 minutes** sans notes (le vrai examen : 30 Q / 60 min, ~2 min/question).
- Le seuil de réussite réel est **80 %** (24/30) — mais tu prépares 30/30, donc vise **≥ 38/40** ici.
- Note tes réponses dans la grille page suivante, puis corrige avec le corrigé détaillé. Chaque erreur → relis le module [Mx] indiqué.
- ★ = question issue des sample questions officielles ou du pool remonté par les candidats.

## SECTION A — Workspace & Navigation [M1]

**Q1. You open a new app from the App Library. What will it display by default?**

- ☐ The first instrument in your Monitor list
- ☐ The instrument shown in the largest open app
- ☐ The active symbol — the most recent financial instrument you focused on
- ☐ Nothing: you must always type an instrument code

**Q2. What happens when you open an application from the Workspace menu?**

- ☐ It opens as part of your active workspace
- ☐ It replaces your current workspace
- ☐ It opens in your web browser
- ☐ You must restart Workspace first

**Q3. How many workspaces can you have open at the same time?**

- ☐ 3
- ☐ 5
- ☐ 10
- ☐ Unlimited

**Q4. How do you save or share your current workspace?**

- ☐ File > Save As in Windows
- ☐ Right-click the workspace tab and choose Save
- ☐ Upload it to the Template Library
- ☐ Add it to My Briefcase

**Q5. Two apps are tuned to the same Link Channel colour. What happens?**

- ☐ They share the same instrument: change it in one, the other follows
- ☐ They merge into a single app
- ☐ They display the same news stories only
- ☐ Nothing — colours are purely cosmetic

Mock Exam — Certification LSEG Workspace

**Q6. How do you link two apps together?**

- ☐ Click the Link Channel circle (top-left of each app) and select the same colour
- ☐ Right-click an app title bar > Link > OK
- ☐ Drag one app onto the other while holding Shift
- ☐ Settings > Linking > Enable all apps

**Q7. Typing “Apple OV” into the Search box opens:**

- ☐ Apple's quote line only
- ☐ Apple's Company Overview
- ☐ Apple's News Monitor
- ☐ A Screener pre-filtered on Apple

**Q8. Where is My Briefcase located?**

- ☐ In the App Library > Files
- ☐ Top right of the toolbar
- ☐ Inside the Excel add-in only
- ☐ In the bottom status bar

**Q9. How can you access LSEG Workspace help and FAQs?**

- ☐ Through “Get Help & Support” via the “?” menu
- ☐ Via Autosuggest in the Workspace Search box
- ☐ Using the MyRefinitiv application
- ☐ All of these options

**Q10. True or False: you can snap apps together so they move as a single entity, and stack them as tabs.**

- ☐ True
- ☐ False

## SECTION B — News & Briefcase [M2]

**Q11. ★ What is the maximum number of documents that can be added to your Briefcase at one time?**

- ☐ 25
- ☐ 50
- ☐ 100
- ☐ 200

**Q12. ★ Which of the following can be searched for in the News Monitor app?**

- ☐ Companies
- ☐ Portfolios / Lists / Monitors
- ☐ Languages
- ☐ All of the above

**Q13. Which function key gives you quick access to news?**

- ☐ F2
- ☐ F5
- ☐ F6
- ☐ F9

**Q14. You built a complex Boolean news search and want to reuse it tomorrow. What do you do?**

- ☐ Save it as a news filter: right-click > File > Favorites > Add to Favorites
- ☐ Upload it to the Template Library
- ☐ Add the articles to My Briefcase
- ☐ Save your workspace

Mock Exam — Certification LSEG Workspace

**Q15. The highlighter in News Monitor is used to:**

- ☐ Highlight keywords from your search within the results
- ☐ Highlight cells in Excel
- ☐ Change the app colour theme
- ☐ Flag stories for compliance review

**Q16. The Timeline toggle lets you display stories:**

- ☐ In reverse chronological order or by the date/time criteria you have chosen
- ☐ Only in alphabetical order
- ☐ By number of readers
- ☐ As a Gantt chart

**Q17. The main purpose of My Briefcase is to:**

- ☐ Store Excel formulas
- ☐ Collect news and documents to read later, offline, on desktop or mobile
- ☐ Share charts with colleagues
- ☐ Save Datastream requests

**Q18. You want Reuters news but WITHOUT a specific source. Which feature?**

- ☐ Source filters with exclusion criteria
- ☐ My Briefcase
- ☐ The Link Channel
- ☐ The highlighter

## SECTION C — Company, Industry & Charts [M3-M5]

**Q19. In Company Analysis, a company's peers are identified using:**

- ☐ Analyst coverage overlap
- ☐ Business classification (TRBC / GICS)
- ☐ The competitors the company identifies in its filings
- ☐ All of the above

**Q20. ★ “Quick Search” in the Advanced Research Search app allows filtering across:**

- ☐ Report type only
- ☐ Contributor only
- ☐ Industry only
- ☐ All of these options

**Q21. ★ The Sustainable Finance landing page app (SUSFIN) contains:**

- ☐ Research and white papers
- ☐ A “What's New” section highlighting new offerings
- ☐ A full list of sustainability-related LSEG Workspace apps and views
- ☐ All of these answers

**Q22. ★ The Aggregates app supports which business classification schema?**

- ☐ Standard Industrial Classification (SIC) only
- ☐ LSEG Business Classifications (TRBC) only
- ☐ Global Industry Classification Standard (GICS) only
- ☐ GICS AND LSEG Business Classifications (TRBC)

**Q23. ★ True or False: it is possible to define custom market-cap groups in the Aggregates app.**

- ☐ True
- ☐ False

**Q24. “Split mode” in the Chart app lets you:**

- ☐ Split one chart into several views, e.g. by time interval
- ☐ Split the screen between two users
- ☐ Export part of a chart to Excel
- ☐ Separate dividends from prices

**Q25. You scroll through your Monitor list and want the chart to follow automatically. Which feature?**

- ☐ Link Channel — same colour on both apps
- ☐ My Briefcase
- ☐ The Timeline toggle
- ☐ The Template Library

**Q26. The Screener app is used to:**

- ☐ Filter the universe of instruments by criteria (country, sector, market cap…) and build lists
- ☐ Aggregate fundamentals of a peer group
- ☐ Store reusable news filters
- ☐ Embed data requests in Excel

## SECTION D — Excel, Datastream & API [M6]

**Q27. ★ In Excel, what type(s) of data can be retrieved using the Formula Builder?**

- ☐ Real-time data
- ☐ Fundamental data
- ☐ Historical data
- ☐ All of the above

**Q28. ★ Which of the following statements regarding the Excel add-in is FALSE?**

- ☐ You can share your Excel files with other users by uploading them to the template library
- ☐ You can access pre-built templates by clicking 'Templates' in the LSEG menu
- ☐ You can access pre-built templates from within a cell using the TEMP function
- ☐ You can upload your own Excel files to 'My Files' so you can access them from anywhere

**Q29. The Template Library is used to:**

- ☐ Share your Excel files with other users
- ☐ Store your personal passwords
- ☐ Build charts from templates
- ☐ Create new workspaces

**Q30. 'My Files' lets you:**

- ☐ Upload your own Excel files and access them from anywhere
- ☐ Share files with every user by default
- ☐ Edit Reuters news stories
- ☐ Create new datatypes

**Q31. ★ How can you download data for more than one series in a Static Request?**

- ☐ In the Series/List field, type the codes for all required series, separated by a comma, or use a list code
- ☐ In the Series/List field, type the codes for all required series, separated by a plus sign
- ☐ It is NOT possible to type the codes — you must search for them in Navigator
- ☐ A Static Request does not allow more than one series; only Time Series requests do

**Q32. Compared with a Static Request, a Time Series request additionally requires:**

- ☐ A date range and a frequency
- ☐ A chart template
- ☐ Administrator rights

- ☐ Nothing — they are identical

**Q33. Which tool do you use to look up series codes and datatype mnemonics?**

- ☐ Datastream Navigator
- ☐ The News Monitor
- ☐ My Briefcase
- ☐ The Aggregates app

**Q34. When you select several series in the Navigator, they are inserted into the request field:**

- ☐ Separated by commas automatically
- ☐ Separated by semicolons
- ☐ On separate worksheets
- ☐ As a single block without separators

**Q35. With a list used in a Static Request, how many datatypes can be returned for each series in the list?**

- ☐ Exactly 1
- ☐ Between 1 and 10
- ☐ Up to 100
- ☐ Unlimited

**Q36. ★ Which of the following is a benefit of embedding a Datastream for Office (Excel) request?**

- ☐ The data can be dynamically updated going forward
- ☐ The data request can never be changed
- ☐ An embedded request allows a user to download more data than a manual request
- ☐ Only embedded requests can download data in chart format

**Q37. ★ Which TWO of the following are ways to add a chart or charts from the Library to a collection?**

- ☐ Single chart: open the flyout next to the chart, go to Collections, select Add to collection
- ☐ Multiple charts: tick the checkboxes next to the charts, then click the Add to collection icon on the toolbar
- ☐ Right-click a chart and select Add to collection
- ☐ Right-click a folder in the Library > Export > To collection

**Q38. ★ Which of the following data is NOT available for Equities?**

- ☐ Attribution data types
- ☐ Asset4 ESG data
- ☐ WorldScope Company Accounts data
- ☐ I/B/E/S estimates

**Q39. The 500+ ESG metrics (environmental, social, governance) available in Datastream come from:**

- ☐ WorldScope
- ☐ Asset4
- ☐ I/B/E/S
- ☐ GICS

**Q40. In the Excel add-in, which function is designed for time-series requests?**

- ☐ =TR
- ☐ =RHistory
- ☐ =RSearch
- ☐ =TEMP

Mock Exam — Certification LSEG Workspace

## GRILLE DE RÉPONSES — à remplir pendant la simulation

| Q1 | | Q11 | | Q21 | | Q31 | |
|---|---|---|---|---|---|---|---|
| Q2 | | Q12 | | Q22 | | Q32 | |
| Q3 | | Q13 | | Q23 | | Q33 | |
| Q4 | | Q14 | | Q24 | | Q34 | |
| Q5 | | Q15 | | Q25 | | Q35 | |
| Q6 | | Q16 | | Q26 | | Q36 | |
| Q7 | | Q17 | | Q27 | | Q37 | |
| Q8 | | Q18 | | Q28 | | Q38 | |
| Q9 | | Q19 | | Q29 | | Q39 | |
| Q10 | | Q20 | | Q30 | | Q40 | |

Mock Exam — Certification LSEG Workspace

# CORRIGÉ DÉTAILLÉ (avec renvois vers la fiche)

- ✓ **Q1 → C** — une nouvelle app affiche **l'instrument actif** (dernier instrument consulté). [M1]
- ✓ **Q2 → A** — toute app ouverte depuis le menu rejoint **automatiquement le workspace actif**. [M1]
- ✓ **Q3 → C** — **10 workspaces** ouverts simultanément maximum. [M1]
- ✓ **Q4 → B** — **clic droit sur l'onglet workspace > Save** (pas de File > Save Windows ni de Briefcase). [M1]
- ✓ **Q5 → A** — même couleur de Link Channel = **instrument partagé** : changer dans l'une met à jour l'autre. [M1]
- ✓ **Q6 → A** — le **cercle coloré en haut à gauche** (Link Channel) : choisir la même couleur. [M1]
- ✓ **Q7 → B** — « Nom + OV » ouvre la **Company Overview**. [M1/M4]
- ✓ **Q8 → B** — My Briefcase = **en haut à droite de la toolbar**. [M1/M2]
- ✓ **Q9 → D** — **All of these options** : menu « ? », Autosuggest, appli MyRefinitiv. [M1]
- ✓ **Q10 → A** — **VRAI** — snap (bloc unique) et stack (onglets) sont des comportements natifs. [M1]
- ✓ **Q11 → C** — **100 documents** maximum en même temps (pas 25/50/200). [M2]
- ✓ **Q12 → D** — **All of the above** : companies, portfolios/lists/monitors, langues (+ sources, marchés, topics…). [M2]
- ✓ **Q13 → D** — **F9** = news. F2 = Quote List, F5 = Refresh, F6 = Max/Min. [M1/M2]
- ✓ **Q14 → A** — news filter réutilisable = **clic droit > File > Favorites > Add to Favorites** (pas la Template Library !). [M2]
- ✓ **Q15 → A** — le highlighter **surligne les mots-clés** de la recherche dans les résultats. [M2]
- ✓ **Q16 → A** — Timeline = **ordre chronologique inverse ou critères date/heure choisis**. [M2]
- ✓ **Q17 → B** — Briefcase = collecter news/documents pour lecture **offline desktop/mobile**. [M2]
- ✓ **Q18 → A** — filtres de sources **avec exclusions** — c'est une fonction native des filtres avancés. [M2]
- ✓ **Q19 → D** — **All of the above** : couverture analystes + classification + concurrents des filings. [M4]
- ✓ **Q20 → D** — **All of these options** : Report Type, Contributor, Industry. [M4]
- ✓ **Q21 → D** — **All of these answers** : white papers + What's New + liste d'apps durables. [M5]
- ✓ **Q22 → D** — **GICS AND TRBC** (jamais SIC seul). [M5]
- ✓ **Q23 → A** — **VRAI** — groupes personnalisés possibles, dont tranches de market cap. [M5]
- ✓ **Q24 → A** — Split mode = **plusieurs vues d'un chart, ex. par intervalle**. [M3]
- ✓ **Q25 → A** — **Link Channel** (même couleur Monitor + Chart). [M3]
- ✓ **Q26 → A** — Screener = **filtrer l'univers et construire des listes** (l'agrégation, c'est Aggregates). [M4]
- ✓ **Q27 → D** — **All of the above** : real-time + fundamental + historical. [M6]
- ✓ **Q28 → C** — la **fonction TEMP n'existe pas** — énoncé FAUX. Template Library = partage, menu Templates = pré-construits, My Files = perso. [M6]
- ✓ **Q29 → A** — Template Library = **partager tes fichiers avec les autres utilisateurs**. [M6]
- ✓ **Q30 → A** — My Files = **tes propres fichiers, accessibles de partout**. [M6]
- ✓ **Q31 → A** — **virgules ou code de liste** — jamais « + », codes tapables sans Navigator. [M6]
- ✓ **Q32 → A** — Time Series = **dates + fréquence** en plus ; la static est une photo (latest value). [M6]
- ✓ **Q33 → A** — **Datastream Navigator** = recherche de séries et datatypes (mnemonics). [M6]
- ✓ **Q34 → A** — le Navigator insère les séries **automatiquement séparées par des virgules**. [M6]
- ✓ **Q35 → B** — **1 à 10 datatypes** par série de liste en static. [M6]
- ✓ **Q36 → A** — embedded = **mise à jour dynamique** des données (seul vrai bénéfice). [M6]
- ✓ **Q37 → A et B (les deux !)** — question « which two » : **flyout** pour une chart, **cases à cocher + icône toolbar** pour plusieurs. [M6]

Mock Exam — Certification LSEG Workspace

- ✓ **Q38 → A** — **Attribution data types** non disponibles pour les équities ; WorldScope/Asset4/I/B/E/S disponibles. [M6]
- ✓ **Q39 → B** — **Asset4** = la source ESG de Datastream (WorldScope = comptes, I/B/E/S = estimates). [M6]
- ✓ **Q40 → B** — **=RHistory** = séries temporelles (=TR = fondamentale/estimates, =RSearch = recherche d'instruments, =TEMP n'existe pas). [M6]

## BILAN — que faire de ton score ?

**Barème d'auto-évaluation**

**38-40 / 40** : incollable. Relecture « Les 12 pièges » la veille et go pour réserver l'examen (souviens-toi : 30 Q / 60 min / token envoyé par e-mail).

**34-37 / 40** : très bien — identifie les modules [Mx] de tes erreurs et relis ces sections seulement, puis refais les questions ratées 24 h plus tard.

**< 34 / 40** : reprends la fiche module par module + le corrigé officiel commenté, puis refais CE mock dans 48 h. Ne réserve pas l'examen avant un sans-faute approximatif.

**Rappel du format réel** : 30 questions, 60 minutes, ≥ 80 % (max 6 erreurs), 2 tentatives, certificat PDF immédiat.