MOCK EXAM · 40 QUESTIONS

Mock Exam — Certification LSEG Workspace

Simulation en conditions réelles — questions en anglais, corrigé détaillé en français, 45 minutes

Questions en anglais = format exact du jour J. Corrigé détaillé en français avec renvois [M1]-[M6] vers la fiche de révision. Les questions marquées ★ reprennent (quasi) à l'identique les sample questions officielles ou le pool candidats : points quasi garantis.

INSTRUCTIONS — simulation en conditions réelles

- **40 QCM** · 1 seule bonne réponse SAUF mention « Which two » (coche-en exactement 2) · durée conseillée : **45 minutes** sans notes (le vrai examen : 30 Q / 60 min, ~2 min/question).
- Le seuil de réussite réel est **80 %** (24/30) — mais tu prépares 30/30, donc vise **≥ 38/40** ici.
- Note tes réponses dans la grille page suivante, puis corrige avec le corrigé détaillé. Chaque erreur → relis le module [Mx] indiqué.
- ★ = question issue des sample questions officielles ou du pool remonté par les candidats.

SECTION A — Workspace & Navigation [M1]

Q1. You open a new app from the App Library. What will it display by default?

- ☐ The first instrument in your Monitor list
- ☐ The instrument shown in the largest open app
- ☐ The active symbol — the most recent financial instrument you focused on
- ☐ Nothing: you must always type an instrument code

Q2. What happens when you open an application from the Workspace menu?

- ☐ It opens as part of your active workspace
- ☐ It replaces your current workspace
- ☐ It opens in your web browser
- ☐ You must restart Workspace first

Q3. How many workspaces can you have open at the same time?

- ☐ 3
- ☐ 5
- ☐ 10
- ☐ Unlimited

Q4. How do you save or share your current workspace?

- ☐ File > Save As in Windows
- ☐ Right-click the workspace tab and choose Save
- ☐ Upload it to the Template Library
- ☐ Add it to My Briefcase

Q5. Two apps are tuned to the same Link Channel colour. What happens?

- ☐ They share the same instrument: change it in one, the other follows
- ☐ They merge into a single app
- ☐ They display the same news stories only
- ☐ Nothing — colours are purely cosmetic

Mock Exam — Certification LSEG Workspace

Q6. How do you link two apps together?

- ☐ Click the Link Channel circle (top-left of each app) and select the same colour
- ☐ Right-click an app title bar > Link > OK
- ☐ Drag one app onto the other while holding Shift
- ☐ Settings > Linking > Enable all apps

Q7. Typing “Apple OV” into the Search box opens:

- ☐ Apple's quote line only
- ☐ Apple's Company Overview
- ☐ Apple's News Monitor
- ☐ A Screener pre-filtered on Apple

Q8. Where is My Briefcase located?

- ☐ In the App Library > Files
- ☐ Top right of the toolbar
- ☐ Inside the Excel add-in only
- ☐ In the bottom status bar

Q9. How can you access LSEG Workspace help and FAQs?

- ☐ Through “Get Help & Support” via the “?” menu
- ☐ Via Autosuggest in the Workspace Search box
- ☐ Using the MyRefinitiv application
- ☐ All of these options

Q10. True or False: you can snap apps together so they move as a single entity, and stack them as tabs.

- ☐ True
- ☐ False

SECTION B — News & Briefcase [M2]

Q11. ★ What is the maximum number of documents that can be added to your Briefcase at one time?

- ☐ 25
- ☐ 50
- ☐ 100
- ☐ 200

Q12. ★ Which of the following can be searched for in the News Monitor app?

- ☐ Companies
- ☐ Portfolios / Lists / Monitors
- ☐ Languages
- ☐ All of the above

Q13. Which function key gives you quick access to news?

- ☐ F2
- ☐ F5
- ☐ F6
- ☐ F9

Q14. You built a complex Boolean news search and want to reuse it tomorrow. What do you do?

- ☐ Save it as a news filter: right-click > File > Favorites > Add to Favorites
- ☐ Upload it to the Template Library
- ☐ Add the articles to My Briefcase
- ☐ Save your workspace

Mock Exam — Certification LSEG Workspace

Q15. The highlighter in News Monitor is used to:

- ☐ Highlight keywords from your search within the results
- ☐ Highlight cells in Excel
- ☐ Change the app colour theme
- ☐ Flag stories for compliance review

Q16. The Timeline toggle lets you display stories:

- ☐ In reverse chronological order or by the date/time criteria you have chosen
- ☐ Only in alphabetical order
- ☐ By number of readers
- ☐ As a Gantt chart

Q17. The main purpose of My Briefcase is to:

- ☐ Store Excel formulas
- ☐ Collect news and documents to read later, offline, on desktop or mobile
- ☐ Share charts with colleagues
- ☐ Save Datastream requests

Q18. You want Reuters news but WITHOUT a specific source. Which feature?

- ☐ Source filters with exclusion criteria
- ☐ My Briefcase
- ☐ The Link Channel
- ☐ The highlighter

SECTION C — Company, Industry & Charts [M3-M5]

Q19. In Company Analysis, a company's peers are identified using:

- ☐ Analyst coverage overlap
- ☐ Business classification (TRBC / GICS)
- ☐ The competitors the company identifies in its filings
- ☐ All of the above

Q20. ★ “Quick Search” in the Advanced Research Search app allows filtering across:

- ☐ Report type only
- ☐ Contributor only
- ☐ Industry only
- ☐ All of these options

Q21. ★ The Sustainable Finance landing page app (SUSFIN) contains:

- ☐ Research and white papers
- ☐ A “What's New” section highlighting new offerings
- ☐ A full list of sustainability-related LSEG Workspace apps and views
- ☐ All of these answers

Q22. ★ The Aggregates app supports which business classification schema?

- ☐ Standard Industrial Classification (SIC) only
- ☐ LSEG Business Classifications (TRBC) only
- ☐ Global Industry Classification Standard (GICS) only
- ☐ GICS AND LSEG Business Classifications (TRBC)

Q23. ★ True or False: it is possible to define custom market-cap groups in the Aggregates app.

- ☐ True
- ☐ False

Q24. “Split mode” in the Chart app lets you:

- ☐ Split one chart into several views, e.g. by time interval
- ☐ Split the screen between two users
- ☐ Export part of a chart to Excel
- ☐ Separate dividends from prices

Q25. You scroll through your Monitor list and want the chart to follow automatically. Which feature?

- ☐ Link Channel — same colour on both apps
- ☐ My Briefcase
- ☐ The Timeline toggle
- ☐ The Template Library

Q26. The Screener app is used to:

- ☐ Filter the universe of instruments by criteria (country, sector, market cap…) and build lists
- ☐ Aggregate fundamentals of a peer group
- ☐ Store reusable news filters
- ☐ Embed data requests in Excel

SECTION D — Excel, Datastream & API [M6]

Q27. ★ In Excel, what type(s) of data can be retrieved using the Formula Builder?

- ☐ Real-time data
- ☐ Fundamental data
- ☐ Historical data
- ☐ All of the above

Q28. ★ Which of the following statements regarding the Excel add-in is FALSE?

- ☐ You can share your Excel files with other users by uploading them to the template library
- ☐ You can access pre-built templates by clicking 'Templates' in the LSEG menu
- ☐ You can access pre-built templates from within a cell using the TEMP function
- ☐ You can upload your own Excel files to 'My Files' so you can access them from anywhere

Q29. The Template Library is used to:

- ☐ Share your Excel files with other users
- ☐ Store your personal passwords
- ☐ Build charts from templates
- ☐ Create new workspaces

Q30. 'My Files' lets you:

- ☐ Upload your own Excel files and access them from anywhere
- ☐ Share files with every user by default
- ☐ Edit Reuters news stories
- ☐ Create new datatypes

Q31. ★ How can you download data for more than one series in a Static Request?

- ☐ In the Series/List field, type the codes for all required series, separated by a comma, or use a list code
- ☐ In the Series/List field, type the codes for all required series, separated by a plus sign
- ☐ It is NOT possible to type the codes — you must search for them in Navigator
- ☐ A Static Request does not allow more than one series; only Time Series requests do

Q32. Compared with a Static Request, a Time Series request additionally requires:

- ☐ A date range and a frequency
- ☐ A chart template
- ☐ Administrator rights

- ☐ Nothing — they are identical

Q33. Which tool do you use to look up series codes and datatype mnemonics?

- ☐ Datastream Navigator
- ☐ The News Monitor
- ☐ My Briefcase
- ☐ The Aggregates app

Q34. When you select several series in the Navigator, they are inserted into the request field:

- ☐ Separated by commas automatically
- ☐ Separated by semicolons
- ☐ On separate worksheets
- ☐ As a single block without separators

Q35. With a list used in a Static Request, how many datatypes can be returned for each series in the list?

- ☐ Exactly 1
- ☐ Between 1 and 10
- ☐ Up to 100
- ☐ Unlimited

Q36. ★ Which of the following is a benefit of embedding a Datastream for Office (Excel) request?

- ☐ The data can be dynamically updated going forward
- ☐ The data request can never be changed
- ☐ An embedded request allows a user to download more data than a manual request
- ☐ Only embedded requests can download data in chart format

Q37. ★ Which TWO of the following are ways to add a chart or charts from the Library to a collection?

- ☐ Single chart: open the flyout next to the chart, go to Collections, select Add to collection
- ☐ Multiple charts: tick the checkboxes next to the charts, then click the Add to collection icon on the toolbar
- ☐ Right-click a chart and select Add to collection
- ☐ Right-click a folder in the Library > Export > To collection

Q38. ★ Which of the following data is NOT available for Equities?

- ☐ Attribution data types
- ☐ Asset4 ESG data
- ☐ WorldScope Company Accounts data
- ☐ I/B/E/S estimates

Q39. The 500+ ESG metrics (environmental, social, governance) available in Datastream come from:

- ☐ WorldScope
- ☐ Asset4
- ☐ I/B/E/S
- ☐ GICS

Q40. In the Excel add-in, which function is designed for time-series requests?

- ☐ =TR
- ☐ =RHistory
- ☐ =RSearch
- ☐ =TEMP

Mock Exam — Certification LSEG Workspace

GRILLE DE RÉPONSES — à remplir pendant la simulation

Q1		Q11		Q21		Q31	
Q2		Q12		Q22		Q32	
Q3		Q13		Q23		Q33	
Q4		Q14		Q24		Q34	
Q5		Q15		Q25		Q35	
Q6		Q16		Q26		Q36	
Q7		Q17		Q27		Q37	
Q8		Q18		Q28		Q38	
Q9		Q19		Q29		Q39	
Q10		Q20		Q30		Q40	

Mock Exam — Certification LSEG Workspace

CORRIGÉ DÉTAILLÉ (avec renvois vers la fiche)

- ✓ **Q1 → C** — une nouvelle app affiche **l'instrument actif** (dernier instrument consulté). [M1]
- ✓ **Q2 → A** — toute app ouverte depuis le menu rejoint **automatiquement le workspace actif**. [M1]
- ✓ **Q3 → C** — **10 workspaces** ouverts simultanément maximum. [M1]
- ✓ **Q4 → B** — **clic droit sur l'onglet workspace > Save** (pas de File > Save Windows ni de Briefcase). [M1]
- ✓ **Q5 → A** — même couleur de Link Channel = **instrument partagé** : changer dans l'une met à jour l'autre. [M1]
- ✓ **Q6 → A** — le **cercle coloré en haut à gauche** (Link Channel) : choisir la même couleur. [M1]
- ✓ **Q7 → B** — « Nom + OV » ouvre la **Company Overview**. [M1/M4]
- ✓ **Q8 → B** — My Briefcase = **en haut à droite de la toolbar**. [M1/M2]
- ✓ **Q9 → D** — **All of these options** : menu « ? », Autosuggest, appli MyRefinitiv. [M1]
- ✓ **Q10 → A** — **VRAI** — snap (bloc unique) et stack (onglets) sont des comportements natifs. [M1]
- ✓ **Q11 → C** — **100 documents** maximum en même temps (pas 25/50/200). [M2]
- ✓ **Q12 → D** — **All of the above** : companies, portfolios/lists/monitors, langues (+ sources, marchés, topics…). [M2]
- ✓ **Q13 → D** — **F9** = news. F2 = Quote List, F5 = Refresh, F6 = Max/Min. [M1/M2]
- ✓ **Q14 → A** — news filter réutilisable = **clic droit > File > Favorites > Add to Favorites** (pas la Template Library !). [M2]
- ✓ **Q15 → A** — le highlighter **surligne les mots-clés** de la recherche dans les résultats. [M2]
- ✓ **Q16 → A** — Timeline = **ordre chronologique inverse ou critères date/heure choisis**. [M2]
- ✓ **Q17 → B** — Briefcase = collecter news/documents pour lecture **offline desktop/mobile**. [M2]
- ✓ **Q18 → A** — filtres de sources **avec exclusions** — c'est une fonction native des filtres avancés. [M2]
- ✓ **Q19 → D** — **All of the above** : couverture analystes + classification + concurrents des filings. [M4]
- ✓ **Q20 → D** — **All of these options** : Report Type, Contributor, Industry. [M4]
- ✓ **Q21 → D** — **All of these answers** : white papers + What's New + liste d'apps durables. [M5]
- ✓ **Q22 → D** — **GICS AND TRBC** (jamais SIC seul). [M5]
- ✓ **Q23 → A** — **VRAI** — groupes personnalisés possibles, dont tranches de market cap. [M5]
- ✓ **Q24 → A** — Split mode = **plusieurs vues d'un chart, ex. par intervalle**. [M3]
- ✓ **Q25 → A** — **Link Channel** (même couleur Monitor + Chart). [M3]
- ✓ **Q26 → A** — Screener = **filtrer l'univers et construire des listes** (l'agrégation, c'est Aggregates). [M4]
- ✓ **Q27 → D** — **All of the above** : real-time + fundamental + historical. [M6]
- ✓ **Q28 → C** — la **fonction TEMP n'existe pas** — énoncé FAUX. Template Library = partage, menu Templates = pré-construits, My Files = perso. [M6]
- ✓ **Q29 → A** — Template Library = **partager tes fichiers avec les autres utilisateurs**. [M6]
- ✓ **Q30 → A** — My Files = **tes propres fichiers, accessibles de partout**. [M6]
- ✓ **Q31 → A** — **virgules ou code de liste** — jamais « + », codes tapables sans Navigator. [M6]
- ✓ **Q32 → A** — Time Series = **dates + fréquence** en plus ; la static est une photo (latest value). [M6]
- ✓ **Q33 → A** — **Datastream Navigator** = recherche de séries et datatypes (mnemonics). [M6]
- ✓ **Q34 → A** — le Navigator insère les séries **automatiquement séparées par des virgules**. [M6]
- ✓ **Q35 → B** — **1 à 10 datatypes** par série de liste en static. [M6]
- ✓ **Q36 → A** — embedded = **mise à jour dynamique** des données (seul vrai bénéfice). [M6]
- ✓ **Q37 → A et B (les deux !)** — question « which two » : **flyout** pour une chart, **cases à cocher + icône toolbar** pour plusieurs. [M6]

Mock Exam — Certification LSEG Workspace

- ✓ **Q38 → A** — **Attribution data types** non disponibles pour les équities ; WorldScope/Asset4/I/B/E/S disponibles. [M6]
- ✓ **Q39 → B** — **Asset4** = la source ESG de Datastream (WorldScope = comptes, I/B/E/S = estimates). [M6]
- ✓ **Q40 → B** — **=RHistory** = séries temporelles (=TR = fondamentale/estimates, =RSearch = recherche d'instruments, =TEMP n'existe pas). [M6]

BILAN — que faire de ton score ?

Barème d'auto-évaluation

38-40 / 40 : incollable. Relecture « Les 12 pièges » la veille et go pour réserver l'examen (souviens-toi : 30 Q / 60 min / token envoyé par e-mail).

34-37 / 40 : très bien — identifie les modules [Mx] de tes erreurs et relis ces sections seulement, puis refais les questions ratées 24 h plus tard.

< 34 / 40 : reprends la fiche module par module + le corrigé officiel commenté, puis refais CE mock dans 48 h. Ne réserve pas l'examen avant un sans-faute approximatif.

Rappel du format réel : 30 questions, 60 minutes, ≥ 80 % (max 6 erreurs), 2 tentatives, certificat PDF immédiat.