MOCKS A + B · 70 QUESTIONS · CORRIGÉS · MÉMO VISUEL

Mock Exams A + B — Certification LSEG Workspace

Mock A (40 Q) + Mock B format réel (30 Q) — corrigés justifiés — schémas pour Copilot

Fichier de travail pour Copilot/ChatGPT/Claude : questions exactes, corrigés sourcés, 6 schémas visuels. Format réel : 30 Q · 60 min · ≥ 80 % · 2 tentatives.

MODE D'EMPLOI — avec Copilot / ChatGPT / Claude
Donne ce PDF (ou le fichier MOCK-EXAMS-ET-CORRIGES.md du repo) à ton assistant et colle un des prompts :
Mode examen : « Sert-moi les 30 questions du MOCK B une par une, sans montrer le corrigé. J'écris la lettre, tu passes à la suivante. À la fin : note /30, tableau des erreurs + modules à revoir. »
Mode drill : « Interroge-moi en désordre sur les questions ★ du MOCK A ; corrige chaque réponse immédiatement. »
Mode flash : « Génère 20 nouvelles questions du même style que le MOCK B, avec corrigé séparé. »
Mode explication : « Pour chaque question ratée, reformule la règle produit en une phrase + un moyen mnémotechnique. »

MOCK EXAM A — 40 QUESTIONS (SIMULATION ÉTENDUE)

45 minutes conseillées, sans notes. Une seule bonne réponse SAUF mention « Which TWO ». ★ = question issue des sample questions officielles LSEG ou du pool réel de candidats. Corrigé juste après.

SECTION A — Workspace & Navigation [M1]

Q1. You open a new app from the App Library. What will it display by default?

- ☐ The first instrument in your Monitor list
- ☐ The instrument shown in the largest open app
- ☐ The active symbol — the most recent financial instrument you focused on
- ☐ Nothing: you must always type an instrument code

Q2. What happens when you open an application from the Workspace menu?

- ☐ It opens as part of your active workspace
- ☐ It replaces your current workspace
- ☐ It opens in your web browser
- ☐ You must restart Workspace first

Q3. How many workspaces can you have open at the same time?

- ☐ 3
- ☐ 5
- ☐ 10
- ☐ Unlimited

Q4. How do you save or share your current workspace?

- ☐ File > Save As in Windows
- ☐ Right-click the workspace tab and choose Save
- ☐ Upload it to the Template Library
- ☐ Add it to My Briefcase

Q5. Two apps are tuned to the same Link Channel colour. What happens?

- ☐ They share the same instrument: change it in one, the other follows
- ☐ They merge into a single app
- ☐ They display the same news stories only
- ☐ Nothing — colours are purely cosmetic

Q6. How do you link two apps together?

- ☐ Click the Link Channel circle (top-left of each app) and select the same colour
- ☐ Right-click an app title bar > Link > OK
- ☐ Drag one app onto the other while holding Shift
- ☐ Settings > Linking > Enable all apps

Q7. Typing “Apple OV” into the Search box opens:

- ☐ Apple's quote line only
- ☐ Apple's Company Overview
- ☐ Apple's News Monitor
- ☐ A Screener pre-filtered on Apple

Q8. Where is My Briefcase located?

- ☐ In the App Library > Files
- ☐ Top right of the toolbar
- ☐ Inside the Excel add-in only
- ☐ In the bottom status bar

Q9. How can you access LSEG Workspace help and FAQs?

- ☐ Through “Get Help & Support” via the “?” menu
- ☐ Via Autosuggest in the Workspace Search box
- ☐ Using the MyRefinitiv application
- ☐ All of these options

Q10. True or False: you can snap apps together so they move as a single entity, and stack them as tabs.

- ☐ True
- ☐ False

SECTION B — News & Briefcase [M2]

Q11. ★ What is the maximum number of documents that can be added to your Briefcase at one time?

- ☐ 25
- ☐ 50
- ☐ 100
- ☐ 200

Q12. ★ Which of the following can be searched for in the News Monitor app?

- ☐ Companies
- ☐ Portfolios / Lists / Monitors
- ☐ Languages
- ☐ All of the above

Q13. Which function key gives you quick access to news?

- ☐ F2
- ☐ F5
- ☐ F6
- ☐ F9

Q14. You built a complex Boolean news search and want to reuse it tomorrow. What do you do?

- ☐ Save it as a news filter: right-click > File > Favorites > Add to Favorites
- ☐ Upload it to the Template Library
- ☐ Add the articles to My Briefcase
- ☐ Save your workspace

Q15. The highlighter in News Monitor is used to:

- ☐ Highlight keywords from your search within the results
- ☐ Highlight cells in Excel
- ☐ Change the app colour theme
- ☐ Flag stories for compliance review

Q16. The Timeline toggle lets you display stories:

- ☐ In reverse chronological order or by the date/time criteria you have chosen
- ☐ Only in alphabetical order
- ☐ By number of readers
- ☐ As a Gantt chart

Q17. The main purpose of My Briefcase is to:

- ☐ Store Excel formulas
- ☐ Collect news and documents to read later, offline, on desktop or mobile
- ☐ Share charts with colleagues
- ☐ Save Datastream requests

Q18. You want Reuters news but WITHOUT a specific source. Which feature?

- ☐ Source filters with exclusion criteria
- ☐ My Briefcase
- ☐ The Link Channel
- ☐ The highlighter

SECTION C — Company, Industry & Charts [M3-M5]

Q19. In Company Analysis, a company's peers are identified using:

- ☐ Analyst coverage overlap
- ☐ Business classification (TRBC / GICS)
- ☐ The competitors the company identifies in its filings
- ☐ All of the above

Q20. ★ “Quick Search” in the Advanced Research Search app allows filtering across:

- ☐ Report type only
- ☐ Contributor only
- ☐ Industry only
- ☐ All of these options

Q21. ★ The Sustainable Finance landing page app (SUSFIN) contains:

- ☐ Research and white papers
- ☐ A “What's New” section highlighting new offerings
- ☐ A full list of sustainability-related LSEG Workspace apps and views
- ☐ All of these answers

Q22. ★ The Aggregates app supports which business classification schema?

- ☐ Standard Industrial Classification (SIC) only
- ☐ LSEG Business Classifications (TRBC) only
- ☐ Global Industry Classification Standard (GICS) only
- ☐ GICS AND LSEG Business Classifications (TRBC)

Q23. ★ True or False: it is possible to define custom market-cap groups in the Aggregates app.

- ☐ True
- ☐ False

Q24. "Split mode" in the Chart app lets you:

- ☐ Split one chart into several views, e.g. by time interval
- ☐ Split the screen between two users
- ☐ Export part of a chart to Excel
- ☐ Separate dividends from prices

Q25. You scroll through your Monitor list and want the chart to follow automatically. Which feature?

- ☐ Link Channel — same colour on both apps
- ☐ My Briefcase
- ☐ The Timeline toggle
- ☐ The Template Library

Q26. The Screener app is used to:

- ☐ Filter the universe of instruments by criteria (country, sector, market cap…) and build lists
- ☐ Aggregate fundamentals of a peer group
- ☐ Store reusable news filters
- ☐ Embed data requests in Excel

SECTION D — Excel, Datastream & API [M6]

Q27. ★ In Excel, what type(s) of data can be retrieved using the Formula Builder?

- ☐ Real-time data
- ☐ Fundamental data
- ☐ Historical data
- ☐ All of the above

Q28. ★ Which of the following statements regarding the Excel add-in is FALSE?

- ☐ You can share your Excel files with other users by uploading them to the template library
- ☐ You can access pre-built templates by clicking 'Templates' in the LSEG menu
- ☐ You can access pre-built templates from within a cell using the TEMP function
- ☐ You can upload your own Excel files to 'My Files' so you can access them from anywhere

Q29. The Template Library is used to:

- ☐ Share your Excel files with other users
- ☐ Store your personal passwords
- ☐ Build charts from templates
- ☐ Create new workspaces

Q30. 'My Files' lets you:

- ☐ Upload your own Excel files and access them from anywhere
- ☐ Share files with every user by default
- ☐ Edit Reuters news stories
- ☐ Create new datatypes

Q31. ★ How can you download data for more than one series in a Static Request?

- ☐ In the Series/List field, type the codes for all required series, separated by a comma, or use a list code
- ☐ In the Series/List field, type the codes for all required series, separated by a plus sign
- ☐ It is NOT possible to type the codes — you must search for them in Navigator
- ☐ A Static Request does not allow more than one series; only Time Series requests do

Q32. Compared with a Static Request, a Time Series request additionally requires:

- ☐ A date range and a frequency
- ☐ A chart template
- ☐ Administrator rights
- ☐ Nothing — they are identical

Q33. Which tool do you use to look up series codes and datatype mnemonics?

- ☐ Datastream Navigator
- ☐ The News Monitor
- ☐ My Briefcase
- ☐ The Aggregates app

Q34. When you select several series in the Navigator, they are inserted into the request field:

- ☐ Separated by commas automatically
- ☐ Separated by semicolons
- ☐ On separate worksheets
- ☐ As a single block without separators

Q35. With a list used in a Static Request, how many datatypes can be returned for each series in the list?

- ☐ Exactly 1
- ☐ Between 1 and 10
- ☐ Up to 100
- ☐ Unlimited

Q36. ★ Which of the following is a benefit of embedding a Datastream for Office (Excel) request?

- ☐ The data can be dynamically updated going forward
- ☐ The data request can never be changed
- ☐ An embedded request allows a user to download more data than a manual request
- ☐ Only embedded requests can download data in chart format

Q37. ★ Which TWO of the following are ways to add a chart or charts from the Library to a collection?

- ☐ Single chart: open the flyout next to the chart, go to Collections, select Add to collection
- ☐ Multiple charts: tick the checkboxes next to the charts, then click the Add to collection icon on the toolbar
- ☐ Right-click a chart and select Add to collection
- ☐ Right-click a folder in the Library > Export > To collection

Q38. ★ Which of the following data is NOT available for Equities?

- ☐ Attribution data types
- ☐ Asset4 ESG data
- ☐ WorldScope Company Accounts data
- ☐ I/B/E/S estimates

Q39. The 500+ ESG metrics (environmental, social, governance) available in Datastream come from:

- ☐ WorldScope
- ☐ Asset4
- ☐ I/B/E/S
- ☐ GICS

Q40. In the Excel add-in, which function is designed for time-series requests?

- ☐ =TR
- ☐ =RHistory
- ☐ =RSearch
- ☐ =TEMP

GRILLE DE RÉPONSES — à remplir pendant la simulation

Q1		Q11		Q21		Q31	
Q2		Q12		Q22		Q32	
Q4		Q14		Q24		Q34	
Q6		Q16		Q26		Q36	
Q8		Q18		Q28		Q38	
Q10		Q20		Q30		Q40	

CORRIGÉ DÉTAILLÉ (avec renvois vers la fiche)

- ✓ **Q1 → C** — une nouvelle app affiche **l'instrument actif** (dernier instrument consulté). [M1]
- ✓ **Q2 → A** — toute app ouverte depuis le menu rejoint **automatiquement le workspace actif**. [M1]
- ✓ **Q3 → C** — **10 workspaces** ouverts simultanément maximum. [M1]
- ✓ **Q4 → B** — **clic droit sur l'onglet workspace > Save** (pas de File > Save Windows ni de Briefcase). [M1]
- ✓ **Q5 → A** — même couleur de Link Channel = **instrument partagé** : changer dans l'une met à jour l'autre. [M1]
- ✓ **Q6 → A** — le **cercle coloré en haut à gauche** (Link Channel) : choisir la même couleur. [M1]
- ✓ **Q7 → B** — « Nom + OV » ouvre la **Company Overview**. [M1/M4]
- ✓ **Q8 → B** — My Briefcase = **en haut à droite de la toolbar**. [M1/M2]
- ✓ **Q9 → D** — **All of these options** : menu « ? », Autosuggest, appli MyRefinitiv. [M1]
- ✓ **Q10 → A** — **VRAI** — snap (bloc unique) et stack (onglets) sont des comportements natifs. [M1]
- ✓ **Q11 → C** — **100 documents** maximum en même temps (pas 25/50/200). [M2]
- ✓ **Q12 → D** — **All of the above** : companies, portfolios/lists/monitors, langues (+ sources, marchés, topics…). [M2]
- ✓ **Q13 → D** — **F9** = news. F2 = Quote List, F5 = Refresh, F6 = Max/Min. [M1/M2]
- ✓ **Q14 → A** — news filter réutilisable = **clic droit > File > Favorites > Add to Favorites** (pas la Template Library !). [M2]
- ✓ **Q15 → A** — le highlighter **surligne les mots-clés** de la recherche dans les résultats. [M2]
- ✓ **Q16 → A** — Timeline = **ordre chronologique inverse ou critères date/heure choisis**. [M2]
- ✓ **Q17 → B** — Briefcase = collecter news/documents pour lecture **offline desktop/mobile**. [M2]
- ✓ **Q18 → A** — filtres de sources **avec exclusions** — c'est une fonction native des filtres avancés. [M2]
- ✓ **Q19 → D** — **All of the above** : couverture analystes + classification + concurrents des filings. [M4]
- ✓ **Q20 → D** — **All of these options** : Report Type, Contributor, Industry. [M4]
- ✓ **Q21 → D** — **All of these answers** : white papers + What's New + liste d'apps durables. [M5]
- ✓ **Q22 → D** — **GICS AND TRBC** (jamais SIC seul). [M5]
- ✓ **Q23 → A** — **VRAI** — groupes personnalisés possibles, dont tranches de market cap. [M5]
- ✓ **Q24 → A** — Split mode = **plusieurs vues d'un chart, ex. par intervalle**. [M3]
- ✓ **Q25 → A** — **Link Channel** (même couleur Monitor + Chart). [M3]
- ✓ **Q26 → A** — Screener = **filtrer l'univers et construire des listes** (l'agrégation, c'est Aggregates). [M4]
- ✓ **Q27 → D** — **All of the above** : real-time + fundamental + historical. [M6]
- ✓ **Q28 → C** — la **fonction TEMP n'existe pas** — énoncé FAUX. Template Library = partage, menu Templates = pré-construits, My Files = perso. [M6]
- ✓ **Q29 → A** — Template Library = **partager tes fichiers avec les autres utilisateurs**. [M6]
- ✓ **Q30 → A** — My Files = **tes propres fichiers, accessibles de partout**. [M6]
- ✓ **Q31 → A** — **virgules ou code de liste** — jamais « + », codes tapables sans Navigator. [M6]
- ✓ **Q32 → A** — Time Series = **dates + fréquence** en plus ; la static est une photo (latest value). [M6]
- ✓ **Q33 → A** — **Datastream Navigator** = recherche de séries et datatypes (mnemonics). [M6]
- ✓ **Q34 → A** — le Navigator insère les séries **automatiquement séparées par des virgules**. [M6]
- ✓ **Q35 → B** — **1 à 10 datatypes** par série de liste en static. [M6]
- ✓ **Q36 → A** — embedded = **mise à jour dynamique** des données (seul vrai bénéfice). [M6]
- ✓ **Q37 → A et B (les deux !)** — question « which two » : **flyout** pour une chart, **cases à cocher + icône toolbar** pour plusieurs. [M6]

- ✓ **Q38 → A** — **Attribution data types** non disponibles pour les équities ; WorldScope/Asset4/I/B/E/S disponibles. [M6]
- ✓ **Q39 → B** — **Asset4** = la source ESG de Datastream (WorldScope = comptes, I/B/E/S = estimates). [M6]
- ✓ **Q40 → B** — **=RHistory** = séries temporelles (=TR = fondamentale/estimates, =RSearch = recherche d'instruments, =TEMP n'existe pas). [M6]

BILAN — que faire de ton score ?

MOCK EXAM B — 30 QUESTIONS (FORMAT EXACT DE L'EXAMEN RÉEL)

60 minutes chrono, sans notes, comme le vrai. Une seule bonne réponse SAUF « Which TWO » (2 cases). Seuil réel : **24/30** — ton objectif : **30/30**. Corrigé détaillé juste après (ne pas regarder avant).

Section A — Workspace & News [M1-M2]

Q1. Which function key opens the Quote List?

- ☐ F9
- ☐ F2
- ☐ F4
- ☐ F6

Q2. You were viewing Air Liquide, then Shell. You now open a new Chart app. What does it display by default?

- ☐ Air Liquide
- ☐ Shell
- ☐ The first index in your Monitor list
- ☐ It opens empty

Q3. The Search box is powered by Autosuggest and can find:

- ☐ Apps and instruments only
- ☐ People only
- ☐ Answers to your questions
- ☐ Apps, instruments, data AND answers

Q4. Typing "NEWSD" in the Search box opens:

- ☐ Top News
- ☐ News Monitor
- ☐ News Discovery
- ☐ My Briefcase

Q5. How do you save your current workspace for later use or sharing?

- ☐ Workspaces cannot be saved manually
- ☐ Right-click the workspace tab and choose Save
- ☐ Upload it to the Template Library
- ☐ Press F5

Q6. Several apps share the same Link Channel colour. You type a new instrument code into one of them. What happens?

- ☐ Only that app changes
- ☐ All the linked apps automatically display content for the new instrument
- ☐ The Link Channel colour resets to default
- ☐ A new workspace is created

Q7. True or False: in News Monitor, you can exclude certain criteria (e.g. a specific source) from your results.

- ☐ True
- ☐ False

Q8. You want to reuse a complex news search tomorrow. What do you do?

- ☐ Right-click > File > Favorites > Add to Favorites
- ☐ Upload it to the Template Library
- ☐ Save it in My Files

- ☐ Copy it into Excel

Q9. The Timeline toggle in News Monitor displays stories:

- ☐ In reverse chronological order or by the date/time criteria you have chosen
- ☐ Alphabetically by source
- ☐ Ranked by number of readers
- ☐ Only from the last 24 hours

Q10. You want to read saved research during a flight with no internet. Which feature?

- ☐ My Briefcase
- ☐ Template Library
- ☐ Aggregates
- ☐ Datastream Navigator

Section B — Company, Industry & Charts [M3-M5]

Q11. Typing "TotalEnergies OV" opens:

- ☐ TotalEnergies' quote line
- ☐ TotalEnergies' Company Overview
- ☐ TotalEnergies' news only
- ☐ A Screener pre-filtered on energy

Q12. A company's peers list can be built from:

- ☐ Analyst coverage overlap
- ☐ Business classification (TRBC / GICS)
- ☐ Competitors identified in the company's filings
- ☐ All of the above

Q13. "Quick Search" in the Advanced Research Search app filters across:

- ☐ Report type, Contributor and Industry
- ☐ Report type only
- ☐ Contributor only
- ☐ Language only

Q14. The Sustainable Finance landing page app (SUSFIN) includes:

- ☐ Research and white papers, a What's New section, and a full list of sustainability-related apps and views
- ☐ Only ESG scores
- ☐ Only carbon emission prices
- ☐ Only regulatory news

Q15. Which classification schema is NOT supported by the Aggregates app?

- ☐ GICS
- ☐ TRBC
- ☐ SIC
- ☐ Both GICS and TRBC

Q16. True or False: custom market-cap groups can be defined in the Aggregates app.

- ☐ True
- ☐ False

Q17. TRBC (LSEG Business Classifications) provides how many levels of industry granularity?

- ☐ 3
- ☐ 5
- ☐ 8
- ☐ 10

Q18. You want to see the same instrument as 1-day, 1-month and 1-year charts at once. Which feature?

- ☐ Split mode, split by interval
- ☐ My Briefcase
- ☐ The Timeline toggle
- ☐ Template Library

Q19. You type a new instrument in your Monitor and the chart updates instantly. Why?

- ☐ Both apps are tuned to the same Link Channel colour
- ☐ The chart refreshes every 60 seconds
- ☐ My Briefcase syncs them
- ☐ It is a coincidence

Q20. You need a reusable list of companies filtered by country, sector and market cap. Which app?

- ☐ Aggregates
- ☐ Screener
- ☐ News Monitor
- ☐ Formula Builder

Section C — Excel, Datastream & API [M6]

Q21. In Excel, the Formula Builder can retrieve:

- ☐ Real-time, fundamental AND historical data
- ☐ Real-time data only
- ☐ Fundamental data only
- ☐ Historical data only

Q22. Which function does NOT exist in the Excel add-in?

- ☐ =TR
- ☐ =RHistory
- ☐ =RSearch
- ☐ =TEMP

Q23. Pre-built Excel templates are accessed by:

- ☐ Clicking 'Templates' in the LSEG menu
- ☐ Typing =TEMPLATES() in a cell
- ☐ Opening My Briefcase
- ☐ The Datastream Navigator

Q24. You want your COLLEAGUES (other users) to open your Excel file from their own Workspace. You upload it to:

- ☐ My Files
- ☐ The Template Library
- ☐ My Briefcase
- ☐ The Request Table

Q25. In a Static Request, to download data for several series you:

- ☐ Type the codes separated by commas, or use a list code
- ☐ Type the codes separated by a plus sign
- ☐ Must search each series in Navigator — typing codes is impossible
- ☐ Must use a Time Series request instead

Q26. With a list in a Static Request, how many datatypes can be returned for each series in the list?

- ☐ Exactly 1
- ☐ Between 1 and 10
- ☐ Up to 50
- ☐ Unlimited

Q27. What is the benefit of embedding a Datastream for Office (Excel) request?

- ☐ The data can be dynamically updated going forward
- ☐ The request can never be changed
- ☐ It downloads more data than a manual request
- ☐ Only embedded requests support charts

Q28. In the Excel Request Table, the request type "TSL" means:

- ☐ Time series request for lists
- ☐ A static list request
- ☐ A chart request
- ☐ A template sheet

Q29. Which TWO of the following are ways to add a chart or charts from the Library to a collection?

- ☐ Single chart: open the flyout next to the chart, go to Collections, select Add to collection
- ☐ Multiple charts: tick the checkboxes next to the charts, then click the Add to collection icon on the toolbar
- ☐ Right-click a chart and select Add to collection
- ☐ Right-click a folder in the Library > Export > To collection

Q30. Which of the following data is NOT available for Equities?

- ☐ Attribution data types
- ☐ Asset4 ESG data
- ☐ WorldScope Company Accounts data
- ☐ I/B/E/S estimates

CORRIGÉ MOCK B — réponse + justification + module à relire

- ✓ **Q1 → B** — **F2 = Quote List** (piège classique : F9 = news, F4 = Quote, F6 = Max/Min). [M1]
- ✓ **Q2 → B** — Instrument actif = **le dernier consulté** → Shell (pas Air Liquide, pas vide). [M1]
- ✓ **Q3 → D** — Autosuggest trouve apps, **instruments/données et réponses (Answers)**. [M1]
- ✓ **Q4 → C** — **NEWSD = News Discovery** (TOPNEWS = Top News, NEWS = News Monitor). [M1/M2]
- ✓ **Q5 → B** — **Clic droit sur l'onglet workspace > Save** (sauvegarde/partage). [M1]
- ✓ **Q6 → B** — Même couleur Link Channel = **toutes les apps liées suivent le nouvel instrument**. [M1]
- ✓ **Q7 → A** — **VRAI** — les filtres avancés News Monitor permettent des **exclusions**. [M2]
- ✓ **Q8 → A** — News filter réutilisable = **clic droit > File > Favorites > Add to Favorites**. [M2]
- ✓ **Q9 → A** — Timeline = **chronologique inverse OU critères date/heure choisis**. [M2]
- ✓ **Q10 → A** — **My Briefcase** = lecture offline (dont mobile, même hors connexion). [M2]
- ✓ **Q11 → B** — « Nom + OV » = **Company Overview**. [M4]
- ✓ **Q12 → D** — **All of the above** (couverture analystes + classification + filings). [M4]
- ✓ **Q13 → A** — Quick Search = **Report Type + Contributor + Industry** → all of these. [M4]
- ✓ **Q14 → A** — SUSFIN = **white papers + What's New + liste d'apps durables** → all of these. [M5]
- ✓ **Q15 → C** — Aggregates = **GICS ET TRBC** ; **SIC non supporté**. [M5]
- ✓ **Q16 → A** — **VRAI** — groupes custom dont tranches de market cap (pool candidats). [M5]

- ✓ **Q17 → B** — TRBC = **5 niveaux** de granularité (250 000+ sociétés, 130 pays). [M5]
- ✓ **Q18 → A** — **Split mode par intervalle** (1J/1M/1A simultanés). [M3]
- ✓ **Q19 → A** — **Link Channel** — même couleur = instrument partagé. [M3]
- ✓ **Q20 → B** — **Screener** = filtres (place, secteur, cap) + listes réutilisables. [M4]
- ✓ **Q21 → A** — Formula Builder = **real-time + fundamental + historical** → all of the above. [M6]
- ✓ **Q22 → D** — **=TEMP n'existe pas** (question officielle reformulée). [M6]
- ✓ **Q23 → A** — Templates pré-construits = **menu LSEG > Templates** (pas depuis une cellule). [M6]
- ✓ **Q24 → B** — **Template Library** = partage avec les AUTRES utilisateurs (My Files = perso). [M6]
- ✓ **Q25 → A** — **Virgules ou code de liste** — jamais « + ». [M6]
- ✓ **Q26 → B** — Liste en static = **1 à 10 datatypes** par série. [M6]
- ✓ **Q27 → A** — Embedded = **mise à jour dynamique** des données. [M6]
- ✓ **Q28 → A** — Types Request Table : TS, S, **TSL** (time series pour listes), L, CH. [M6]
- ✓ **Q29 → A et B** — « Which TWO » : **flyout** (une chart) + **cases à cocher + icône toolbar** (plusieurs). [M6]
- ✓ **Q30 → A** — **Attribution data types** : non disponibles pour les équities. [M6]

Barème Mock B (comparé au format réel)

30/30 : objectif atteint → réserve ton créneau. **≥ 28** : excellent (le vrai seuil est 24/30). **24-27** : au-dessus du seuil, consolide les modules [Mx] des erreurs. **< 24** : ne réserve pas — reprends la fiche puis refais le Mock B à 48 h.

MÉMO VISUEL — 6 SCHÉMAS POUR ANCER L'IMAGE MENTALE

Dessins exacts (générés par code, pas d'IA) : chaque schéma couvre les questions correspondantes du mock. Si tu sais re-dessiner ces 6 images de tête, tu as tes 30/30.


Tu tapes un nouvel instrument dans UNE app liée…



…les 3 apps « réglées » sur la MÊME couleur du Link Channel (cercle en haut à gauche) suivent automatiquement.

✓ VRAI (question officielle) : une NOUVELLE app groupée avec des apps déjà liées devient automatiquement liée (elle prend la couleur du groupe).


Les 2 SEULS accès officiels au News Monitor




Les 3 PIÈGES à cocher JAMAIS :

F2 ✗ (= Quote List)	« Monitor » ✗	Menu > Search Tools ✗

My Briefcase — en haut à DROITE de la toolbar



STATIC vs TIME SERIES — la photo ou le film ?



Excel add-in — la carte des 3 vrais chemins + 1 faux

TEMPLATE LIBRARY
Partager tes fichiers avec les AUTRES utilisateurs

Menu LSEG > TEMPLATES
Templates PRÉ-CONSTRUITS (pas depuis une cellule)

MY FILES
TES fichiers, accessibles de partout

=TEMP() ✗ N'EXISTE PAS — c'est l'énoncé FAUX de la question officielle (« which statement is false »)

Multi-séries en Static : VIRGULES ou code de liste — jamais « + » · Embedded = mise à jour DYNAMIQUE

Les touches F — retenir 5 keycaps

F2	F4	F5	F6	F9
Quote List	**Quote**	**Refresh**	**Max / Min**	**NEWS**
piège : PAS les news				la touche des news

Fiabilité des réponses

D'où viennent les corrigés ?

• **Sources officielles** : « Certification sample questions — LSEG Workspace » (PDF officiel maj 11/24), modules du LSEG Learning Centre, guides rapides Eikon/Workspace (Thomson Reuters/Refinitiv), manuel Datastream for Office, QRC de formation Refinitiv.

• Toutes les réponses des deux mocks en découlent directement.

• **Seules exceptions (pool candidats, non officiel)** : « Story layout » (News Monitor) et « custom market-cap groups » (Aggregates) — marquées ⚠ dans la fiche de révision ; dans ce mock, Q16 du Mock B est concernée (raisonnement fourni).