ENERGY ASSESSMENT DATA TOOL

Customer Name: _____ Date: _____

Address: _____ Assessor: _____

City/State: _____ Zip: _____

Email: _____ Phone: _____

Notes:

BUILDING PROPERTY TYPE

Style: _____ Year Built: _____ Stories: _____ No. Bedrooms: _____ No. Occupants: _____

Square Footage: _____ Volume: _____ Tenant Type: Own _____ Rent _____

Gutter Exist: Yes_____ No_____ Downspouts: Yes_____ No_____ Repairs Needed: Yes_____ No_____

Roof Condition: Good_____ Average_____ Poor_____ Repairs Needed: Yes_____ No_____

Roof Type: Architecture_____ 3-Tab_____ Flat_____ Roof Approximate Age: _____

High Roof Venting: Yes_____ No_____ Type: Static_____ Ridge_____ Repairs Needed: Yes_____ No_____

NOTES:

HEATING SYSTEM INFO

Existing Thermostat: Manual ☐ Programmable ☐ Smart ☐

Fuel Type: Natural Gas ☐ Electric ☐ Propane ☐ Oil ☐ Other _____

System Type: Forced Air ☐ Boiler ☐ Other _____

Flue Condition: Good ☐ Average ☐ Poor ☐

Manufacturer: _____ Installation Year: _____ Condition: _____

Manufacturer: _____ Installation Year: _____ Condition: _____

BTU Input: _____ BTU Output: _____ AFUE: _____ Draft: _____

Gas Shut Off: Yes ☐ No ☐ Pipes Asbestos Wrapped: Yes ☐ No ☐

Clean & Tune: Yes ☐ No ☐ Replacement Recommended: Yes ☐ No ☐

NOTES: Do the ducts need to be sealed? Yes ☐ No ☐

COOLING SYSTEM INFO

Central Air ☐ Window Units ☐ Mini Split ☐ Heat Pump ☐ None ☐

Manufacturer: _____ Age: _____ SEER: _____ Condition: _____

BTU Size: 2 Ton (24k) ☐ 2.5 Ton (30k) ☐ 3 Ton (36k) ☐ 3.5 Ton (42k) ☐

Replacement Recommended: Yes ☐ No ☐ Reason: _____

DOMESTIC HOT WATER INFO

Natural Gas ☐ Electric ☐ Propane ☐ Other _____

Manufacturer: _____ Age: _____ Condition: _____

System Type: On Demand ☐ Storage Tank ☐ Indirect ☐ Heat Pump ☐

Other _____ Input BTU _____ Output BTU _____

Insulated Pipes: Yes ☐ No ☐ Flue Repair Needed: Yes ☐ No ☐

Replacement Recommended: Yes ☐ No ☐ Reason: _____

INTERIOR INSPECTION

Mold: Yes ☐ No ☐

Live Knob & Tube: Yes ☐ No ☐

Broken Glass: Yes ☐ No ☐

Water Leaks: Yes ☐ No ☐

Location: _____

Ceiling Condition: Good ☐ Poor ☐

Dropped Ceiling: Yes ☐ No ☐

Recessed Lighting: Yes ☐ No ☐

CO Detector: Yes ☐ No ☐

Moisture Problems: Yes ☐ No ☐

Electrical Issues: Yes ☐ No ☐

Vermiculite/Asbestos: Yes ☐ No ☐

Roof Leaks: Yes ☐ No ☐

Location: _____

Wall Condition: _____

Drywall Repair: Yes ☐ No ☐

Location: _____

Smoke Detector: Yes ☐ No ☐

DOOR TYPES / EXHAUST VENTING

☐ Front — Existing Weather Strips/Sweeps: Yes ☐ No ☐

☐ Back — Existing Weather Strips/Sweeps: Yes ☐ No ☐

☐ Basement — Existing Weather Strips/Sweeps: Yes ☐ No ☐

☐ Attic — Existing Weather Strips/Sweeps: Yes ☐ No ☐

Total Weather Strips/Door Sweeps Needed: 0/0

Exhaust Fan Replacement: Yes ☐ No ☐

Vent Kit Needed: Yes ☐ No ☐

Dryer Vented Properly: Yes ☐ No ☐

Bath Fan With Light: Yes ☐ No ☐

Termination Cap Needed: Yes ☐ No ☐

Dryer Venting Repair: Yes ☐ No ☐

Blower Door In: _____ ☐ Blower Door Out: _____

Click box due to no blower door. Estimated due to asbestos or vermiculite ONLY

NOTES:

x110%

BD IN < 110% may indicate prescriptive or no air sealing, but other measures must still proceed.

Post blower door goal (when applicable)

ATTIC

Finished ☐ Unfinished ☐ Flat ☐ Sq Footage: _____ Existing R-Value: _____

Recessed Lighting Qty: _____ Storage Created: _____ R-Value to be added: _____

Ductwork Present: Yes ☐ No ☐ Ductwork Condition: Good ☐ Poor ☐

Ductwork to Insulate/Air Seal: Lin Ft _____ Floor Boards: Yes ☐ No ☐

Mold Present ☐ Vermiculite Present ☐ Knob & Tube ☐

Existing Ventillation: _____ Needed Ventillation: _____

Attic access location: _____

NOTES:

~~**COLLAR BEAM**~~

~~Sq Footage: _____ Pre-Existing R-Value: _____ R-Value to be added: _____~~

~~Accessible: Yes _____ No _____ Cut in Needed: Yes _____ No _____~~

~~Ductwork: Yes _____ No _____ Condition: Good _____ Poor _____ Ln Ft to Air Seal: _____~~

~~**OUTER CEILING JOISTS**~~

~~Sq Footage: _____ Pre-Existing R-Value: _____ R-Value to be added: _____~~

~~Accessible: Yes _____ No _____ Cut in : Yes _____ No _____ Floor Boards: Yes _____ No _____~~

~~Ductwork: Yes _____ No _____ Condition: Good _____ Poor _____ Ln Ft to Air Seal: _____~~

KNEE WALLS

Sq Footage: _____ Pre-Existing R-Value: _____ R-Value to be added: _____

Dense Pack: Yes ☐ No ☐ Rigid Foam Board: Yes ☐ No ☐

Wall Type: Drywall ☐ Plaster ☐ Fiberlass Batts: Yes ☐ No ☐

Tyvek Needed: Yes ☐ No ☐ Sq Footage: _____

EXTERIOR WALLS

1st Floor

Sq Footage: _____ Pre-Existing R-Value: _____ R-Value to be added: _____

Window/Door Sq Ft: 0 _____ Wall Type: Drywall ____ Plaster ____

Dense Pack: Yes ____ No ____ Phenolic Foam: Yes ____ No ____

Cladding: Vinyl ____ Masonry ____ Other: 0 _____

Insulate from: Interior ____ Exterior ____ Informed owner about Prep: Yes ____

Drilled hole location: _____

2nd Floor _____

Sq Footage: _____ Pre-Existing R-Value: _____ R-Value to be added: _____

Window/Door Sq Ft: 0 _____ Wall Type: Drywall ____ Plaster ____

Dense Pack: Yes ____ No ____ Phenolic Foam: Yes ____ No ____

Cladding: Vinyl ____ Masonry ____ Other: 0 _____

Insulate from: Interior ____ Exterior ____ Informed owner about Prep: Yes ____

Drilled hole location: _____

FOUNDATION / CRAWL

No Basement/slab on grade: ____ Basement Finished: ____ Unfinished: ____ w/Framing: ____

Above Grade Sq Ft: _____ Below Grade Sq Ft: _____ Pre-Existing R-Value: _____

Insulation Type: Fiberglass ____ Rigid Foam Board ____ None ____

Access to Band Joists: Yes ____ No ____ Linear Ft: _____ Pre-Existing R-Value: _____

Insulation Type: Fiberglass ____ Rigid Foam Board ____ None ____

Crawlspace:

Vented: Yes: ____ # of Vents ____ No ____ Crawl Floor: Concrete ____ Dirt/Gravel ____

Vapor Barrier needed: Yes ____ No ____ Sq Ft: _____

Water issues?: Yes ____ No ____ Ductwork: Yes ____ No ____ Condition: Good ____ Poor ____

Above Grade Sq Ft: _____ Below Grade Sq Ft: _____ Pre-Existing R-Value: _____

Access to Band Joists: Yes ____ No ____ Linear Ft: _____ Pre-Existing R-Value: _____

Insulation Type: Fiberglass ____ Rigid Foam Board ____ None ____

Crawlspace walls insulated or obstructed already? Yes ____ No ____

DIAGNOSTICS:

Blower Door Test:

Pre-test CFM50: _____ Ext. Temperature: _____Location: Front ____ Side_____ Back _____

NOTES

	CFM Readings	Bath Fan Without Light	Bath Fan With Light	Need Vent Kit?
Bath Fan 1		☐	☐	☐
Bath Fan 2		☐	☐	☐
Bath Fan 3		☐	☐	☐

Reset Print

ASHRAE 62.2-2016 Ventilation

New or existing construction Existing

Dwelling unit is Detached

Use infiltration credit Yes

Closest weather station United States

Illinois

Chicago Midway AP

Weather and shielding factor [1/hr] = 0.56

Floor area [ft2] 0

Number of occupants 1

Dwelling height [ft]

Measured leakage @ 50Pa [CFM] 0

☐ **Use Advanced Blower Door Inputs**

☑ **Use Local Ventilation Alternative Compliance**

Kitchen included ☑ # Baths included 3

	Fan Flow [CFM]	Openable Window	Deficit [CFM]
Kitchen	0	✔	80
Bath #1		☐	
Bath #2		☐	
Bath #3		☐	

Total deficit [CFM] = 80

Dwelling-Unit Ventilation Results

Effective annual avg infiltration rate [CFM] =

Total required ventilation rate, Q_{tot} [CFM] =

Alternative compliance supplement [CFM] = 20

Infiltration credit, Q_{inf} [CFM] =

Required mechanical ventilation rate, Q_{fan} [CFM] =

Dwelling-Unit Ventilation Run-Time Solver

Fan capacity [CFM] 0

Fan run-time per hour [min] = 0.00

Dwelling-Unit Leakage Rate Solver

Target mechanical ventilation rate [CFM]

Corresponding measured leakage @ 50Pa [CFM] =

Version 2016-07-06_01:30

WORK TO BE PERFORMED			
QUANTITY PER HOME			
AIR SEALING (1 PER HOME)	0	CENTRAL AC REPLACEMENT	
DUCT SEALING (1 PER HOME)		FURNACE REPLACEMENT	
WATER HEATER REPLACEMENT		FURNACE TUNE UP	
THERMOSTAT		CO DETECTOR HARDWIRED	
BOILER REPLACEMENT		CO/SMOKE COMBO HARDWIRED	0
DOOR SWEEPS	0	EXHAUST FAN	0
WEATHER STRIPPING		EXHAUST FAN W/ LIGHT	0
SMOKE DETECTOR HARDWIRED		EXHAUST FAN VENT KIT	0
DRYER VENT KIT		FLUE REPAIRS	

NOTES ON WORK TO BE PERFORMED

Target post blower door= 0

HEALTH AND SAFETY			
GAS MECHANICAL REPAIRS		ASBESTOS ABATEMENT	
MOLD REMEDIATION		ELECTRICAL ISSUES	
WATER/SEWAGE ISSUES		OTHER REPAIRS NEEDED	

NOTES ON HEALTH AND SAFETY

INSULATION MEASURES			
ATTIC INSULATION (0-R11)	0	SQUARE FEET	0
ATTIC INSULATION (R12-19)	0	SQUARE FEET	0
BASEMENT WALL INSULATION		SQUARE FEET	
CRAWL SPACE WALL INSULATION	0	SQUARE FEET	0
KNEE WALL INSULATION	0	SQUARE FEET	0
FLOOR INSULATION ABOVE CRAWL		SQUARE FEET	
RIM JOIST	0	LINEAR FEET	0
INJECTION FOAM WALLS	0	SQUARE FEET	0

INSULATION NOTES

Attic Hatch

Attic Thermal Dome

Tyvek SqFt

Visqeen SqFt