ENERGY ASSESSMENT FIELD DATA TOOL

Completed By:_____ **Date:** _____

Name: _____ **Email:** _____

Phone: _____ **Address:** _____

City: _____ **State:** _____ **Zip:** _____

Notes:

EXTERIOR INSPECTION

Style: _____ **Est. Year Built:** _____ **Stories:** _____ **# of Bedrooms:**_____

(conditioned) Square Footage: _____ **Volume:** _____

Gutter Exist:	___ yes	___ no	**Gutter Condition:**	___ good ___ poor
Downspouts:	___ yes	___ no	**Repairs Needed:**	___ yes ___ no
Roof Condition:	___ good	___ average ___ poor	**Roof Approx. Age:**_____	
Roof Type:	___ Architecture	___ 3-Tab ___ Flat	**Repair Needed:**	___ yes ___ no
High Roof Venting Present:	___ yes	___ no	**Type:**	___ static ___ ridge
Chimney:	___ brick	___ metal	**Flashing Repair Needed:**	___ yes ___ no
Soffit Present:	___ yes	___ no	**Soffit Type:**_____	
Soffit Condition:	___ good	___ poor	**Soffit Repairs Needed:**	___ yes ___ no
Soffit Vents:	___ yes	___ no	**Soffit Chutes/Baffels Needed:**_____	

Notes:

INTERIOR INSPECTION

Mold:	___ yes	___ no	**Broken Glass:**	___ yes	___ no
Live Knob and Tube:	___ yes	___ no	**Wiring/Electrical Issues:**	___ yes	___ no
Moisture Problems Evident:	___ yes	___ no	**Water Leaks Present:**	___ yes	___ no
Roof Leaks:	___ yes	___ no	**Location:** _____		
Ceiling Condition:	___ good	___ poor	**Drop Ceiling:**	___ yes	___ no
Smoke Detector:	___ yes	___ no	**Wall Condition:** _____		
CO Detector:	___ yes	___ no	**Drywall Repair:**	___ yes	___ no
Recessed lighting:	___ yes	___ no	**Location:** _____		
			Dryer Vented Properly:	___ yes	___ no

DIRECT INSTALLS

Smoke detector: **Qty** ____

CO detector: **Qty** ____

Total 0____

DOOR TYPES

___ **Front**	**Existing Weather Stripping/Sweep:**	___ yes	___ no
___ **Back**	**Existing Weather Stripping/Sweep:**	___ yes	___ no
___ **Basement**	**Existing Weather Stripping/Sweep:**	___ yes	___ no
___ **Attic**	**Existing Weather Stripping/Sweep:**	___ yes	___ no

___ **Other:** _____ **Total weather stripping/sweep doors needed:** _____

Notes:

HATCHES

Scuttle: **Location:_____** **Qty:___** **Existing R Value:___** **R Value to be added:___**

Knee Wall: **Location:_____** **Qty:___** **Existing R Value:___** **R Value to be added:___**

Pull Down: **Location:_____** **Qty:___** **Existing R Value:___** **R Value to be added:___**

Walk Up: **Location:_____** **Qty:___** **Existing R Value:___** **R Value to be Added:___**

Hatches Created:___ **Scuttle:___** **Knee Wall:___**

Notes:

ATTIC

___ Finished ___Unfinished___ Flat **Pre Existing R Value: ____** **Sq Footage: ____** **R value to be added:**

Recessed Light: ___yes Qty:_____ **___no** **___ Straight Bow** **Storage Created: _____**

Ductwork Present: ___yes ___no **Ductwork Condition: ___good ___poor**

Lin. Ft of Ductwork to Insulate / Air seal: _____ **Floor Boards:___ yes ___ no**

Notes:

COLLAR BEAM

Pre Existing R Value: _____ **Sq Footage: _____** **R value to be added:**

Ductwork: ___yes ___no **Ductwork Condition: ___ good ___ poor**

Lin. Ft of Ductwork to Insulate / Airseal:

Accessibles: ___ yes ___ no **Cut In: ___yes ___no**

Notes:

OUTER CEILING JOIST

Pre Existing R Value: ____ Sq Footage: ____ Number of OCJs: ___ R value to be added:

Duct Work: ___yes ___no Ductwork Condition: ___good ___poor

Lin. Ft of Ductwork to Insulate / Air seal: _____

Accessible: ___yes ___no Cut In: ___yes ___no Floor Boards: ___yes ___no

Notes: _

KNEE WALLS

PreExisting R Value: ___ Sq Footage: ____ Plumbing Wall: ___ yes ___ no R value to be added:

Dense Pack Cellulose: ___ yes ___no Rigid Foam Board: ___yes ___no

Fiborglass batts: ___yes ___no

Wall Type: ___drywall ___plaster

Notes:

EXTERIOR WALLS

1st Floor	**Pre Existing R Value : _____ Wall Sq.Ft: _____ R value to be added:** **Window/Door Sq. Ft.: _____ Sq. Ft. ***Window/Door measurements only needed if t treating walls** **Cladding: ___Stucco ___wood lap ____ absestos shingle ___Masonry ___ aluminum ___vinyl ___other_____** **Wall Type: ___ drywall ___ plaster ___Insulate from Interior ___Insulate from Exterior** **Phenolic Foam: ___ yes ___ no Dense Pack Cellulose: ___ yes ___ no**
2nd Floor	**Pre Existing R Value : _____ Wall Sq.Ft: _____ R value to be added:** **Window/Door Sq. Ft.: _____ Sq. Ft. ***Window/Door measurements only needed if t treating walls** **Cladding: ___Stucco ___wood lap ____ absestos shingle ___Masonry ___ aluminum ___vinyl ___other_____** **Wall Type: ___drywall ___plaster ___Insulate from Interior ___Insulate from Exterior** **Phenolic Foam: ___yes ___no Dense Pack Cellulose: ___yes ___ no**

☐ Spoke to Owner about wall preparation Drilled Hole Location:_____

Notes:

FOUNDATION: ☐ no basement/slab on grade

Basement: ☐ Finished ☐ Unfinished w/framing ☐ Unfinished

Above grade Sq. Ft:_____ Below Grade Sq. Ft:_____

PreExisting R Value : _____

Insulation Type: ☐ Fiberglass ☐ Rigid Foam Board ☐ None

Access to Band Joints: ☐ yes ☐ no

Linear Ft:_____ PreExisting R Value:_____

Insulation Type: ☐ fiberglass ☐ Rigid Foam Board ☐ none

Plaster/Lath: ☐ yes ☐ no

Balloon Const. ☐ yes ☐ no

Absestos Pipe Present: ☐ yes ☐ no

Tested Negative: _____

Ductwork Present: ☐ yes ☐ no

Ductwork Condition: ☐ good ☐ poor

Lin. Ft of Ductwork to Insulate / AirSeal: _____

CRAWLSPACE:

Vented: ☐ yes #of vents_____ ☐ no

Crawl Floor: ☐ Concrete ☐ Dirt/Gravel

Vapor Barrier Needed: ☐ yes ☐ no Sq. Ft.

Water Issues in Crawl Space: ☐ yes ☐ no

Ductwork Present: ☐ yes ☐ no

Ductwork Condition: ☐ good ☐ poor

Lin. Ft of Ductwork to Insulate / AirSeal: _____

Above grade Sq. Ft:_____ Below Grade Sq. Ft:_____

PreExisting R Value : _____

Insulation Type: ☐ Fiberglass ☐ Rigid Foam Board ☐ none

Access to Band Joints: ☐ yes ☐ no

Linear Ft:_____ PreExisting R Value:_____

Insulation Type: ☐ fiberglass ☐ Rigid Foam Board ☐ none

Notes:

HEATING SYSTEM DETAILS

___ Forced Air ___ Hot Water Boiler ___ All Electric Forced Air ___ Resistance Heat ___ Heat Pump

Manufacturer: _____ Age: _____ Condition: _____ BTU: _____

Manufacturer: _____ Age: _____ Condition: _____ BTU: _____

Space Heater: ___ yes ___ no Vented: ___ yes ___ no Location: _____

Turn off Gas: ___ yes ___ no Flue Condition: _____ Draft: ___ good ___ poor ___ linear

Pipes Absestos wrapped: ___ yes ___ no Filter Size: _____

Notes:

COOLING SYSTEM DETAILS

Central ___ Window Units ___ None ___

Manufacturer: _____ Age: _____ Condition: _____ Size: _____ SEER:

Notes:

WATER HEATER

___ Natural Gas ___ Electric

Capacity BTU Insulated Pipes: ___ yes ___ no

How vented: ___ common ___ orphan ___ power vent Vented to: ___ Chimney ___ B-vent ___ Exterior

Manufacturer: _____ Age: _____ Condition: _____

flue pitch corrent ___ yes ___ no Rework: _____ Material Needed: _____

Notes:

Radon Mitigation

Radon Mitigation existing ___ yes ___ no Operational ___ yes ___ no

Notes:

DIAGNOSTICS: Mechanical Tests

Gas Leaks: ___ **yes** ___ **no** _____ **Ambient CO Level**

Gas Oven: ___ **yes** ___ **no** ___ **passed** ___ **failed**

Heating System:

PPM: _____ **Spillage in WCD:** ___ **yes, possible reason:**_____ ___ **no**

FLUE Angle Correct: ___ **yes** ___ **no** **Rework:** _____

Material Needed: _____

Hot Water System:

PPM: _____ **Spillage in WCD:** ___ **yes, possible reason:**_____ ___ **no**

Flue pitch Correct:___ **yes** ___ **no** **Rework:** _____

Material Needed: _____

Location of gas leak:

DIAGNOSTICS: Air Infiltration Tests

Blower Door Test:

Exterior Temperature:_____ **Location:** ___ **front** ___ **side** ___ **back** **Pre-Test CFM50:**_____

Fan Flow CFM Tested Rating:

Kitchen Fan CFM:____ **Window Present:** ___ **yes** ___ **no**

Bath Fan 1 CFM:_____ **Window Present:** ___ **yes** ___ **no**

Bath Fan 2 CFM:_____ **Window Present:** ___ **yes** ___ **no**

Bath Fan 3 CFM:_____ **Window Present:** ___ **yes** ___ **no**

Notes:

ASHRAE 62.2 CALCULATIONS

Building Infiltration Data:

Conditioned Floor Area:_____ Number of Bedrooms:_____

(.03 x Conditioned Floor Area_ + (7.5 x (number of Bedrooms + 1))= Building Ventilation

Rate Building Ventilation Rate:_____

Local Ventilation Rate:

	Exists	Fan Flow #	Initial Deficit	Operable Window	Deficit *
Kitchen 1	___ yes ___ no			___ yes ___ no	
Kitchen 2	___ yes ___ no			___ yes ___ no	
Bath 1	___ yes ___ no			___ yes ___ no	
Bath 2	___ yes ___ no			___ yes ___ no	
Bath 3	___ yes ___ no			___ yes ___ no	
Bath 4	___ yes ___ no			___ yes ___ no	
• NO individual deficit can be less than zero.				Total Deficit:	_____

Kitchen(s) 100 – Fan Flow – 20 (if window present) = Deficit

Bath(s) 50 – Fan Flow – 20 (if window present) = Deficit

Total Deficit / 4 = Local Supplement

Local Supplement:_____

Building Ventilation Rate + Local Supplement = Total Building Ventilation Rate

Total Building Ventilation Rate: _____

Infilatration Credit

Final Blower Door CFM:_____ Number of Stories: _____

Story Factor: 1=1, 1.5=1.18, 2=1.32, 2.5=1.44, 3=1.55

(0.052 X Blower Door CFM x .6 x Story Factor) = Total Infilatration Credit

Total Infilatration Credit: _____

Total Whole Building Ventilation Rate – Total Ventilation Credit = Total Mechanical Venilation CFM neeeded

Total Mechanical Venilation CFM Needed: _____

Weatherization Pricing Worksheet

Air sealing cost: $0.00 per CFM up to $0,000.00 maximum

Pre-Blower Door Test: _____ Blower Door Final: _____ x $0.00 per CFM = $_____

Air Sealing	Home			ea	$ 0
Duct Sealing	Home			ea	$ 0
Attic Insulation (none - R11)	Sq. Ft			SF	$ 0
Attic Insulation (R12 - R19)	Sq. Ft			SF	$ 0
Basement/crawl wall Insulation	Sq. Ft			SF	$ 0
Knee Wall Insulation	Sq. Ft			SF	$ 0
Floor Insulation Above Crawlspace	Sq. Ft			SF	$ 0
Rim Joist	Ln. Ft			LF	$ 0
Boiler Replacement	QTY			Ea	$ 0
Central Air Conditioning	QTY			Ea	$ 0
Furnace Replacement	QTY			Ea	$ 0
Furnace Tune-up	QTY			Ea	$ 0
				Total Cost Weatherization:	$ 0

Health and Safety Pricing Worksheet

9 Volt Battery Replacement	QTY			Ea	$ 0
CO Detector Hardwired	QTY			Ea	$ 0
CO/Smoke Detector combo Hardwired	QTY			Ea	$ 0
Exhaust Fan	QTY			Ea	$ 0
Exhaust Fan w/ Light	QTY			Ea	$ 0
Exhaust Fan vent Kit	QTY			Ea	$ 0
Gas Mechanical Repairs	QTY			Ea	$ 0
Misc.	QTY			Ea	$ 0
Smoke Detector Hardwired	QTY			Ea	$ 0
Vent Kit	QTY			Ea	$ 0
				Total Cost health and safety:	$ 0

Direct Install Measures Pricing

Bathroom Aerator	QTY			Ea	$ 0
Kitchen Aerator	QTY			Ea	$ 0
Indoor LEDs	QTY	0		Ea	$ 0
Pipe Insulation	Ln. Ft			LF	$ 0
				Total Cost Direct Install Measures:	$ 0
				Health and Safety totals from above:	$ 0
				Weatherization totals from above:	$ 0
				Complete job cost:	$ 0