Apply Knowledge And Experience To Input Stage {Efficient Version}

Calvin Pugmire

Overview:

Default {Al.{}File{}}s application process for physical three-dimensional human:
-r.S.I.p. is received.
-Id K.=E. applies {Al.{}File{}}s listed below to E.,
-K.=E. applies other {Al.{}File{}}s to E..
(-Thinking Program alters anything/everything during this process.)

Innate + default + override-able + null-percentage-indicator Id K.=E used in default {Al.{}File{}}s application process for physical three-dimensional human:
-Body {Al.{}File{}}s combination {includes input_port:receptor{_location} mapping}.
-{Al.{}i.M.d.{}}s: If T. containing r.S.I.p. {set of input_port:input_value pairs} from touch (+) taste (+) smell (+) sentience (+) self-awareness is in E. then body {Al.{}File{}}s combination + node {Al.{}i.O.d.{}}s with node_location {Al.{}i.O.d.{}}s {copy body {Al.{}File{}}s' receptors' locations} and node_field {Al.{}i.O.d.{}}s {use body {Al.{}File{}}s' receptors' shapes+sizes but in three-dimensional form} and node_value {Al.{}i.O.d.{}}s {cut+paste r.S.I.p.{'s input_values}} {receptor + input_value pairing is based on what input_port they are both assigned to} in E..
-{Al.{}i.M.d.{}}s: If body {Al.{}File{}}s combination + r.S.I.p.-carrying node {Al.{}i.O.d.{}}s from touch (+) sentience (+) self-awareness in E. then {Al.{}i.O.d.{}}s in (+) not in body {Al.{}File{}}s combination in E. {position, growth, damage, location, etc.} {indirectly alters body {Al.{}File{}}s combination}.
-{Al.{}i.M.d.{}}s: If T. containing r.S.I.p. {set of input_port:input_value pairs} from sound (+) sight is in E. + altered body {Al.{}File{}}s combination is in E. then node {Al.{}i.O.d.{}}s with node_location {Al.{}i.O.d.{}}s {triangulate via body {Al.{}File{}}s' receptors' + receptors' locations' location + direction + etc. {Al.{}i.O.d.{}}s} and node_field {Al.{}i.O.d.{}}s {use body {Al.{}File{}}s' receptors' shapes+sizes but in three-dimensional form and then scale based on distance} and node_value {Al.{}i.O.d.{}}s {cut+paste r.S.I.p.{'s input_values}} {receptor + input_value pairing is based on what input_port they are both assigned to} in E..
-{Al.{}i.M.d.{}}s: If T. containing r.S.I.p. {set of input_port:input_value pairs} in E. is empty then delete T. containing r.S.I.p. {set of input_port:input_value pairs} in E..

surrounding/encapsulating Files
{parts of}
Replace K.+E. stages 1-18

Kno.=Exp. {repeat until no more changes to E. are being made {no making doubles}}:	Scan stages {{for each individual stage:} repeat until no more changes to E. are being made {no making doubles}}:	Apply stages {{for each individual stage:} repeat until no more changes to E. are being made {no making doubles}}:	Connect stages {{for each individual stage:} repeat until no more changes to E. are being made {no making doubles}}:	Interact stages {{for each individual stage:} repeat until no more changes to E. are being made {no making doubles}}:	Create + Change stages {{for each individual stage:} repeat until no more changes to E. are being made {no making doubles}}:
r.S.I.p.	Scan for received r.S.I.p.. 1	18	18		
{Al.{}i.O.d.{}}s	Scan E..:video format Me.:last video format E. for {parts of} {Al.{}File{}}s that match {parts of} {Al.{}i.O.d.{}}:video format Me.:last video format E.:any video format:any frame format {latest version} -> {Al.{}i.O.d.{}} in frame format and change all the {Al.{}File{}}s that the {Al.{}i.O.d.{}} in frame format scan would affect* and calculate percentage indicator*s for all {Al.{}File{}}s involved {{Al.{}i.O.d.{}} in frame format} {back to front} {clear to blurry} {complex to simple}. 4 {Focus on {Al.{}File{}}s that cut+paste {parts of} r.S.I.p. from r.S.I.p. T. to other {Al.{}T.{}}s in E..:video format Me.:last video format E. and thereafter delete r.S.I.p. T..} 20 *"change all the {Al.{}File{}}s that the {Al.{}File{}} application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the {Al.{}File{}}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal {Al.{}File{}}s} that hinge on the previous setup} that the {Al.{}File{}} application creation/change/deletion {changes (+ deletes) other {Al.{}File{}}s' apply percentage indicators (+ applications) (->) {other-other {Al.{}File{}}s' apply percentage indicators (+ applications) {loop} (++) other {Al.{}File{}}s' other presences' apply percentage indicators (+ applications) {loop} (++) other {Al.{}File{}}s' connect (+) interact percentage indicators (+ connections (+) interactions) } {goto=use {Al.{}File{}} connection creation/change/deletion (+) {Al.{}File{}} interaction creation/change/deletion} (+++) {Al.{}File{}}'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s (->) remaining encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s' connection percentage indicators (+ connections) (->) remaining encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s' other presences' connection percentage indicators (+ connections) {loop}} (+) {Al.{}File{}}'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other {Al.{}File{}}s' interaction percentage indicators (+ interactions) (->) other {Al.{}File{}}s' other presences' interaction percentage indicators (+ interactions) {loop} (+) {Al.{}File{}}'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected {Al.{}File{}}s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of {Al.'s internal} i.O.d. happening in the {Al.'s internal} {parts of} Files it (in Al. form) is going to be applied to {using 1 {{Al.'s internal} i.O.d.} (xx 1 {one appearance of {Al.{}i.O.d.{}} in E..:video format Me.:last video format E.} x apply percentage indicator for that appearance (as 1.0 – 0.0) x similarity between the {parts of} {Al.{}File{}}s it was applied to in that appearance and the {parts of} {Al.{}File{}}s it is going to be applied to {as 1.0 – 0.0} + 1x% + 1x% + etc. for all appearances) over 1 {{Al.'s internal} i.O.d.} (xx 1x% + 1x% + 1x% + etc) for all appearances) (+ 1 {mutually-exclusive-with-{Al.'s-internal}-i.O.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc) for all appearances) (+ 1 {mutually-exclusive-with-{Al.'s-internal}-i.O.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc) for all appearances)) (+ etc.) for all mutually-exclusive-with-{Al.'s-internal}-i.O.d. apply-able combinations x sum {max. of 100%} of product of percentage indicators for {Al.{}File{}}s that {Al.{}i.O.d.{}} is going to be applied to {{Al.{}File{}}s that are present during {Al.{}i.O.d.{}} x identicality between {Al.{}i.O.d.{}} and the {parts of} {Al.{}File{}}s it is going to be applied to {as 1.0 – 0.0}}s for all {Al.{}File{}}s groups {Al.{}i.O.d.{}} is going to be applied to {all {Al.{}File{}}s groups that supply the same {parts of} {Al.{}File{}}s}} {if % of happening is <100% then i.O.d. becomes Al.{i.O.d.}}". *"calculate percentage indicator" = "set percentage indicator for the probability of {Al.'s internal} i.O.d. happening in the {Al.'s internal} {parts of} Files it (in Al. form) is going to be applied to {using 1 {{Al.'s internal} i.O.d.} (xx 1 {one appearance of {Al.{}i.O.d.{}} in E..:video format Me.:last video format E.} x apply percentage indicator for that appearance (as 1.0 – 0.0) x similarity between the {parts of} {Al.{}File{}}s it was applied to in that appearance and the {parts of} {Al.{}File{}}s it is going to be applied to {as 1.0 – 0.0} + 1x% + 1x% + etc. for all appearances) over 1 {{Al.'s internal} i.O.d.} (xx 1x% + 1x% + 1x% + etc. for all appearances) (+ 1 {mutually-exclusive-with-{Al.'s-internal}-i.O.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc. for all appearances) (+ 1 {mutually-exclusive-with-{Al.'s-internal}-i.O.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc. for all appearances)) (+ etc.) for all mutually-exclusive-with-{Al.'s-internal}-i.O.d. apply-able combinations x sum {max. of 100%} of product of percentage indicators for {Al.{}File{}}s that {Al.{}i.O.d.{}} is being applied to {{Al.{}File{}}s that are present during {Al.{}i.O.d.{}}} x identicality between {Al.{}i.O.d.{}} and the {parts of} {Al.{}File{}}s it is being applied to {as 1.0 – 0.0}}s for all {Al.{}File{}}s groups {Al.{}i.O.d.{}} is being applied to {all {Al.{}File{}}s groups that supply the same {parts of} {Al.{}File{}}s}} {if % of happening is <100% then i.O.d. becomes Al.{i.O.d.}}".	Apply {Al.{}i.O.d.{}} in frame format to E..:video format Me.:last video format E. and change all the {Al.{}File{}}s that the {Al.{}i.O.d.{}} in frame format application creation would affect* and calculate percentage indicator*s for all {Al.{}File{}}s involved {{Al.{}i.O.d.{}} in frame format} {back to front} {clear to blurry} {complex to simple}. 11 {Focus on {Al.{}File{}}s that cut+paste {parts of} r.S.I.p. from r.S.I.p. T. to other {Al.{}T.{}}s in E..:video format Me.:last video format E. and thereafter delete r.S.I.p. T..} 27 *"change all the {Al.{}File{}}s that the {Al.{}File{}} application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the {Al.{}File{}}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal {Al.{}File{}}s} that hinge on the previous setup} that the {Al.{}File{}} application creation/change/deletion {changes (+ deletes) other {Al.{}File{}}s' apply percentage indicators (+ applications) (->) {other-other {Al.{}File{}}s' apply percentage indicators (+ applications) {loop} (++) other {Al.{}File{}}s' other presences' apply percentage indicators (+ applications) {loop} (++) other {Al.{}File{}}s' connect (+) interact percentage indicators (+ connections (+) interactions) } {goto=use {Al.{}File{}} connection creation/change/deletion (+) {Al.{}File{}} interaction creation/change/deletion} (++) {Al.{}File{}}'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s (->) remaining encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s' connection percentage indicators (+ connections) (->) remaining encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s' other presences' connection percentage indicators (+ connections) {loop}} (+) {Al.{}File{}}'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other {Al.{}File{}}s' interaction percentage indicators (+ interactions) (->) other {Al.{}File{}}s' other presences' interaction percentage indicators (+ interactions) {loop} (+) {Al.{}File{}}'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected {Al.{}File{}}s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of {Al.'s internal} i.O.d. happening in the {Al.'s internal} {parts of} Files it (in Al. form) is being applied to {using 1 {{Al.'s internal} i.O.d.} (xx 1 {one appearance of {Al.{}i.O.d.{}} in E..:video format Me.:last video format E.} x apply percentage indicator for that appearance (as 1.0 – 0.0) x similarity between the {parts of} {Al.{}File{}}s it was applied to in that appearance and the {parts of} {Al.{}File{}}s it is going to be applied to {as 1.0 – 0.0} + 1x% + 1x% + etc. for all appearances) over 1 {{Al.'s internal} i.O.d.} (xx 1x% + 1x% + 1x% + etc. for all appearances) (+ 1 {mutually-exclusive-with-{Al.'s-internal}-i.O.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc. for all appearances) (+ 1 {mutually-exclusive-with-{Al.'s-internal}-i.O.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc. for all appearances)) (+ etc.) for all mutually-exclusive-with-{Al.'s-internal}-i.O.d. apply-able combinations x sum {max. of 100%} of product of percentage indicators for {Al.{}File{}}s that {Al.{}i.O.d.{}} is being applied to {{Al.{}File{}}s that are present during {Al.{}i.O.d.{}}} x identicality between {Al.{}i.O.d.{}} and the {parts of} {Al.{}File{}}s it is being applied to {as 1.0 – 0.0}}s for all {Al.{}File{}}s groups {Al.{}i.O.d.{}} is being applied to {all {Al.{}File{}}s groups that supply the same {parts of} {Al.{}File{}}s}} {if % of happening is <100% then i.O.d. becomes Al.{i.O.d.}}".	Connect {Al.{}i.O.d.{}} in frame format to {Al.{}i.O.d.{}} in video format {as single appearance} *{based on identity + identicality of {Al.{}i.O.d.{}} in frame format + {Al.{}i.O.d.{}} in video format ++ identity + identicality of {Al.{}i.A.d.{}}s interacting with {Al.{}i.O.d.{}} in frame format + {Al.{}i.O.d.{}} in video format ++ identity + identicality of {Al.{}i.O.d.{}} in frame formats in node{_field}-{Al.{}i.O.d.{}} contact with {Al.{}i.O.d.{}} in frame format + {Al.{}i.O.d.{}} in video formats in node{_field}-{Al.{}i.O.d.{}} contact with {Al.{}i.O.d.{}} in video format}* {i.O.d. takes over Al.{i.O.d.}} + connect {Al.{}i.O.d.{}} in video format to {Al.{}i.O.d.{}} video format E. {as all appearances} *{based on identity + identicality of {Al.{}i.O.d.{}} in video format + {Al.{}i.O.d.{}} in video format E. ++ identity + identicality of {Al.{}i.A.d.{}}s interacting with {Al.{}i.O.d.{}} in video format + {Al.{}i.O.d.{}} in video format E.;}* {i.O.d. takes over Al.{i.O.d.}} + connect {Al.{}i.O.d.{}} in video format E. to {Al.{}i.O.d.{}} in video format Me. {based on identicality of {parts of} {Al.{}File{}}s that {parts of} {Al.{}i.O.d.{}} in video format E. and {parts of} {Al.{}i.O.d.{}}:video format Me.:last-1 video format E. are applied to {if {Al.{}i.O.d.{}} in video format E. {1 + 2 + etc.} / {Al.{}i.O.d.{}} in video format Me. {1 + 2 + etc.} all qualify to be connected to {Al.{}i.O.d.{}} in video format Me. / {Al.{}i.O.d.{}} in video format E., create copy of {Al.{}i.O.d.{}} in video format Me. / {Al.{}i.O.d.{}} in video format E. for each {Al.{}i.O.d.{}} in video format E. / {Al.{}i.O.d.{}} in video format Me. and connect them}} {i.O.d. takes over Al.{i.O.d.}} and change all the {Al.{}File{}}s that the various connection{ creation}s would affect* and calculate percentage indicator*s for all {Al.{}File{}}s involved {{Al.{}i.O.d.{}}:video format Me.:last video format E.:video format:frame format, {Al.{}i.O.d.{}}:video format Me.:last video format E., and {Al.{}i.O.d.{}}:video format Me.} {back to front}} {clear to blurry} {complex to simple}. 34 *"change all the {Al.{}File{}}s that the {Al.{}File{}} application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the {Al.{}File{}}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal {Al.{}File{}}s} that hinge on the previous setup} that the {Al.{}File{}} application creation/change/deletion {changes (+ deletes) other {Al.{}File{}}s' apply percentage indicators (+ applications) (->) {other-other {Al.{}File{}}s' apply percentage indicators (+ applications) {loop} (++) other {Al.{}File{}}s' other presences' apply percentage indicators (+ applications) {loop} (++) other {Al.{}File{}}s' connect (+) interact percentage indicators (+ connections (+) interactions) } {goto=use {Al.{}File{}} connection creation/change/deletion (+) {Al.{}File{}} interaction creation/change/deletion} (++) {Al.{}File{}}'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s (->) remaining encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s' connection percentage indicators (+ connections) (->) remaining encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s' other presences' connection percentage indicators (+ connections) {loop}} (+) {Al.{}File{}}'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other {Al.{}File{}}s' interaction percentage indicators (+ interactions) (->) other {Al.{}File{}}s' other presences' interaction percentage indicators (+ interactions) {loop} (+) {Al.{}File{}}'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected {Al.{}File{}}s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of {Al.'s internal} i.O.d. connecting to the {Al.'s internal} i.O.d. it (in Al. form) is being connected to {using 1 {{Al.'s internal} i.O.d.} (xx 1 {one appearance of connection to {Al.{}i.O.d.{}} in E..:video format Me.:last video format E.} x connect percentage indicator for that connection (as 1.0 – 0.0) x similarity between the {parts of} {Al.{}File{}}s it was connected to in that appearance and the {parts of} {Al.{}File{}}s it is being connected to {as 1.0 – 0.0} + 1x% + 1x% + etc. for all connection appearances) over 1 {{Al.'s internal} i.O.d.} (xx 1x% + 1x% + 1x% + etc. for all connection appearances) (+ 1 {mutually-exclusive-with-{Al.'s-internal}-i.O.d. connect-able combination} (xx 1x% + 1x% + 1x% + etc. for all connection appearances) (+ 1 {mutually-exclusive-with-{Al.'s-internal}-i.O.d. connect-able combination} (xx 1x% + 1x% + 1x% + etc. for all connection appearances) (+ etc.) for all mutually-exclusive-with-{Al.'s-internal}-i.O.d. connect-able combinations x product of percentage	" no 'if outside input', inputs -> files, change 'in seamless contact', add variables to % indicator Interact {Al.{}i.O.d.{}}:video format Me.:last video format E..:video format with {Al.{}i.O.d.{}}:video format Me.:last video format E..:video format:frame formats (+) {Al.{}O.{}}:video format Me.:last video format E.s { -> {Al.{}O.{}}:video format Me.:last-1 video format E.s { + from clearer levels} that are parts of its internality {using identicality between {parts of} {Al.{}i.O.d.{}}:video format Me.:last video format E.:video format and {Al.{}i.O.d.{}}:video format Me.:last video format E..:video format:frame formats (+) {Al.{}O.{}}:video format Me.:last video format E.s that have locations within {parts of} {Al.{}File{}}s that {Al.{}i.O.d.{}}:video format Me.:last video format E..:video format is applied to} and change all the {Al.{}File{}}s that the various interaction{ creation}s would affect* and calculate percentage indicator*s for all {Al.{}File{}}s involved {{Al.{}i.O.d.{}}:video format Me.:last video format E..:video format, {Al.{}i.O.d.{}}:video format Me.:last video format E..:video format:frame formats, and {Al.{}O.{}}:video format Me.:last video format E.s} {{back to front}} {clear to blurry} {complex to simple}. 41 *"change all the {Al.{}File{}}s that the {Al.{}File{}} application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the {Al.{}File{}}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal {Al.{}File{}}s} that hinge on the previous setup} that the {Al.{}File{}} application creation/change/deletion {changes (+ deletes) other {Al.{}File{}}s' apply percentage indicators (+ applications) (->) {other-other {Al.{}File{}}s' apply percentage indicators (+ applications) {loop} (++) other {Al.{}File{}}s' other presences' apply percentage indicators (+ applications) {loop} (++) other {Al.{}File{}}s' connect (+) interact percentage indicators (+ connections (+) interactions) } {goto=use {Al.{}File{}} connection creation/change/deletion (+) {Al.{}File{}} interaction creation/change/deletion} (+++) {Al.{}File{}}'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s (->) remaining encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s' connection percentage indicators (+ connections) (->) remaining encapsulating {Al.{}File{}}'s internal {Al.{}File{}}s' other presences' connection percentage indicators (+ connections) {loop}} (+) {Al.{}File{}}'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other {Al.{}File{}}s' interaction percentage indicators (+ interactions) (->) other {Al.{}File{}}s' other presences' interaction percentage indicators (+ interactions) {loop} (+) {Al.{}File{}}'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected {Al.{}File{}}s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of {Al.'s internal} i.O.d. interacting with {having {Al.'s internal} i.O.d./O. as part of its internality} the {Al.'s internal} i.O.d./O. it (in Al. form) is being interacted with {using product of percentage indicators for {Al.'s internal} i.O.d.'s internal {{Al.'s internal} i.O.d.s' internal} apply stages {ones that are present during the interaction} x product of percentage indicators for {Al.'s internal} i.O.d.'s/O.'s internal {{Al.'s internal}/O.s' internal} {Al.'s internal} i.O.d.s' internal} apply stages {ones that are present during the interaction}}".	If E..:video format Me.:last video format E. has no {Al.{}i.O.d.{}}:video format Me.:last video format E. in it. in Me.. then Change {add placeholder {keeps {Al.{}i.O.d.{}}:video format Me.:last video format E. identical to {Al.{}i.O.d.{}}:video format Me.:last-1 video format E. but without applying to / connecting in / interacting in E..:video format Me.:last video format E.} {Al.{}i.O.d.{}}:video format Me.:last video format E. to} {Al.{}i.O.d.{}} in Me.. in Me.. {clear to blurry} {complex to simple} 1 _____ !If {Al.{}i.O.d.{2}{}}:video format Me.:any video format E.:any video format:any frame format is identical -> smaller than {Al.{}i.O.d.{1}{}}:video format Me.:last video format E.:any video format:any frame format {ignore surrounding/encapsulating {Al.{}File{}}ss} {!only applicable to etc. {Al.{}i.O.d.{}}s}. in Me.{:video format Me.:last video format E. {Me. frame}}. then Change {Al.{}i.O.d.{2}{}} in frame format {add in new surrounding/encapsulating {Al.{}File{}}s ++ reApply**** + reConnect** + reInteract** + reCreate/Change**} + {Al.{}i.O.d.{1}{}} in frame format {remove part that {Al.{}i.O.d.{2}{}} in frame format was identical to ++ add {Al.{}i.O.d.{2}{}} in frame format + {parts of} {Al.{}File{}}s that {Al.{}i.O.d.{2}{}} in frame format was=is applied to as part of surrounding/encapsulating {Al.{}File{}}s ++ reApply****.* reConnect** + reInteract** + run all Create+Change** stages {no making doubles}} {!only applicable to etc. {Al.{}i.O.d.{}}s}. in Me.:video format Me.:last video format E. {Me. Frame}. or !No I.O.d.s are subdividable!? If {Al.{}i.O.d.{2}{}}:video format Me.:last video format E.:any video format:any frame format is identical to {Al.{}i.O.d.{1}{}}:video format Me.:last video format E.:any video format:any frame format but has different surrounding/encapsulating {Al.{}File{}}ss than {Al.{}i.O.d.{1}{}}:video format Me.:last video format E.:any video format:any frame format. in Me.{:video format Me.:last video format E. {Me. frame}}. then Change {Al.{}i.O.d.{1}{}} in frame format {add in new surrounding/encapsulating {Al.{}File{}}s ++ reApply**** + reConnect** + reInteract** + run all Create+Change** stages {no making doubles}} + {Al.{}i.O.d.{2}{}}:video format Me.:last video format E. {delete}. in Me.:video format Me.:last video format E. {Me. Frame}. _____ {clear to blurry} {complex to simple} 2 _____ If {Al.{}File{}}:video format Me.:last video format E.{:video format}:frame formats {parts of} {Al.{}File{}}s ((+) surrounding/encapsulating {Al.{}File{}}ss) in E..:video format Me.:last video format E. doesn't have mutually exclusive or exactly identical {Al.{}i.O.d.{}}:video format Me.:last video format E..:video format:frame formats applied to it. in Me.:video format Me.:last video format E. {Me. frame}. then Create {Al.{}i.O.d.{}} in frame formats {use {Al.{}File{}}:video format Me.:last video format E. {:video format}:frame formats {parts of} {Al.{}File{}}s' qualities=details ((+) surrounding/encapsulating {Al.{}File{}}ss) {given by {{Al.{}File{}}s in} E..:video format Me.:last video format E.} to make {Al.{}i.O.d.{}} in frame formats {add {Al.{}U.{}}s in {unwitnessed (+) unperceived areas of} {Al.'s internal} i.O.d. in frame formats {percentage indicators of {Al.{}U.{}}s = percentage indicators of their host {Al.'s internal} i.O.d. in frame formats}} ++ Apply**** + Connect** + Interact** + run all Create+Change** stages {no making doubles}}. in Me.:video format Me.:last video format E. {Me. frame}. {clear to blurry} {complex to simple} 3

			indicators for (Al.`s internal) i.O.d.`s internal {(Al.`s internal) i.O.d.`s internal} apply stages {ones that are present during (Al.{i.O.d.()}) {video format E.}}' / "set percentage indicator for the probability of (Al.`s internal) i.O.d. connecting to the (Al.`s internal) i.O.d. it (in Al. form) is being connected to {using product of percentage indicators for (Al.`s internal) i.O.d.`s internal {(Al.`s internal) i.O.d.`s internal (Al.`s internal) i.O.d.`s internal} apply stages}. {video format Me.}".		
(Al.{i.A.d.()}s	*** Scan I. in frame format + I.:video format Me.:last video format E. ++ E.:video format Me.:last video format E. for {part=section=quality of} (Al.{Input()}s (+) {part=section=quality of} (Al.{File()}s (+) (Al.{Input section()}s (+) (Al.{encapsulating_File()}s that matches {parts of {if {parts of} proposed (Al.{i.A.d.()} in video format is outside of (Al.{Input()})} (Al.{i.A.d.()}:video format Me.:last video format E.:any video format {latest version} -> (Al.{i.A.d.()} in video format and change all the (Al.{File()}s that the (Al.{i.A.d.()} in video format scan would affect* and calculate percentage indicator*s for all (Al.{File()}s involved {(Al.{i.A.d.()} in video format} {clear to blurry} {complex to simple} (Al.{File()}s with known location {inside-body (Al.{File()}s etc.} only}. 5 Scan I.:video format Me.:last video format E. + E.:video format Me.:last video format E. for {part=section=quality of} (Al.{Input()}s (+) {part=section=quality of} (Al.{File()}s (+) (Al.{Input section()}s (+) (Al.{encapsulating_File()}s that matches {parts of {if {parts of} proposed (Al.{i.A.d.()} in video format is outside of (Al.{Input()})} (Al.{i.A.d.()}:video format Me.:last video format E.:any video format {latest version} -> (Al.{i.A.d.()} in video format and change all the (Al.{File()}s that the (Al.{i.A.d.()} in video format scan would affect* and calculate percentage indicator*s for all (Al.{File()}s involved {(Al.{i.A.d.()} in video format} {back to front} {clear to blurry} {complex to simple}. 21 *"change all the (Al.{File()}s that the (Al.{}File()) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{File()}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{File()}s} that hinge on the previous setup} that the (Al.{File()) application creation/change/deletion {changes (+ deletes) other (Al.{File()}s' apply percentage indicators (+ applications) (->) other-other (Al.{File()}s' apply percentage indicators (+ applications) (loop) (++) other (Al.{File()}s' other presences' apply percentage indicators (+ applications) (loop) (++) other (Al.{File()}s' connect (+) interact percentage indicators (+ connections (+) interactions) (goto=use (Al.{File()) connection creation/change/deletion (+) (Al.{File()) interaction creation/change/deletion) (++ +) (Al.{File()')s other presences' apply percentage indicators (+ applications) (loop)} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{File()')s internal (Al.{File()}s (->) remaining encapsulating (Al.{File()')s internal (Al.{File()}s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{File()')s internal (Al.{File()}s' other presences' connection percentage indicators (+ connections) (loop)} / interaction creation/change/deletion {changes other (Al.{File()}s' interaction percentage indicators (+ interactions) (->) other (Al.{File()}s' other presences' interaction percentage indicators (+ interactions) (loop) (+) (Al.{File()')s other presences' interaction percentage indicators (+ interactions) (loop)} would affect {loop + repeat for=on all affected (Al.{File()}s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of (Al.`s internal) i.A.d. happening in the (part=section=quality of) (Al.`s internal) Inputs (+) (part=section=quality of) (Al.`s internal) Files ( + ) (Al.`s internal) Input_sections (+) (Al.`s internal) encapsulating_Files it (in Al. form) is going to be applied to {using 1 ((Al.`s internal) i.A.d.} (xx 1 {one appearance of (Al.{i.A.d.()} in (Al.{Input()}s in I.:video format Me.:last video format E.} (+) E.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.) x apply percentage indicator for that appearance {as 1.0 – 0.0} + 1x% + 1x% + etc. for all appearances) over 1 ((Al.`s internal) i.A.d.} ( xx 1x% + 1x% + 1x% + etc. for all appearances) over 1 ((Al.`s internal) i.A.d.} (xx 1x% + 1x% + 1x% + etc. for all appearances) (+ 1 {mutually-exclusive-with-(Al.`s-internal)-i.A.d. apply-able combination} ( xx 1x% + 1x% + 1x% + etc. for all appearances) ( + 1 {mutually-exclusive-with-(Al.`s-internal)-i.A.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc. for all appearances)) (+ etc.) for all mutually-exclusive-with-(Al.`s-internal)-i.A.d. apply-able combinations x sum {max. of 100%} of product of percentage indicators for (Al.{Input()}s (+) (Al.{File()}s (Al.{i.A.d.()}) is going to be built on ((Al.{Input()}s (+) (Al.{File()}s that are present during (Al.{i.A.d.()})}s for all (Al.{Input()}s (+) (Al.{File()}s groups (Al.{i.A.d.()}) is going to be built on {all (Al.{Input()}s (+) (Al.{File()}s groups that supply the same (part=section=quality of) (Al.{Input()}s (+) (part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s (part=section=quality of) (Al.{Input()}s (+) (part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s that (Al.{i.A.d.()} is going to be applied to}}} (if % of happening is <100% then I.A.d. becomes Al.{I.A.d.}}".	Apply (Al.{i.A.d.()} in video format to I. in frame format + I.:video format Me.:last video format E. ++ E.:video format Me.:last video format E. {brings I. in frame format with it} and change all the (Al.{File()}s that the (Al.{i.A.d.()} in video format application creation would affect* and calculate percentage indicator*s for all (Al.{File()}s involved {(Al.{i.A.d.()} in video format} {clear to blurry} {complex to simple} {(Al.{File()}s with known location {inside-body (Al.{File()}s etc.} only}. 12 Apply (Al.{i.A.d.()} in video format to I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. and change all the (Al.{File()}s that the (Al.{i.A.d.()} in video format application creation would affect* and calculate percentage indicator*s for all (Al.{File()}s involved {(Al.{i.A.d.()} in video format} {back to front} {clear to blurry} {complex to simple}. 28 *"change all the (Al.{File()}s that the (Al.{}File()) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{File()}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{File()}s} that hinge on the previous setup} that the (Al.{File()) application creation/change/deletion {changes (+ deletes) other (Al.{File()}s' apply percentage indicators (+ applications) (->) other-other (Al.{File()}s' apply percentage indicators (+ applications) (loop) (++) other (Al.{File()}s' other presences' apply percentage indicators (+ applications) (loop) (++) other (Al.{File()}s' connect (+) interact percentage indicators (+ connections (+) interactions) (goto=use (Al.{File()) connection creation/change/deletion (+) (Al.{File()) interaction creation/change/deletion) (++ +) (Al.{File()')s other presences' apply percentage indicators (+ applications) (loop)} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{File()')s internal (Al.{File()}s (->) remaining encapsulating (Al.{File()')s internal (Al.{File()}s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{File()')s internal (Al.{File()}s' other presences' connection percentage indicators (+ connections) (loop)} / interaction creation/change/deletion {changes other (Al.{File()}s' interaction percentage indicators (+ interactions) (->) other (Al.{File()}s' other presences' interaction percentage indicators (+ interactions) (loop) (+) (Al.{File()')s other presences' interaction percentage indicators (+ interactions) (loop)} would affect {loop + repeat for=on all affected (Al.{File()}s until no more changes to E. are being made {no making doubles}}".	*"calculate percentage indicator" = "set percentage indicator for the probability of (Al.`s internal) i.A.d. happening in the (part=section=quality of) (Al.`s internal) Inputs (+) (part=section=quality of) (Al.`s internal) Files ( + ) (Al.`s internal) Input_sections (+) (Al.`s internal) encapsulating_Files it (in Al. form) is being applied to {using 1 ((Al.`s internal) i.A.d.} (xx 1 {one appearance of (Al.{i.A.d.()} in (Al.{Input()}s in I.:video format Me.:last video format E.} (+) E.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.) x apply percentage indicator for that appearance {as 1.0 – 0.0} + 1x% + 1x% + etc. for all appearances) over 1 ((Al.`s internal) i.A.d.} ( xx 1x% + 1x% + 1x% + etc. for all appearances) over 1 ((Al.`s internal) i.A.d.} (xx 1x% + 1x% + 1x% + etc. for all appearances) (+ 1 {mutually-exclusive-with-(Al.`s-internal)-i.A.d. apply-able combination} ( xx 1x% + 1x% + 1x% + etc. for all appearances) ( + 1 {mutually-exclusive-with-(Al.`s-internal)-i.A.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc. for all appearances)) (+ etc.) for all mutually-exclusive-with-(Al.`s-internal)-i.A.d. apply-able combinations x sum {max. of 100%} of product of percentage indicators for (Al.{Input()}s (+) (Al.{File()}s (Al.{i.A.d.()}) is built on {(Al.{Input()}s (+) (Al.{File()}s that are present during (Al.{i.A.d.()})}s for all (Al.{Input()}s (+) (Al.{File()}s groups (Al.{i.A.d.()}) is built on {all (Al.{Input()}s (+) (Al.{File()}s groups that supply the same (part=section=quality of) (Al.{Input()}s (+) (part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s (part=section=quality of) (Al.{Input()}s (+) (part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s that (Al.{i.A.d.()} is being applied to}}} (if % of happening is <100% then I.A.d. becomes Al.{I.A.d.}}".	Connect (Al.{i.A.d.()} in video format to (Al.{i.A.d.()} in video format E. {as all appearances} {based on identity + identicality of (Al.{i.A.d.()} in video format + (Al.{i.A.d.()} in video format E.} (i.A.d. takes over Al.{i.A.d.}} + Connect (Al.{i.A.d.()} in video format E. to (Al.{i.A.d.()} in video format Me. {based on identicality of (part=section=quality of) (Al.{File()}s that (parts of) (Al.{i.A.d.()} in video format E. and (parts of) (Al.{i.A.d.()}:video format Me.:last-1 video format E. are applied to {if (Al.{i.A.d.()} in video format E. {1 + 2 + etc.} / (Al.{i.A.d.()} in video format Me. {1 + 2 + etc.} all qualify to be connected to (Al.{i.A.d.()} in video format Me. / (Al.{i.A.d.()} in video format E., create copy of (Al.{i.A.d.()} in video format Me. / (Al.{i.A.d.()} in video format E. for each (Al.{i.A.d.()} in video format E. / (Al.{i.A.d.()} in video format Me. and connect them}} {i.A.d. takes over Al.{i.A.d.}} and change all the (Al.{File()}s that the various connection{ creation}s would affect* and calculate percentage indicator*s for all (Al.{File()}s involved {(Al.{i.A.d.()} in video format} {back to front} {clear to blurry} {complex to simple}. 35 {I.:video format Me.:last video format E..}	*"change all the (Al.{File()}s that the (Al.{}File()) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{File()}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{File()}s} that hinge on the previous setup} that the (Al.{File()) application creation/change/deletion {changes (+ deletes) other (Al.{File()}s' apply percentage indicators (+ applications) (->) other-other (Al.{File()}s' apply percentage indicators (+ applications) (loop) (++) other (Al.{File()}s' other presences' apply percentage indicators (+ applications) (loop) (++) other (Al.{File()}s' connect (+) interact percentage indicators (+ connections (+) interactions) (goto=use (Al.{File()) connection creation/change/deletion (+) (Al.{File()) interaction creation/change/deletion) (++ +) (Al.{File()')s other presences' apply percentage indicators (+ applications) (loop)} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{File()')s internal (Al.{File()}s (->) remaining encapsulating (Al.{File()')s internal (Al.{File()}s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{File()')s internal (Al.{File()}s' other presences' connection percentage indicators (+ connections) (loop)} / interaction creation/change/deletion {changes other (Al.{File()}s' interaction percentage indicators (+ interactions) (->) other (Al.{File()}s' other presences' interaction percentage indicators (+ interactions) (loop) (+) (Al.{File()')s other presences' interaction percentage indicators (+ interactions) (loop)} would affect {loop + repeat for=on all affected (Al.{File()}s until no more changes to E. are being made {no making doubles}}".	Interact (Al.{i.A.d.()}:video format Me.:last video format E.:video format with (Al.{i.A.d.()}:video format Me.:last video format E.:video formats (+) (Al.{(Al.{i.A.d.()}:video format Me.:last video format E.:video formats (+ from clearer levels) that are parts of its internality {using identicality between (parts of) (Al.{i.A.d.()}:video format Me.:last video format E.:video format and (Al.{i.A.d.()}:video format Me.:last video format E.:video formats (+) (Al.{Al.()}:video format Me.:last video format E.:video formats that have locations within {part=section=quality of} (Al.{Input()}s + {part=section=quality of} (Al.{File()}s that is (Al.{i.A.d.()}:video format Me.:last video format E.:video format {(part=section=quality of) (Al.{Input()}s + {part=section=quality of) (Al.{File()}s that (Al.{i.A.d.()}:video format Me.:last video format E.:video format is applied to}} +++ (Al.{File()}s in {part=section=quality of) (Al.{Input(1)}s + {part=section=quality of) (Al.{File(1)}s ++ {part=section=quality of) (Al.{Input(2)}s + {part=section=quality of) (Al.{File(2)}s ++ {part=section=quality of) (Al.{Input(3)}s + {part=section=quality of) (Al.{File(3)}s areas and change all the (Al.{File()}s that the various interaction{ creation}s would affect* and calculate percentage indicator*s for all (Al.{File()}s involved {(Al.{i.A.d.()}:video format Me.:last video format E.:video format, (Al.{i.A.d.()}:video format Me.:last video format E.:video formats. (Al.{i.A.()}:video format Me.:last video format E.:video formats, and (Al.{File()}s in {part=section=quality of) (Al.{Input(1)}s + {part=section=quality of) (Al.{File(1)}s ++ {part=section=quality of) (Al.{Input(2)}s + {part=section=quality of) (Al.{File(2)}s ++ {part=section=quality of) (Al.{Input(3)}s + {part=section=quality of) (Al.{File(3)}s areas} {(back to front} {clear to blurry} {complex to simple}. 42 {I.:video format Me.:last video format E..}	*"change all the (Al.{File()}s that the (Al.{File()) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{File()}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{File()}s} that hinge on the previous setup} that the (Al.{File()) application creation/change/deletion {changes (+ deletes) other (Al.{File()}s' apply percentage indicators (+ applications) (->) other-other (Al.{File()}s' apply percentage indicators (+ applications) (loop) (++) other (Al.{File()}s' other presences' apply percentage indicators (+ applications) (loop) (++) other (Al.{File()}s' connect (+) interact percentage indicators (+ connections (+) interactions) (goto=use (Al.{File()) connection creation/change/deletion (+) (Al.{File()) interaction creation/change/deletion) (++ +) (Al.{File()')s other presences' apply percentage indicators (+ applications) (loop)} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{File()')s internal (Al.{File()}s (->) remaining encapsulating (Al.{File()')s internal (Al.{File()}s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{File()')s internal (Al.{File()}s' other presences' connection percentage indicators (+ connections) (loop)} / interaction creation/change/deletion {changes other (Al.{File()}s' interaction percentage indicators (+ interactions) (->) other (Al.{File()}s' other presences' interaction percentage indicators (+ interactions) (loop) (+) (Al.{File()')s other presences' interaction percentage indicators (+ interactions) (loop)} would affect {loop + repeat for=on all affected (Al.{File()}s until no more changes to E. are being made {no making doubles}}".	If E.:video format Me.:last video format E. has no (Al.{i.A.d.()}:video format Me.:last video format E. in it. in Me.. then Change {add placeholder {keeps (Al.{i.A.d.()}:video format Me.:last video format E. identical to (Al.{i.A.d.()}:video format Me.:last-1 video format E. but without applying to / connecting in / interacting in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.} (Al.{i.A.d.()}:video format Me.:last video format E. to} (Al.{i.A.d.()} in Me.. in Me.. {clear to blurry} {complex to simple} 1 _____ If 100%-inside-Input-(-+-)-Al.{Input} (Al.{i.A.d.(?)()}:video format Me.:last video format E.:any video format that is identical -> smaller than (Al.{i.A.d.(1)()}:video format Me.:last video format E.:any video formats that don't overlap unless they are mutually inclusive yet can be put together to make {part=section=quality of} (Al.{Input()}s + {part=section=quality of) (Al.{File()}s (Al.{i.A.d.(1)()}:video format Me.:last video format E.:any video format is applied to (and some of the {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s surrounding those {part=section=quality of) (Al.{Input()}s + {part=section=quality of) (Al.{File()}s in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. {ignore (Al.{i.A.d.(?)()}:video format Me.:last video format E.:video formats that are only part of {part=section=quality of) (Al.{Input(1)()}s (+) {part=section=quality of) (Al.{File(1)()}s (+) {part=section=quality of) (Al.{Input(3)()}s (+) {part=section=quality of) (Al.{File(3)()}s} {ignore (Al.{Input_section()}s + (Al.{encapsulating_File()}s}. in Me.{:video format Me.:last video format E. {Me. frame}}. then Change (Al.{i.A.d.(?)()} in video formats (add in new (Al.{Input_section()}s + (Al.{encapsulating_File()}s + reApply**** + reConnect** + reInteract** + run all Create+Change** stages {no making doubles}} + (Al.{i.A.d.(?)()} in video format {reApply**** + reConnect** + reInteract** + run all Create+Change** stages {no making doubles} (delete {as (Al.{i.A.d.(?)()}:video format Me.:last video format E.} if all (Al.{i.A.d.(?)()}:video format Me.:last video format E.s have each had a 100% chance of applying to {part=section=quality of) Inputs + {part=section=quality of) Files at some point {as (Al.{i.A.d.(?)()}:video format Me.:last video format E.:any video formats} and if all presences of (Al.{i.A.d.(1)()}:video format Me.:last video format E. in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.:can be (+) are replaced}}. in Me.:video format Me.:last video format E. {Me. frame}. or If 100%-inside-Input-(-+-)-Al.{Input} (Al.{i.A.d.(2)()}:video format Me.:last video format E.:any video format has same {part=section=quality of) (Al.{Input()}s + {part=section=quality of) (Al.{File()}s as (Al.{i.A.d.(1)()}:video format Me.:last video format E.:any video format but has different (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s than (Al.{i.A.d.(1)()}:video format Me.:last video format E.:any video format. in Me.{:video format Me.:last video format E. {Me. frame}}. then Change (Al.{i.A.d.(1)()} in video format (add in new (Al.{Input_section()}s + (Al.{encapsulating_File()}s ++ reApply**** + reConnect** + reInteract** + run all Create+Change** stages {no making doubles}} + (Al.{i.A.d.(2)()}:video format Me.:last video format E. {delete}. in Me.:video format Me.:last video format E. {Me. frame}. or If all instances of (Al.{i.A.d.()}:video format Me.:last video format E.:any video formats in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. have identical surrounding {not part of them} {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s that don't have mutually exclusive (Al.{i.A.d.()}:video format Me.:last video format E.:video formats applied to them and haven't been excluded=cut-out by other (Al.{i.A.d.()} Create + Change steps { + } stages. then Change (Al.{i.A.d.()} in video formats (add in {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s (+) (Al.{encapsulating_File()}s as more {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s (+) (Al.{Input_section(1)()}s (+) (Al.{encapsulating_File(1)()}s and (Al.{Input_section(2)()}s (+) (Al.{encapsulating_File(2)()}s and {part=section=quality of) (Al.{Input(3)()}s (+) {part=section=quality of) (Al.{File(3)()}s (+) (Al.{encapsulating_File(3)()}s to make (Al.{i.A.d.(2)()} in video format {add (Al.{IU.()}s in {unwitnessed (+) unperceived areas of} (Al.`s internal) i.A.d. in video format {percentage indicators of (Al.{IU.()}s = percentage indicator of their host (Al.`s internal) i.A.d. in video format}} ++ Apply**** + Connect** + Interact** + run all Create+Change** stages {no making doubles} {add {as all (Al.{i.A.d.()}:video format Me.:last video format E.:video formats} with identical + in-same-place (Al.{i.A.d.(?)()}:video format Me.:last video format E.:video formats}}. in Me.:video format Me.:last video format E. {Me. frame}. {clear to blurry} {complex to simple} 2 _____ If repeated (2 +) instances of identical alteration in pattern (pattern in O.-type (Al.{(Al.{File()}'s quality=detail or pattern in A.-type (Al.{(Al.{File()}'s presence on (+) in a/some (Al.{(Al.{File()}s) ((+) {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s) (includes more than one frame / is in video format) (alteration consists of all changes made between the end of an old pattern and the beginning of a new one) (pattern consists of something ((Al.{(Al.{File()}'s quality=detail or (Al.{(Al.{File()}'s presence on (+) in a/some (Al.{(Al.{File()}s) that is the same for longer than one E.:video format Me.:video format E.:frame format) / creation of (Al.{(Al.{File()} ((+) {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s) (includes more than one frame / is in video format)= in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. don't have mutually exclusive or exactly identical (Al.{i.A.d.()}:video format Me.:last video format E.:video formats applied to them. in Me.:video format Me.:last video format E. {Me. frame}. then Create: (Al.{i.A.d.()} in video format (use repeated alteration in pattern {pattern in O.-type (Al.{(Al.{File()}s quality=detail or pattern in A.-type (Al.{(Al.{File()}'s presence on (+) in a/some (Al.{(Al.{File()}s) ((+) {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s) (includes more than one frame / is in video format) (alteration consists of all changes made between the end of an old pattern and the beginning of a new one) (pattern consists of something ((Al.{(Al.{File()}'s quality=detail or (Al.{(Al.{File()}'s presence on (+) in a/some (Al.{(Al.{File()}s) that is the same for longer than one E.:video format Me.:video format E.:frame format) / creation of (Al.{(Al.{File()} ((+) {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s) (includes more than one frame / is in video format) in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. don't have mutually exclusive or exactly identical (Al.{i.A.d.()}:video format Me.:last video format E.:video formats applied to them. in Me.:video format Me.:last video format E. {Me. frame}. or If 2+ instances of (Al.{i.A.d.(1)()}:video format Me.:last video format E.:any video formats in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. have identical surrounding {not part of them} {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s that don't have mutually exclusive (Al.{i.A.d.()}:video format Me.:last video format E.:video formats applied to them and haven't been excluded=cut-out by other (Al.{i.A.d.()} Create + Change steps { + } stages. then Create: (Al.{i.A.d.(2)()} in video format (use copy of (Al.{i.A.d.(1)()}:video format Me.:last video format E.:any video format and {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s (add {part=section=quality of) (Al.{Input()}s (+) {part=section=quality of) (Al.{File()}s (+) (Al.{Input_section()}s (+) (Al.{encapsulating_File()}s on to copy of (Al.{i.A.d.(1)()}:video format Me.:last video format E.:any video format as more {part=section=quality of) (Al.{Input(1)()}s (+) {part=section=quality of) (Al.{File(1)()}s in (Al.{Input_section(1)()}s (+) (Al.{encapsulating_File(1)()}s and (Al.{Input_section(2)()}s (+) (Al.{encapsulating_File(2)()}s and {part=section=quality of) (Al.{Input(3)()}s (+) {part=section=quality of) (Al.{File(3)()}s in (Al.{Input_section(3)()}s (+) (Al.{encapsulating_File(3)()}s to make (Al.{i.A.d.(2)()} in video format (add (Al.{IU.()}s in {unwitnessed (+) unperceived areas of} (Al.`s internal) i.A.d. in video format {percentage indicators of (Al.{IU.()}s = percentage indicator of their host (Al.`s internal) i.A.d. in video format}} ++ Apply**** + Connect** + Interact** + run all Create+Change** stages {no making doubles} {add {as all (Al.{i.A.d.()}:video format Me.:last video format E.:video formats} from (Al.{i.A.d.()}:video format Me.:last video format E.} to identical + in-same-place (Al.{i.A.d.(?)()}:video format Me.:last video format E.:video formats' (Al.{i.A.d.(?)()}:video format Me.:last video format E. {delete (Al.{i.A.d.()}:video format Me.:last video format E. that they are originally from} + merge {as (Al.{i.A.d.()}:video format Me.:last video format E.:video formats} with identical + in-same-place (Al.{i.A.d.(?)()}:video format Me.:last video format E.:video formats}}. in Me.:video format Me.:last video format E. {Me. frame}. {clear to blurry} {complex to simple} 3	

{Al.{}i.M.d.{}}s	Scan I. in frame format + I.:video format Me.:last video format E. ++ E.:video format Me.:last video format E. for {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s that matches {parts of {if (parts of) proposed (Al.{}i.M.d.{}) in video format is outside of (Al.{}Input{}}) (Al.{}i.M.d.{}):video format Me.:last video format E.:any video format {latest version} -> (Al.{}i.M.d.{}) in video format and change all the (Al.{}File{}}s that the (Al.{}i.M.d.{}) in video format scan would affect" and calculate percentage indicator*s for all (Al.{}File{}}s involved {(Al.{}i.M.d.{}) in video format} {clear to blurry} {complex to simple} {(Al.{}File{}}s with known location {inside-body (Al.{}File{}}s etc.} only}. 6 Scan I.:video format Me.:last video format E. + E.:video format Me.:last video format E. for {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s that matches {parts of {if (parts of) proposed (Al.{}i.M.d.{}) in video format is outside of (Al.{}Input{}}) (Al.{}i.M.d.{}):video format Me.:last video format E.:any video format {latest version} -> (Al.{}i.M.d.{}) in video format and change all the (Al.{}File{}}s that the (Al.{}i.M.d.{}) in video format scan would affect" and calculate percentage indicator*s for all (Al.{}File{}}s involved {(Al.{}i.M.d.{}) in video format} {back to front} {clear to blurry} {complex to simple}. 22 *"change all the (Al.{}File{}}s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{}}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{}}s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{}}s' apply percentage indicators (+ applications) (->) bther-other (Al.{}File{}}s' connect (+) interact percentage indicators (+ connections (+) interactions) {goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion} (+++) (Al.{}File{}}'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s (->) remaining encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{}}'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{}}s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{}}s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{}}'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{}}s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.M.d. happening in the {part=section=quality of} (Al.'s internal) Inputs (+) {part=section=quality of} (Al.'s internal) Files (+) (Al.'s internal) Input_sections (+) (Al.'s internal) encapsulating_Files it (in Al. form) is going to be applied to {using ¶ ((Al.'s internal) i.M.d.) {xx ¶ {one appearance of (Al.{}i.M.d.{}) in (Al.{}Input{}}s in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.} x apply percentage indicator for that appearance {as 1.0 – 0.0} + 1x% + 1x% + etc. for all appearances} over ¶ ((Al.'s internal) i.M.d.) {xx 1x% + 1x% + 1x% + etc. for all appearances} (+ ¶ {mutually-exclusive-with-(Al.'s-internal)-i.M.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc. for all appearances)} (+ ¶ {mutually-exclusive-with-(Al.'s-internal)-i.M.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc. for all appearances)} (+ etc.) for all mutually-exclusive-with-(Al.'s-internal)-i.M.d. apply-able combinations x sum (max. of 100%) of product of percentage indicators for (Al.{}Input{}}s (+) (Al.{}File{}}s (Al.{}i.M.d.{}) is built on ((Al.{}Input{}}s (+) (Al.{}File{}}s that are present during (Al.{}i.M.d.{}}s for all (Al.{}Input{}}s (+) (Al.{}File{}}s groups (Al.{}i.M.d.{}) is going to be built on (all (Al.{}Input{}}s (+) (Al.{}File{}}s groups that supply the same {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s {(part=section=quality of) (Al.{}Input{}}s (+) {part=section=quality of) (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s that (Al.{}i.M.d.{}) is going to be applied to}} (if % of happening is <100% then i.M.d. becomes Al.{}i.M.d.}}".	Apply (Al.{}i.M.d.{}) in video format to I. in frame format + I.:video format Me.:last video format E. ++ E.:video format Me.:last video format E. {brings I. in frame format with it} and change all the (Al.{}File{}}s that the (Al.{}i.M.d.{}) in video format application creation would affect" and calculate percentage indicator*s for all (Al.{}File{}}s involved {(Al.{}i.M.d.{}) in video format} {clear to blurry} {complex to simple} {(Al.{}File{}}s with known location {inside-body (Al.{}File{}}s etc.} only}. 13 Apply (Al.{}i.M.d.{}) in video format to I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. and change all the (Al.{}File{}}s that the (Al.{}i.M.d.{}) in video format application creation would affect" and calculate percentage indicator*s for all (Al.{}File{}}s involved {(Al.{}i.M.d.{}) in video format} {back to front} {clear to blurry} {complex to simple}. 29 *"change all the (Al.{}File{}}s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{}}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{}}s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{}}s' apply percentage indicators (+ applications) (->) bther-other (Al.{}File{}}s' connect (+) interact percentage indicators (+ connections (+) interactions) {goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion} (++) (Al.{}File{}}'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s (->) remaining encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{}}'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{}}s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{}}s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{}}'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{}}s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.M.d. happening in the {part=section=quality of} (Al.'s internal) Inputs (+) {part=section=quality of} (Al.'s internal) Files (+) (Al.'s internal) Input_sections (+) (Al.'s internal) encapsulating_Files it (in Al. form) is being to be applied to {using ¶ ((Al.'s internal) i.M.d.) {xx ¶ {one appearance of (Al.{}i.M.d.{}) in (Al.{}Input{}}s in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.} x apply percentage indicator for that appearance {as 1.0 – 0.0} + 1x% + 1x% + etc. for all appearances} over ¶ ((Al.'s internal) i.M.d.) {xx 1x% + 1x% + 1x% + etc. for all appearances} (+ ¶ {mutually-exclusive-with-(Al.'s-internal)-i.M.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc. for all appearances)} (+ ¶ {mutually-exclusive-with-(Al.'s-internal)-i.M.d. apply-able combination} (xx 1x% + 1x% + 1x% + etc. for all appearances)} (+ etc.) for all mutually-exclusive-with-(Al.'s-internal)-i.M.d. apply-able combinations x sum (max. of 100%) of product of percentage indicators for (Al.{}Input{}}s (+) (Al.{}File{}}s (Al.{}i.M.d.{}) is built on ((Al.{}Input{}}s (+) (Al.{}File{}}s that are present during (Al.{}i.M.d.{}}s for all (Al.{}Input{}}s (+) (Al.{}File{}}s groups (Al.{}i.M.d.{}) is built on (all (Al.{}Input{}}s (+) (Al.{}File{}}s groups that supply the same {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s {(part=section=quality of) (Al.{}Input{}}s (+) {part=section=quality of) (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s that (Al.{}i.M.d.{}) is applied to}} (if % of happening is <100% then i.M.d. becomes Al.{}i.M.d.}}".	Connect (Al.{}i.M.d.{}) in video format to (Al.{}i.M.d.{}) in video format E. {as all appearances} {based on identity + identicality of (Al.{}i.M.d.{}) in video format + (Al.{}i.M.d.{}) in video format E.} (Al.{}i.M.d. takes over Al.{}i.M.d.}} + Connect (Al.{}i.M.d.{}) in video format E. to (Al.{}i.M.d.{}) in video format Me. {based on identicality of {part=section=quality of} (Al.{}Input{}}s that {parts of} (Al.{}i.M.d.{}) in video format E. and {parts of} (Al.{}i.M.d.{}):video format Me.:last-1 video format E. are applied to {if (Al.{}i.M.d.{}) in video format E. {1 + 2 + etc.} / (Al.{}i.M.d.{}) in video format Me. {1 + 2 + etc.} all quality to be connected to (Al.{}i.M.d.{}) in video format Me. / (Al.{}i.M.d.{}) in video format E., create copy of (Al.{}i.M.d.{}) in video format Me. / (Al.{}i.M.d.{}) in video format E. for each (Al.{}i.M.d.{}) in video format E. / (Al.{}i.M.d.{}) in video format Me. and connect them}} (i.M.d. takes over Al.{}i.M.d.}} and change all the (Al.{}File{}}s that the various connection{ creation}s would affect" and calculate percentage indicator*s for all (Al.{}File{}}s involved {(Al.{}i.M.d.{}):video format Me.:last video format E.:video format, (Al.{}i.M.d.{}):video format Me.:last video format E., and (Al.{}i.M.d.{}):video format Me.} {{back to front}} {clear to blurry} {complex to simple}. 36 {I.:video format Me.:last video format E..} *"change all the (Al.{}File{}}s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{}}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{}}s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{}}s' apply percentage indicators (+ applications) (->) bther-other (Al.{}File{}}s' connect (+) interact percentage indicators (+ connections (+) interactions) {goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion} (++) (Al.{}File{}}'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s (->) remaining encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{}}'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{}}s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{}}s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{}}'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{}}s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.M.d. happening in the {part=section=quality of} (Al.'s internal) Inputs (+) {part=section=quality of} (Al.'s internal) Files (+) (Al.'s internal) Input_sections (+) (Al.'s internal) encapsulating_Files it (in Al. form) is being connected to {using ¶ ((Al.'s internal) i.M.d.) {xx ¶ {one appearance of connection to (Al.{}i.M.d.{}) in (Al.{}Input{}}s in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.} x connect percentage indicator for that connection {as 1.0 – 0.0} + 1x% + 1x% + etc. for all connection appearances} over ¶ ((Al.'s internal) i.M.d.) {xx 1x% + 1x% + 1x% + etc. for all connection appearances} (+ ¶ {mutually-exclusive-with-(Al.'s-internal)-i.M.d. connect-able combination} (xx 1x% + 1x% + 1x% + etc. for all connection appearances)} (+ ¶ {mutually-exclusive-with-(Al.'s-internal)-i.M.d. connect-able combination} (xx 1x% + 1x% + 1x% + etc. for all connection appearances)} (+ etc.) for all mutually-exclusive-with-(Al.'s-internal)-i.M.d. connect-able combinations x product of percentage indicators for (Al.'s internal) i.M.d.'s internal (Al.'s internal) i.M.d.s' internal) apply stages (ones that are present during (Al.{}i.M.d.{})) {video format E.}} / *set percentage indicator for the probability of (Al.'s internal) i.M.d. connecting to the (Al.'s internal) i.M.d. it (in Al. form) is being connected to {using ¶ ((Al.'s internal) i.M.d.) {xx ¶ {one appearance of connection to (Al.{}i.M.d.{}) in (Al.{}Input{}}s in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.} x connect percentage indicator for that connection {as 1.0 – 0.0} + 1x% + 1x% + etc. for all connection appearances} over ¶ ((Al.'s internal) i.M.d.) {xx 1x% + 1x% + 1x% + etc. for all connection appearances} (+ ¶ {mutually-exclusive-with-(Al.'s-internal)-i.M.d. connect-able combination} (xx 1x% + 1x% + 1x% + etc. for all connection appearances)} (+ ¶ {mutually-exclusive-with-(Al.'s-internal)-i.M.d. connect-able combination} (xx 1x% + 1x% + 1x% + etc. for all connection appearances)} (+ etc.) for all mutually-exclusive-with-(Al.'s-internal)-i.M.d. connect-able combinations x product of percentage indicators for (Al.'s internal) i.M.d.'s internal (Al.'s internal) i.M.d.s' internal) apply stages (ones that are present during (Al.{}i.M.d.{})) {video format E.}} / *set percentage indicator for the probability of (Al.'s internal) i.M.d. interacting with {having (Al.'s internal) i.M.d./M. as parts of its internality} the (Al.'s internal) i.M.d./M. it (in Al. form) is being interacted with {using percentage indicator for (Al.'s internal) i.M.d.'s internal apply stage x percentage indicator for (Al.'s internal) i.M.d.'s internal apply stage / product of percentage indicators for (Al.'s internal) M.'s internal (Al.'s internal) i.M.d.s' internal apply stages}" / *set percentage indicator for the probability of (Al.'s internal) i.M.d. interacting with {being caused by / causing} the (Al.'s internal) Input/File it (in Al. form) is being interacted with {using ¶ ((Al.'s internal) i.M.d.) { xx ¶ {one appearance of interaction with {being caused by / causing} (Al.'s internal) Input/File in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.} x interact percentage indicator for that interaction {as 1.0 – 0.0} + 1x% + 1x% + etc. for all interaction appearances} over ¶ ((Al.'s internal) i.M.d.) { xx 1x% + 1x% + 1x% + etc. for all interaction appearances} (+ ¶ {mutually-exclusive-with-(Al.'s-internal)-i.M.d. interact-able combination} (xx 1x% + 1x% + 1x% + etc. for all interaction appearances)} (+ ¶ {mutually-exclusive-with-(Al.'s-internal)-i.M.d. interact-able combination} (xx 1x% + 1x% + 1x% + etc. for all interaction appearances)} (+ etc.) for all mutually-exclusive-with-(Al.'s-internal)-i.M.d. interact-able combinations x percentage indicator for (Al.'s internal) i.M.d.'s apply stage x product of percentage indicators for (Al.'s internal) Input/File's internal ((Al.'s internal) Input/File's' internal) (Al.'s internal) Input/File's' internal} apply stages {ones that are present during the interaction}}".	Interact (Al.{}i.M.d.{}):video format Me.:last video format E.:video format with (Al.{}i.M.d.{}):video format Me.:last video format E.:video format + (Al.{}M.{}):video format E.:video formats + (+) (Al.{}M.{}):video format Me.:last video format E.:video formats { + (from clearer levels} that are parts of its internality {using identicality between (parts of) (Al.{}i.M.d.{}):video format Me.:last video format E.:video format and (Al.{}i.M.d.{}):video format Me.:last video format E.:video formats + (+) (Al.{}M.{}):video format Me.:last video format E.:video formats that have locations within {part=section=quality of} (Al.{}Input{}}s + {part=section=quality of} (Al.{}File{}}s that is (Al.{}i.M.d.{}):video format Me.:last video format E.:video format ({part=section=quality of} (Al.{}Input{}}s + {part=section=quality of} (Al.{}File{}}s that (Al.{}i.M.d.{}):video format Me.:last video format E.:video format is applied to}) +++ (Al.{}File{}}s in {part=section=quality of} (Al.{}Input{1}}s + {part=section=quality of} (Al.{}File{1}}s ++ {part=section=quality of} (Al.{}Input{2}}s + {part=section=quality of} (Al.{}File{2}}s areas and change all the (Al.{}File{}}s that the various interaction{ creation}s would affect" and calculate percentage indicator*s for all (Al.{}File{}}s involved {(Al.{}i.M.d.{}):video format Me.:last video format E.:video formats, (Al.{}i.M.d.{}):video format Me.:last video format E.:video formats, and (Al.{}i.M.d.{}):video format Me.:last video format E.:video formats} in {part=section=quality of} (Al.{}Input{1}}s + {part=section=quality of} (Al.{}File{1}}s ++ {part=section=quality of} (Al.{}Input{2}}s + {part=section=quality of} (Al.{}File{2}}s areas} {(back to front)} {clear to blurry} {complex to simple}. 43 {I.:video format Me.:last video format E..} *"change all the (Al.{}File{}}s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{}}s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{}}s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{1}}s' apply percentage indicators (+ applications) (->) bther-other (Al.{}File{1}}s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{2}}s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{2}}s' connect (+) interact percentage indicators (+ connections (+) interactions) {goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion} (+++) (Al.{}File{}}'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s (->) remaining encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{}}'s internal (Al.{}File{}}s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{}}'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{}}s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{}}s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{}}'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{}}s until no more changes to E. are being made {no making doubles}}".	If E.:video format Me.:last video format E. has no (Al.{}i.M.d.{}):video format Me.:last video format E. in it: in Me.. then Change {add placeholder {keeps (Al.{}i.M.d.{}):video format Me.:last video format E. identical to (Al.{}i.M.d.{}):video format Me.:last-1 video format E. but without applying to / connecting in / interacting in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.} (Al.{}i.M.d.{}):video format Me.:last video format E. to} (Al.{}i.M.d.{}) in Me.. in Me.. {clear to blurry} {complex to simple} 1 --- If 100%-inside-Input-(-+-)-Al.{}Input (Al.{}i.M.d.{7}){}:video format Me.:last video format E.:any video format that is identical -> smaller than (Al.{}i.M.d.{1}){}:video format Me.:last video format E.:any video formats that don't overlap unless they are mutually inclusive can be put together to make {part=section=quality of} (Al.{}Input{}}s + {part=section=quality of} (Al.{}File{}}s (Al.{}i.M.d.{1}){}:video format Me.:last video format E.:any video format is applied to (and some of the {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s surrounding those {part=section=quality of} (Al.{}Input{}}s + {part=section=quality of} (Al.{}File{}}s in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. {ignore (Al.{}i.M.d.{7}){}:video format Me.:last video format E.:video formats that are only part of {part=section=quality of} (Al.{}Input{1}}s (+) {part=section=quality of} (Al.{}File{1}}s or only part of {part=section=quality of} (Al.{}Input{2}}s (+) {part=section=quality of} (Al.{}File{2}}s} (ignore (Al.{}Input_section{}}s + (Al.{}encapsulating_File{}}s}. in Me.{:video format Me.:last video format E. {Me. frame}}. then Change {Al.{}i.M.d.{7}{}} in video formats {add in new (Al.{}Input_section{}}s + (Al.{}encapsulating_File{}}s + reApply**** + reConnect** + reInteract** + run all Create+Change** stages {no making doubles}} + (Al.{}i.M.d.{1}{}) in video format {reApply**** + reConnect** + reInteract** + run all Create+Change** stages {no making doubles} (delete {as (Al.{}i.M.d.{1}{}):video format Me.:last video format E.} if all (Al.{}i.M.d.{7}{}):video format Me.:last video format E.s have each had a 100% chance of applying to {part=section=quality of} Inputs + {part=section=quality of} Files at some point {as (Al.{}i.M.d.{7}{}):video format Me.:last video format E.:any video formats} and if all presences of (Al.{}i.M.d.{1}{}):video format Me.:last video format E. in I.:video format Me.:last video format E.: (+) E.:video format Me.:last video format E.:can be (+) are replaced}}. in Me.:video format Me.:last video format E. {Me. frame}. or If 100%-inside-Input-(-+-)-Al.{}Input (Al.{}i.M.d.{2}{}):video format Me.:last video format E.:any video format has same {part=section=quality of} (Al.{}Input{}}s + {part=section=quality of} (Al.{}File{}}s as (Al.{}i.M.d.{1}{}):video format Me.:last video format E.:any video format but has different (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s than (Al.{}i.M.d.{1}{}):video format Me.:last video format E.:any video format. in Me.{:video format Me.:last video format E. {Me. frame}}. then Change {Al.{}i.M.d.{1}{}} in video format {add in new (Al.{}Input_section{}}s + (Al.{}encapsulating_File{}}s ++ reApply**** + reConnect** + reInteract** + run all Create+Change** stages {no making doubles}} + (Al.{}i.M.d.{2}{}):video format Me.:last video format E. {delete}. in Me.:video format Me.:last video format E. {Me. frame}. or If all instances of (Al.{}i.M.d.{}):video format Me.:last video format E.:any video formats in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. have identical surrounding {not part of them} {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s that don't have mutually exclusive (Al.{}i.M.d.{1}):video format Me.:last video format E.:video formats applied to them and haven't been excluded=cut-out by other (Al.{}i.M.d.{}) Create + Change steps (+) stages. then Change (Al.{}i.M.d.{}) in video formats {add in {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s as more {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{1}}s (+) (Al.{}encapsulating_File{1}}s and {part=section=quality of} (Al.{}Input{2}}s (+) {part=section=quality of} (Al.{}File{2}}s in (Al.{}Input_section{2}}s (+) (Al.{}encapsulating_File{2}}s + reApply**** + reConnect** + reInteract** + run all Create+Change** stages {no making doubles} {add {as all (Al.{}i.M.d.{}):video format Me.:last video format E.:video formats from (Al.{}i.M.d.{}):video format Me.:last video format E.} to identical + in-same-place (Al.{}i.M.d.{7}{}):video format Me.:last video format E.:video formats (Al.{}i.M.d.{7}{}):video format Me.:last video format E. {delete (Al.{}i.M.d.{}):video format Me.:last video format E.} if they are originally from} + merge {as (Al.{}i.M.d.{}):video format Me.:last video format E.:video formats} with identical + in-same-place (Al.{}i.M.d.{7}{}):video format Me.:last video format E.:video formats}. {clear to blurry} {complex to simple} 2 --- If repeated (2 +) instances of identical separate=distinct {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s group #1 and {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s group #2s in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. don't have mutually exclusive or exactly identical (Al.{}i.M.d.{}):video format Me.:last video format E.:video formats applied to them. in Me.:video format Me.:last video format E. {Me. frame}. then Create: (Al.{}i.M.d.{}) in video format (use repeated separate=distinct {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s group #1 and {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s group #2s {given by I.:video format Me.:last video format E. (+) (Al.{}File{}}s in E.:video format Me.:last video format E.} to make (Al.{}i.M.d.{}) in video format {{part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s in group #1 becomes {part=section=quality of} (Al.{}Input{1}}s (+) {part=section=quality of} (Al.{}File{1}}s in (Al.{}Input_section{1}}s (+) (Al.{}encapsulating_File{1}}s and {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s in group #2 becomes {part=section=quality of} (Al.{}Input{2}}s (+) {part=section=quality of} (Al.{}File{2}}s in (Al.{}Input_section{2}}s (+) (Al.{}encapsulating_File{2}}s} (add (Al.{}i.M.d.{}) in (unwitnessed (+) unperceived areas of) (Al.'s internal) i.M.d. in video format {percentage indicators of (Al.{}i.M.d.{}) = percentage indicator of their host (Al.'s internal) i.M.d. in video format}} ++ Apply**** + Connect** + Interact** + run all Create+Change** stages {no making doubles}}. in Me.:video format Me.:last video format E. {Me. frame}. or If 2+ instances of (Al.{}i.M.d.{1}{}):video format Me.:last video format E.:any video formats in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. have identical surrounding {not part of them} {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s that don't have mutually exclusive (Al.{}i.M.d.{1}):video format Me.:last video format E.:video formats applied to them and haven't been excluded=cut-out by other (Al.{}i.M.d.{}) Create + Change steps (+) stages. then Create: (Al.{}i.M.d.{2}{}) in video format (use copy of (Al.{}i.M.d.{1}{}):video format Me.:last video format E.:any video format and {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s (+) (Al.{}Input_section{}}s (+) (Al.{}encapsulating_File{}}s {add {part=section=quality of} (Al.{}Input{}}s (+) {part=section=quality of} (Al.{}File{}}s in I.:video format Me.:last video format E.} to identical + in-same-place (Al.{}i.M.d.{7}{}):video format Me.:last video format E.:video formats (Al.{}i.M.d.{7}{}):video format Me.:last video format E. {delete (Al.{}i.M.d.{}):video format Me.:last video format E.} if they are originally from} + merge {as (Al.{}i.M.d.{}):video format Me.:last video format E.:video formats} with identical + in-same-place (Al.{}i.M.d.{7}{}):video format Me.:last video format E.:video formats}. {clear to blurry} {complex to simple} 3

(Al.{}O.{})s	Scan I. in frame format + E.:video format Me.:last video format E. for {part=section=quality of} (Al.{}Input{})s (+) (Al.{}Input_section{})s (+) (Al.{}encapsulating_File{})s that resembles {parts of {if {parts of} proposed (Al.{}i.O.d.{}) in frame formats are outside of (Al.{}Input{}))} (Al.{}i.O.d.{}):video format Me.:last video format E.:any video format:any frame format {latest version}s -> (Al.{}i.O.d.{}) in frame formats in seamless contact with one another and change all the (Al.{}File{})s that the (Al.{}i.O.d.{}) in frame formats scan would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved ((Al.{}i.O.d.{}) in frame formats} {clear to blurry} {complex to simple} {(Al.{}File{})s with known location {inside-body (Al.{}File{})s etc.} only}.	Scan I. in frame format + E.:video format Me.:last video format E. for {part=section=quality of} (Al.{}Input{})s (+) (Al.{}Input_section{})s (+) (Al.{}encapsulating_File{})s that resembles {parts of {if {parts of} proposed (Al.{}i.O.d.{}) in frame formats are outside of (Al.{}Input{}))} (Al.{}i.O.d.{}):video format Me.:last video format E.:any video format:any frame format {latest version}s -> (Al.{}i.O.d.{}) in frame formats in seamless contact with one another and change all the (Al.{}File{})s that the (Al.{}i.O.d.{}) in frame formats scan would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved ((Al.{}i.O.d.{}) in frame formats} {back to front} {clear to blurry} {complex to simple}. 23 *"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File()) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+ interactions)) {goto=use (Al.{}File()) connection creation/change/deletion (+) (Al.{}File()) interaction creation/change/deletion} (+++) (Al.{}File()) ‘s other presences’ apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File()) ‘s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.O.d.s happening in the {part=section=quality of} (Al.'s internal) Inputs (+) (Al.'s internal) Input_sections (+) (Al.'s internal) encapsulating_Files they/it (in Al. form) are/is going to be applied to {using product of percentage indicators for (Al.'s internal) i.O.d.s' apply stages} {if % of happening is <100% then i.O.d.s becomes Al.{i.O.d.}s (+ i.O.d.s)}".	Apply (Al.{}i.O.d.{}) in frame formats to I. in frame format + E.:video format Me.:last video format E. {brings I. in frame format with them} and change all the (Al.{}File{})s that the (Al.{}i.O.d.{}) in frame formats application{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.O.d.{}) in frame formats} {clear to blurry} {complex to simple} {(Al.{}File{})s with known location {inside-body (Al.{}File{})s etc.} only}. 14 Apply (Al.{}i.O.d.{}) in frame formats to I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. and change all the (Al.{}File{})s that the (Al.{}i.O.d.{}) in frame formats application{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.O.d.{}) in frame formats} {back to front} {clear to blurry} {complex to simple}. 30 *"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File()) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+ interactions)) {goto=use (Al.{}File()) connection creation/change/deletion (+) (Al.{}File()) interaction creation/change/deletion} (+++) (Al.{}File()) ‘s other presences’ apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File()) ‘s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}".	Connect (Al.{}i.O.d.{}) in frame formats to (Al.{}i.O.d.{}) in video format + video format E. + video format Me.s {using (Al.{}i.O.d.{}) + percentage indicators from (Al.{}i.O.d.{}) connect stages} {i.O.d. takes over Al.{i.O.d.}} +++ connect (Al.{}i.O.d.{}):video format Me.:last video format E.:video format:frame formats in (Al.{}O.{}) in frame formats {discard O.s{' internal i.O.d.s}} {based on smallest {most "fractured"} in-seamless-contact-with-each-other groups betwet (Al.{}i.O.d.{}):video format Me.:last video format E.:video format:frame formats} {add (Al.{}U.{})s in (unwitnessed (+) unperceived areas of} (Al.{}i.O.d.{}):video format Me.:last video format E.:video format:frame format group becoming (Al.{}O.{}) in frame format {percentage indicators of (Al.{}U.{})s = percentage indicator of their host (Al.'s internal) O. in frame format}} +++ connect (Al.{}O.{}) in frame formats to (Al.{}O.{}) in video format E.s {as single appearances (>1 appearance is impossible for any O.)} {based on (Al.{}O.{}) in frame formats' internal (Al.{}i.O.d.{}):video format Me.:last video format E.:video format:frame formats' ++ (Al.{}O.{}) in video format E.s' internal (Al.{}i.O.d.{}):video format Me.:last video format E.:video format:frame formats' connections to each other + identicalities to each other {if (Al.{}O.{}) in frame format { 1 + 2 + etc.} / (Al.{}O.{}) in video format E. {1 + 2 + etc.} all qualify to be connected to (Al.{}O.{}) in video format E. / (Al.{}O.{}) in frame format, create copy of (Al.{}O.{}) in video format E. / (Al.{}O.{}) in frame format for each (Al.{}O.{}) in frame format / (Al.{}O.{}) in video format E. and connect them} {O. takes over Al.{O.}} ++ + connect (Al.{}O.{}) in video format E.s to (Al.{}O.{}) in video format Me.s {based on identicality of {part=section=quality of} (Al.{}Input{})s that (parts of) (Al.{}O.{}) in video format E. and (parts of) (Al.{}O.{}):video format Me.:last-1 video format E. are applied to {if (Al.{}O.{}) in video format E. {1 + 2 + etc.} / (Al.{}O.{}) in video format Me. {1 + 2 + etc.} all qualify to be connected to (Al.{}O.{}) in video format Me. / (Al.{}O.{}) in video format E., create copy of (Al.{}O.{}) in video format Me. / (Al.{}O.{}) in video format E. for each (Al.{}O.{}) in video format E. / (Al.{}O.{}) in video format Me.. and connect them}} {O. takes over Al.{O.}} and change all the (Al.{}File{})s that the various connection{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved ((Al.{}i.O.d.{}):video format Me.:last video format E.:video format:frame formats. (Al.{}O.{}):video format Me.:last video format E.:video format:frame formats. (Al.{}O.{}):video format Me.:last video format E.s; and (Al.{}O.{}):video format Me.s} {{back to front}} {clear to blurry} {complex to simple}. 37 {I.:video format Me.:last video format E..} *"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File()) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+ interactions)) {goto=use (Al.{}File()) connection creation/change/deletion (+) (Al.{}File()) interaction creation/change/deletion} (+++) (Al.{}File()) ‘s other presences’ apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File()) ‘s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.O.d.s connecting to each other in (Al.'s internal) O. {using product of percentage indicators for (Al.'s internal) i.O.d.s' apply stages {ones that are present during the connection}} {frame formats (Al.{}O.{})s}" / "set percentage indicator for the probability of (Al.'s internal) O. connecting to the (Al.'s internal) O. it (in Al. form) is being connected to {using product of percentage indicators for (Al.'s internal) O.'s internal (Al.'s internal) i.O.d.s' connection{ stage}s to (Al.'s internal) O.'s internal (Al.'s internal) O.d.s} {video format E.}" / "set percentage indicator for the probability of (Al.'s internal) O. connecting to the (Al.'s internal) O. it (in Al. form) is being connected to {using product of percentage indicators for (Al.'s internal) O.'s internal (Al.'s internal) O.'s internal (Al.'s internal) i.O.d.s' internal} apply stages} {video format Me.}".	Interact (Al.{}O.{}):video format Me.:last video format E. with (Al.{}i.O.d.{}):video format Me.:last video format E.:video format:frame formats (+) (Al.{}O.{}):video format Me.:last video format E.s { + from clearer levels} that are parts of its internality {using identicality between {parts of} (Al.{}O.{}):video format Me.:last video format E. and (Al.{}i.O.d.{}):video format Me.:last video format E.:video format:frame formats (+) (Al.{}O.{}):video format Me.:last video format E.s that have locations within {part=section=quality of} (Al.{}Input{})s that is (Al.{}O.{}):video format Me.:last video format E. {{part=section=quality of} (Al.{}Input{})s that (Al.{}O.{}):video format Me.:last video format E. is applied to}} and change all the (Al.{}File{})s that the various interaction{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}O.{}):video format Me.:last video format E., (Al.{}i.O.d.{}):video format Me.:last video format E.:video format:frame formats, and (Al.{}O.{}):video format Me.:last video format E.s} {{back to front}} {clear to blurry} {complex to simple}. 44 {I..:video format Me.:last video format E..} *"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File()) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+ interactions)) {goto=use (Al.{}File()) connection creation/change/deletion (+) (Al.{}File()) interaction creation/change/deletion} (+++) (Al.{}File()) ‘s other presences’ apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File()) ‘s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File()) ‘s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}".	If E.:video format Me.:last video format E. has no (Al.{}O.{}):video format Me.:last video format E. in it. in Me.. then Change {add placeholder {keeps (Al.{}O.{}):video format Me.:last video format E. identical to (Al.{}O.{}):video format Me.:last-1 video format E. but without applying to / connecting in / interacting in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.} (Al.{}O.{}):video format Me.:last video format E. to} (Al.{}O.{}) in Me.. in Me.. {clear to blurry} {complex to simple} 1

(Al.{}A.{})s

Scan I. in frame format + I.:video format Me.:last video format E. ++ E.:video format Me.:last video format E. for {part=section=quality of} (Al.{}Input{})s (+) {part=section=quality of} (Al.{}File{})s (+) (Al.{}Input_section{})s (+) {Al.{}encapsulating_File{}}s that resembles {parts of {if {parts of} proposed {Al.{}i.A.d.{}} in video formats are outside of (Al.{}Input{})}} (Al.{}i.A.d.{}):video format Me.:last video format E.:any video format {latest version}s -> {Al.{}i.A.d.{}} in video formats that all have the same (Al.{}O.{}) in video format as their (Al.{}Input{1}{}s (+) (Al.{}File{1}{})s and which match a previous (Al.{}O.{}) in video format + {Al.{}i.A.d.{}} in video formats combination {run this combination through all (Al.{}A.{})s steps if it has no identical-to-would-be-(Al.{}A.{}) (Al.{}A.{}) applied over it} {larger (Al.{}O.{}) in video format + {Al.{}i.A.d.{}} in video formats combinations over smaller (Al.{}O.{}) in video format + {Al.{}i.A.d.{}} in video formats combinations} and change all the (Al.{}File{})s that the (Al.{}i.A.d.{}) in video formats scan would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.A.d.{}) in video formats} {back to front} {clear to blurry} {complex to simple} {(Al.{}File{})s with known location {inside-body (Al.{}File{})s etc.} only}.

8

Scan I.:video format Me.:last video format E. + E.:video format Me.:last video format E. for {part=section=quality of} (Al.{}Input{})s (+) {part=section=quality of} (Al.{}File{})s (+) (Al.{}Input_section{})s (+) {Al.{}encapsulating_File{}}s that resembles {parts of {if {parts of} proposed {Al.{}i.A.d.{}} in video formats are outside of (Al.{}Input{})}} (Al.{}i.A.d.{}):video format Me.:last video format E.:any video format {latest version}s -> {Al.{}i.A.d.{}} in video formats that all have the same (Al.{}O.{}) in video format as their (Al.{}Input{1}{}s (+) (Al.{}File{1}{})s and which match a previous (Al.{}O.{}) in video format + {Al.{}i.A.d.{}} in video formats combination {run this combination through all (Al.{}A.{})s steps if it has no identical-to-would-be-(Al.{}A.{}) (Al.{}A.{}) applied over it} {larger (Al.{}O.{}) in video format + {Al.{}i.A.d.{}} in video formats combinations over smaller (Al.{}O.{}) in video format + {Al.{}i.A.d.{}} in video formats combinations that are taking up same -> smaller space} and change all the (Al.{}File{})s that the (Al.{}i.A.d.{}) in video formats scan would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.A.d.{}) in video formats} {back to front} {clear to blurry} {complex to simple}.

24

*"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (+++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+) interactions) (goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion) (+++) (Al.{}File{})'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{})'s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{})'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}".

*"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.A.d.s happening in the (part=section=quality of) (Al.'s internal) Inputs (+) (part=section=quality of) (Al.'s internal) Files (+) (Al.'s internal) Input_sections (+) (Al.'s internal) encapsulating_Files they/it (in Al. form) are/is applied to {using product of percentage indicators for (Al.'s internal) i.A.d.s' apply stages} {if % of happening is <100% then i.A.d.s becomes Al.{i.A.d.}s (+ i.A.d.s)}".

Apply (Al.{}i.A.d.{}) in video formats to I. in frame format + I.:video format Me.:last video format E. ++ E.:video format Me.:last video format E. {brings I. in frame format with them} and change all the (Al.{}File{})s that the (Al.{}i.A.d.{}) in video formats application{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.A.d.{}) in video formats} {clear to blurry} {complex to simple} {(Al.{}File{})s with known location {inside-body (Al.{}File{})s etc.} only}.

15

Apply (Al.{}i.A.d.{}) in video formats to I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. and change all the (Al.{}File{})s that the (Al.{}i.A.d.{}) in video formats application{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.A.d.{}) in video formats} {back to front} {clear to blurry} {complex to simple}.

31

*"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (+++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+) interactions) (goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion) (+++) (Al.{}File{})'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{})'s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{})'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}".

*"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.A.d.s happening in the (part=section=quality of) (Al.'s internal) Inputs (+) (part=section=quality of) (Al.'s internal) Files (+) (Al.'s internal) Input_sections (+) (Al.'s internal) encapsulating_Files they/it (in Al. form) are/is going to be applied to {using product of percentage indicators for (Al.'s internal) i.A.d.s' apply stages} {if % of happening is <100% then i.A.d.s becomes Al.{i.A.d.}s (+ i.A.d.s)}".

Connect (Al.{}i.A.d.{}) in video formats to (Al.{}i.A.d.{}) in video format E. + video format Me.s {using (Al.{}i.A.d.{})s + percentage indicators from (Al.{}i.A.d.{}) connect stages} {i.A.d. takes over Al.{i.A.d.}} +++ connect (Al.{}i.A.d.{}):video format Me.:last video format E.:video formats in (Al.{}A.{}) in video formats {discard A.s{" internal i.A.d.s}} {based on repeated all-have-the-same-(Al.{}O.{})-in-video-format-as-their-(part=section=quality of) (Al.{}Input{1}{}s-(-+-)-(part=section=quality of) (Al.{}File{1}{})s groups found in scan stage} {add (Al.{}U.{})s in (unwitnessed (+) unperceived areas of) (Al.{}i.A.d.{}):video format Me.:last video format E.:video format group becoming (Al.{}A.{}) in video format {percentage indicators of (Al.{}U.{})s = percentage indicator of their host (Al.'s internal) A. in video format}} +++ connect (Al.{}A.{}) in video format to (Al.{}A.{}) in video format E.s {as all appearances} {based on (Al.{}A.{}) in video formats' internal (Al.{}i.A.d.{}):video format Me.:last video format E.:video formats + (Al.{}A.{}) in video format E.s' internal (Al.{}i.A.d.{}):video format Me.:last video format E.:video format's connections to each other ++ (Al.{}A.{}) in video formats + (Al.{}A.{}) in video format E.s' identicalities to each other {A. takes over Al.{A.}} +++ connect (Al.{}A.{}) in video format E.s to (Al.{}A.{}) in video format Me.s {based on identicality of (part=section=quality of) (Al.{}Input{})s that (parts of) (Al.{}A.{}) in video format E. and (parts of) (Al.{}A.{}):video format Me.:last-1 video format E. are applied to (if (Al.{}A.{}) in video format E. {1 + 2 + etc.} / (Al.{}A.{}) in video format Me. {1 + 2 + etc.} all quality to be connected to (Al.{}A.{}) in video format Me. / (Al.{}A.{}) in video format E., create copy of (Al.{}A.{}) in video format Me. / (Al.{}A.{}) in video format E. for each (Al.{}A.{}) in video format E. / (Al.{}A.{}) in video format Me. and connect them}} {A. takes over Al.{A.}} and change all the (Al.{}File{})s that the various connection{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.A.d.{}):video format Me.:last video format E.:video formats, {Al.{}A.{}):video format Me.:last video format E.:video formats, (Al.{}A.{}):video format Me.:last video format E.:video formats, (Al.{}A.{}):video format Me.:last video format E.s, and (Al.{}A.{}):video format Me.s} {{back to front} {clear to blurry} {complex to simple}.

38 {I.:video format Me.:last video format E..}

*"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (+++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+) interactions) (goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion) (+++) (Al.{}File{})'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{})'s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{})'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}".

*"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) A. interacting with {having (Al.'s internal) i.A.d./A. as parts of its internality} the (Al.'s internal) i.A.d./A. it (in Al. form) is being interacted with {using product of percentage indicators for (Al.'s internal) A.'s internal (Al.'s internal) i.A.d.s' apply stages x percentage indicator for (Al.'s internal) i.A.d.'s internal apply stage / product of percentage indicators for (Al.'s internal) A.'s internal (Al.'s internal) i.A.d.s' apply stages}" / "set percentage indicator for the probability of (Al.'s internal) A. interacting with {being caused by / causing} the (Al.'s internal) Input/File it (in Al. form) is being interacted with {using product of percentage indicators for (Al.'s internal) A.'s internal (Al.'s internal) i.A.d.s' interaction{ stage}s with (parts of) (Al.'s internal) Input/File (only interaction stages for (Al.'s internal) i.A.d.s that interact with (parts of) (Al.'s internal) Input/File)}".

Interact (Al.{}A.{}):video format Me.:last video format E.:video format with (Al.{}i.A.d.{}):video format Me.:last video format E.:video formats (+) (Al.{}A.{}):video format Me.:last video format E.:video formats { + from clearer levels} that are parts of its internality {using identicality between (parts of) (Al.{}A.{}):video format Me.:last video format E.:video format and (Al.{}i.A.d.{}):video format Me.:last video format E.:video formats (+) (Al.{}A.{}):video format Me.:last video format E.:video formats} and (Al.{}i.A.d.{}):video format Me.:last video format E.:video formats (+) (Al.{}A.{}):video format Me.:last video format E.:video formats that have locations within {part=section=quality of) (Al.{}Input{})s + (part=section=quality of) (Al.{}File{})s that (Al.{}A.{}):video format Me.:last video format E.:video format {(part=section=quality of) (Al.{}Input{})s + (part=section=quality of) (Al.{}File{})s that (Al.{}A.{}):video format Me.:last video format E.:video format E.:video format {(part=section=quality of) (Al.{}Input{})s + (part=section=quality of) (Al.{}File{})s that (Al.{}A.{}):video format Me.:last video format E.:video format is applied to}} +++ (Al.{}File{})s in {part=section=quality of) (Al.{}Input{1}{})s + (part=section=quality of) (Al.{}File{1}{})s ++ (part=section=quality of) (Al.{}Input{2}{})s + (part=section=quality of) (Al.{}File{2}{})s ++ (part=section=quality of) (Al.{}Input{3}{})s + (part=section=quality of) (Al.{}File{3}{})s areas and change all the (Al.{}File{})s that the various interaction{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}A.{}):video format Me.:last video format E.:video format, (Al.{}i.A.d.{}):video format Me.:last video format E.:video formats, (Al.{}A.{}):video format Me.:last video format E.:video formats, and (Al.{}File{})s in (part=section=quality of) (Al.{}Input{1}{})s + (part=section=quality of) (Al.{}File{1}{})s ++ (part=section=quality of) (Al.{}Input{2}{})s + (part=section=quality of) (Al.{}File{2}{})s ++ (part=section=quality of) (Al.{}Input{3}{})s + (part=section=quality of) (Al.{}File{3}{})s areas} ({back to front}) {clear to blurry} {complex to simple}.

45 {I.:video format Me.:last video format E..}

*"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (+++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+) interactions) (goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion) (+++) (Al.{}File{})'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{})'s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{})'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}".

*"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) A. interacting with {having (Al.'s internal) i.A.d./A. as parts of its internality} the (Al.'s internal) i.A.d./A. it (in Al. form) is being interacted with {using product of percentage indicators for (Al.'s internal) A.'s internal (Al.'s internal) i.A.d.s' apply stages x percentage indicator for (Al.'s internal) i.A.d.'s internal apply stage / product of percentage indicators for (Al.'s internal) A.'s internal (Al.'s internal) i.A.d.s' apply stages}" / "set percentage indicator for the probability of (Al.'s internal) A. interacting with {being caused by / causing} the (Al.'s internal) Input/File it (in Al. form) is being interacted with {using product of percentage indicators for (Al.'s internal) A.'s internal (Al.'s internal) i.A.d.s' interaction{ stage}s with (parts of) (Al.'s internal) Input/File (only interaction stages for (Al.'s internal) i.A.d.s that interact with (parts of) (Al.'s internal) Input/File)}".

If E.:video format Me.:last video format E. has no (Al.{}A.{}):video format Me.:last video format E. in it.
in
Me..

then

Change {add placeholder {keeps (Al.{}A.{}):video format Me.:last video format E. identical to (Al.{}A.{}):video format Me.:last-1 video format E. but without applying to / connecting in / interacting in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.} (Al.{}A.{}):video format Me.:last video format E. to} (Al.{}A.{}) in Me..
in
Me..

{clear to blurry} {complex to simple} 1

If 100%-inside-Input-(-+-)-Al.{Input} (Al.{}A.{?}{}):video format Me.:last video format E.:any video format that is identical -> smaller than (Al.{}A.{1}{}):video format Me.:last video format E.:any video formats that don't overlap unless they are mutually inclusive can be put together to make {part=section=quality of) (Al.{}Input{})s + (part=section=quality of) (Al.{}File{})s (Al.{}A.{1}{}):video format Me.:last video format E.:any video format is applied to (and some of the (part=section=quality of) (Al.{}Input{})s (+) (part=section=quality of) (Al.{}File{})s surrounding those (part=section=quality of) (Al.{}Input{})s + (part=section=quality of) (Al.{}File{})s) in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. {ignore (Al.{}A.{?}{}):video format Me.:last video format E.:video formats that are only part of (part=section=quality of) (Al.{}Input{1}{})s (+) (part=section=quality of) (Al.{}File{1}{})s (+) (part=section=quality of) (Al.{}Input{3}{})s (+) (part=section=quality of) (Al.{}File{3}{})s} {ignore (Al.{}Input_section{})s + (Al.{}encapsulating_File{})s}.
in
Me.{:video format Me.:last video format E. {Me. frame}}.

then

Change {Al.{}A.{?}{}} in video formats {add in new (Al.{}Input_section{})s + (Al.{}encapsulating_File{})s ++ reApply**** + reConnect** + reInteract** + run all Create+Change** stages {no making doubles}} + (Al.{}A.{1}{}) in video format {do nothing because they are mutually inclusive and because there is no hunt for the smallest (Al.{}A.{}) in video formats}.
in
Me.:video format Me.:last video format E. {Me. frame}.

{clear to blurry} {complex to simple} 2

*** {Al.{}M.{}}s

Scan I. in frame format + I.:video format Me.:last video format E. ++ E.:video format Me.:last video format E. for {part=section=quality of} (Al.{}Input{})s (+) {part=section=quality of} (Al.{}File{})s (+) (Al.{}Input_section{})s (+) {Al.{}encapsulating_File{}}s that resembles {parts of {if {parts of} proposed {Al.{}i.M.d.{}} in video formats are outside of (Al.{}Input{})}} {Al.{}i.M.d.{}:video format Me.:last video format E.:any video format {latest_version}s - > {Al.{}i.M.d.{}} in video formats that all have the same (Al.{}O.{}) in video format as their (Al.{}Input{1}{}s (+) (Al.{}File{1}{}}s and which match a previous (Al.{}O.{}) in video format + {Al.{}i.M.d.{}} in video formats combination {run this combination through all {Al.{}M.{}}s steps if it has no identical-to-would-be-(Al.{}M.{}) (Al.{}M.{}) applied over it} {larger (Al.{}O.{}) in video format + {Al.{}i.M.d.{}} in video formats combinations over smaller (Al.{}O.{}) in video format + {Al.{}i.M.d.{}} in video formats combinations that are taking up same -> smaller space} and change all the (Al.{}File{})s that the (Al.{}i.M.d.{}) in video formats scan would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.M.d.{}) in video formats} {clear to blurry} {complex to simple} {(Al.{}File{})s with known location {inside-body (Al.{}File{})s etc.} only}.

9

Scan I.:video format Me.:last video format E. + E.:video format Me.:last video format E. for {part=section=quality of} (Al.{}Input{})s (+) {part=section=quality of} (Al.{}File{})s (+) (Al.{}Input_section{})s (+) {Al.{}encapsulating_File{}}s that resembles {parts of {if {parts of} proposed {Al.{}i.M.d.{}} in video formats are outside of (Al.{}Input{})}} {Al.{}i.M.d.{}:video format Me.:last video format E.:any video format {latest_version}s - > {Al.{}i.M.d.{}} in video formats that all have the same (Al.{}O.{}) in video format as their (Al.{}Input{1}{}s (+) (Al.{}File{1}{}}s and which match a previous (Al.{}O.{}) in video format + {Al.{}i.M.d.{}} in video formats combination {run this combination through all {Al.{}M.{}}s steps if it has no identical-to-would-be-(Al.{}M.{}) (Al.{}M.{}) applied over it} {larger (Al.{}O.{}) in video format + {Al.{}i.M.d.{}} in video formats combinations over smaller (Al.{}O.{}) in video format + {Al.{}i.M.d.{}} in video formats combinations that are taking up same -> smaller space} and change all the (Al.{}File{})s that the (Al.{}i.M.d.{}) in video formats scan would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.M.d.{}) in video formats} {back to front} {clear to blurry} {complex to simple}.

25

*"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ interactions (+ interactions)) (goto=use (Al.{}File{})) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion} (+++) (Al.{}File{})'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{})'s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{})'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}".

*"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.M.d.s happening in the {part=section=quality of} (Al.'s internal) Inputs (+) {part=section=quality of} (Al.'s internal) Files (+) (Al.'s internal) Input_sections (+) (Al.'s internal) encapsulating_Files they/it (in Al. form) are/is going to be applied to {using product of percentage indicators for (Al.'s internal) i.M.d.s' apply stages} {if % of happening is <100% then i.M.d.s becomes Al.{i.M.d.}s (+ i.M.d.s)}".

Apply (Al.{i.M.d.{}} in video formats to I. in frame format + I.:video format Me.:last video format E. ++ E.:video format Me.:last video format E. {brings I. in frame format with them} and change all the (Al.{}File{})s that the (Al.{i.M.d.{}} in video formats application{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{i.M.d.{}} in video formats} {clear to blurry} {complex to simple} {(Al.{}File{})s with known location {inside-body (Al.{}File{})s etc.} only}.

16

Apply (Al.{i.M.d.{}} in video formats to I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. and change all the (Al.{}File{})s that the (Al.{i.M.d.{}} in video formats application{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{i.M.d.{}} in video formats} {back to front} {clear to blurry} {complex to simple}.

32

*"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ interactions (+ interactions)) (goto=use (Al.{}File{})) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion} (+++) (Al.{}File{})'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{})'s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{})'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}".

*"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.M.d.s happening in the {part=section=quality of} (Al.'s internal) Inputs (+) {part=section=quality of} (Al.'s internal) Files (+) (Al.'s internal) Input_sections (+) (Al.'s internal) encapsulating_Files they/it (in Al. form) are/is going to be applied to {using product of percentage indicators for (Al.'s internal) i.M.d.s' apply stages} {if % of happening is <100% then i.M.d.s becomes Al.{i.M.d.}s (+ i.M.d.s)}".

Connect (Al.{}i.M.d.{}) in video formats to (Al.{}i.M.d.{}) in video format E. + video format Me.s {using (Al.{}i.M.d.{})s + percentage indicators from (Al.{}i.M.d.{}) connect stages} {i.M.d. takes over Al.{i.M.d.}} +++ connect (Al.{}i.M.d.{}):video format Me.:last video format E.:video formats in (Al.{}M.{}) in video formats {discard M.s(' internal i.M.d.s)} {based on repeated all-have-the-same-(Al.{}O.{})-in-video-format-as-their-{part=section=quality of} (Al.{}Input{1}{})s-(-+-)-{part=section=quality of} (Al.{}File{1}{})s groups found in scan stage} {add (Al.{}U.{})s in (unwitnessed (+) unperceived areas of) (Al.{}i.M.d.{}):video format Me.:last video format E.:video format group becoming (Al.{}M.{}) in video format {percentage indicators of (Al.{}U.{})s = percentage indicator of their host (Al.'s internal) M. in video format}} +++ connect (Al.{}i.M.d.{}) in video formats to (Al.{}M.{}) in video format E.s {as all appearances} {based on (Al.{}M.{}) in video formats= internal (Al.{}i.M.d.{}):video format Me.:last video format E.:video formats + (Al.{}M.{}) in video format E.s' internal (Al.{}i.M.d.{}):video format Me.:last video format E.:video formats' connections to each other ++ (Al.{}M.{}) in video formats' + (Al.{}M.{}) in video format E.s' identicalities to each other {M. takes over Al.{M.}} +++ connect (Al.{}M.{}) in video format E.s to (Al.{}M.{}) in video format Me.s {based on identicality of {part=section=quality of} (Al.{}Input{})s that (parts of) (Al.{}M.{}) in video format E. and (parts of) (Al.{}M.{}):video format Me.:last-1 video format E. are applied to (if (Al.{}M.{}) in video format E. {1 + 2 + etc.} / (Al.{}M.{}) in video format Me. {1 + 2 + etc.} all quality to be connected to (Al.{}M.{}) in video format Me. / (Al.{}M.{}) in video format E., create copy of (Al.{}M.{}) in video format Me. / (Al.{}M.{}) in video format E. for each (Al.{}M.{}) in video format E. / (Al.{}M.{}) in video format Me. and connect them}} {M. takes over Al.{M.}} and change all the (Al.{}File{})s that the various connection{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.M.d.{}):video format Me.:last video format E.:video formats. {Al.{}M.{}):video format Me.:last video format E.:video formats. {Al.{}M.{}):video format Me.:last video format E.:video formats. {Al.{}M

(Al.{}T.{})s	Scan I. in frame format + I.:video format Me.:last video format E. ++ E.:video format Me.:last video format E. for {part=section=quality of} (Al.{}Input{})s (+) {part=section=quality of} (Al.{}File{})s (+) (Al.{}Input_section{})s (+) (Al.{}encapsulating_File{})s that resembles {parts of {if (parts of) proposed (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats are outside of (Al.{}Input{})) (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}):video format Me.:last video format E.{any video format}(:any frame format) {latest version}s -> (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats that have known location based off each other {you can find the location of b/a given only the location of a/b {without teleportation or invisibility devices ***}} and change all the (Al.{}File{})s that the (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats scan would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats} {clear to blurry} {complex to simple} {(Al.{}File{})s with known location {inside-body (Al.{}File{})s etc.} only}. 10 Scan I.:video format Me.:last video format E. + E.:video format Me.:last video format E. for {part=section=quality of} (Al.{}Input{})s (+) {part=section=quality of} (Al.{}File{})s (+) (Al.{}Input_section{})s (+) (Al.{}encapsulating_File{})s that resembles {parts of {if (parts of) proposed (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats are outside of (Al.{}Input{})) (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}):video format Me.:last video format E.{any video format}(:any frame format) {latest version}s -> (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats that have known location based off each other {you can find the location of b/a given only the location of a/b {without teleportation or invisibility devices ***}} and change all the (Al.{}File{})s that the (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats scan would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats} {back to front} {clear to blurry} {complex to simple}. 26 *"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+ interactions)) {goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion} (+++) (Al.{}File{})'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{})'s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{})'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M.:s happening in the {part=section=quality of} (Al.'s internal) Inputs (+) {part=section=quality of} (Al.'s internal) Files (+) (Al.'s internal) Input_sections (+) (Al.'s internal) encapsulating_Files they/it (in Al. form) are/is going to be applied to {using product of percentage indicators for (Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M.s' apply stages} {if % of happening is <100% then i.O.d./i.A.d./i.M.d./O./A./M.s becomes Al. {i.O.d./i.A.d./i.M.d./O./A./M.}s (+ i.O.d./i.A.d./i.M.d./O./A./M.s)}".	Apply (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats to I. in frame format + I.:video format Me.:last video format E. ++ E.:video format Me.:last video format E. {brings I. in frame format with them} and change all the (Al.{}File{})s that the (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats application{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats} {clear to blurry} {complex to simple} {(Al.{}File{})s with known location {inside-body (Al.{}File{})s etc.} only}. 17 Apply (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats to I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E. and change all the (Al.{}File{})s that the (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats application{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats} {back to front} {clear to blurry} {complex to simple}. 33 *"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+ interactions)) {goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion} (+++) (Al.{}File{})'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{})'s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{})'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M.:s happening in the {part=section=quality of} (Al.'s internal) Inputs (+) {part=section=quality of} (Al.'s internal) Files (+) (Al.'s internal) Input_sections (+) (Al.'s internal) encapsulating_Files they/it (in Al. form) are/is applied to {using product of percentage indicators for (Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M.s' apply stages} {if % of happening is <100% then i.O.d./i.A.d./i.M.d./O./A./M.s becomes Al. {i.O.d./i.A.d./i.M.d./O./A./M.}s (+ i.O.d./i.A.d./i.M.d./O./A./M.s)}".	Connect (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in frame/video formats to (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) in video format + video format E. + video format Me.'s {using (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{})s + percentage indicators from (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}) connect stages} {(Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{})s take over (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{})s} +++ connect (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{})video format Me.:{parts of} last video format E.s in (Al.{}T.{}) in video formats {discard T.s{' internal i.O.d.s (+) i.A.d.s (+) i.M.d.s (+) O.s (+) A.s (+) M.s}} {based on smallest {most "fractured"} known-location-based-off-each-other-{you-can-find-the-location-of-b/a-given-only-the-location-of-a/b-{without-teleportation-or-invisibility-devices-***}} groups betwixt all (emphasis on ALL!) (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{})video format Me.:last video format E.s {all appearances}} {add (Al.{U.{}}s in (unwitnessed (+) unperceived areas of) (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{})video format Me.:{parts of} last video format E. group becoming (Al.{}T.{}) in video format {percentage indicators of (Al.{U.{}}s = percentage indicator of their host (Al.'s internal) T. in video format}} {fracture (Al.{}File{})s in multiple (Al.{}T.{}) in video formats but add connections to keep them as single uninterrupted (Al.{}File{})s} +++ N/A (Al.{}T.{}) in video format E.s {as single appearances (>1 appearance is impossible for any T. {(Al.{}T.{}) in video format = (Al.{}T.{}) in video format E.}} {place in separate video-format holder (Al.{}File{})s {except for connections for inbetween-multiple-(Al.{}T.{})-in-video-format-E.s (Al.{}File{})s}} +++ connect (Al.{}T.{}) in video format E.s to (Al.{}T.{}) in video format Me.s {based on identicality of (part=section=quality of) (Al.{}Input{})s that (parts of) (Al.{}T.{}) in video format E. and (parts of) (Al.{}T.{}):video format Me.:last-1 video format E. are applied to {if (Al.{}T.{}) in video format E. {1 + 2 + etc.} / (Al.{}T.{}) in video format Me. {1 + 2 + etc.} all quality to be connected to (Al.{}T.{}) in video format Me. / (Al.{}T.{}) in video format E., create copy of (Al.{}T.{}) in video format Me. / (Al.{}T.{}) in video format E. for each (Al.{}T.{}) in video format E. / (Al.{}T.{}) in video format Me. and connect them}} {T. takes over Al.{T.}} and change all the (Al.{}File{})s that the various connection{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}):video format Me.:{parts of} last video format E.s, (Al.{}T.{}):video format Me.:last video format E.:video formats / (Al.{}T.{}):video format Me.:last video format E.s, and (Al.{}T.{}):video format Me.s} {back to front}} {clear to blurry} {complex to simple}. 40 {l..:video format Me.:last video format E..} *"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+ interactions)) {goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion} (+++) (Al.{}File{})'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{})'s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{})'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of (parts of) (Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M.:s connecting to each other in (Al.'s internal) T. {using product of percentage indicators for (parts of) (Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M.:s' apply stages {ones that are present during the connection}} {video formats (Al.{T.{}}s)}" / "set percentage indicator for the probability of (Al.'s internal) T. connecting to the (Al.'s internal) T. it (in Al. form) is being connected to {using product of percentage indicators for (Al.'s internal) T.'s internal {(Al.'s internal) T.s' internal (parts of) (Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M.s' internal} apply stages} {video format Me.}".	Interact (Al.{}T.{}):video format Me.:last video format {E.} with (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}):video format Me.:{parts of} last video format E.s (+) (Al.{T.{}}:video format Me.:last video format E.)s {+ from clearer levels} that are parts of its internality {using identicality between (parts of) (Al.{}T.{}):video format Me.:last video format {E.} and (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}):video format Me.:{parts of} last video format E.s (+) (Al.{T.{}}:video format Me.:last video format {E.)s that have locations within (part=section=quality of) (Al.{}Input{})s + (part=section=quality of) (Al.{}File{})s that is (Al.{}T.{}):video format Me.:last video format {E.} {(part=section=quality of) (Al.{}Input{})s + (part=section=quality of) (Al.{}File{})s that (Al.{}T.{}):video format Me.:last video format {E.} is applied to}} and change all the (Al.{}File{})s that the various interaction{ creation}s would affect* and calculate percentage indicator*s for all (Al.{}File{})s involved {(Al.{}T.{}):video format Me.:last video format {E.}, (Al.{}i.O.d./i.A.d./i.M.d./O./A./M.{}):video format Me.:{parts of} last video format E.s, and (Al.{}T.{}):video format Me.:last video format {E.}s} {(back to front)} {clear to blurry} {complex to simple}. 47 {l..:video format Me.:last video format E..} *"change all the (Al.{}File{})s that the (Al.{}File{}) application/connection/interaction creation/change/deletion would affect" = "and change (+ delete) all the (Al.{}File{})s {their applications (+) connections (+) interactions (+) percentage indicators { -> internal (Al.{}File{})s} that hinge on the previous setup} that the (Al.{}File{}) application creation/change/deletion {changes (+ deletes) other (Al.{}File{})s' apply percentage indicators (+ applications) (->) other-other (Al.{}File{})s' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' other presences' apply percentage indicators (+ applications) {loop} (++) other (Al.{}File{})s' connect (+) interact percentage indicators (+ connections (+ interactions)) {goto=use (Al.{}File{}) connection creation/change/deletion (+) (Al.{}File{}) interaction creation/change/deletion} (+++) (Al.{}File{})'s other presences' apply percentage indicators (+ applications) {loop}} / connection creation/change/deletion {changes (+ deletes) encapsulating (Al.{}File{})'s internal (Al.{}File{})s (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' connection percentage indicators (+ connections) (->) remaining encapsulating (Al.{}File{})'s internal (Al.{}File{})s' other presences' connection percentage indicators (+ connections) {loop} (+) (Al.{}File{})'s other presences' connection percentage indicators (+ connections) {loop}} / interaction creation/change/deletion {changes other (Al.{}File{})s' interaction percentage indicators (+ interactions) (->) other (Al.{}File{})s' other presences' interaction percentage indicators (+ interactions) {loop} (+) (Al.{}File{})'s other presences' interaction percentage indicators (+ interactions) {loop}} would affect {loop + repeat for=on all affected (Al.{}File{})s until no more changes to E. are being made {no making doubles}}". *"calculate percentage indicator" = "set percentage indicator for the probability of (Al.'s internal) T. interacted with (having (Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M./.'T. as parts of its internality} the (Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M./.'T. it (in Al. form) is being interacted with {using product of percentage indicators for (Al.'s internal) T.'s internal {(Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M.s' internal ((Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M.s' internal}} apply stages {ones that are present during the interaction} x product of percentage indicators for (Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M./.'T.'s internal {(Al.'s internal) i.O.d./i.A.d./i.M.d./O./A./M.s' internal ((Al.'s internal) i.O.d./i.A.d./i.M.d.s' internal}} apply stages {ones that are present during the interaction}}".	If E.:video format Me.:last video format E. has no (Al.{}T.{}):video format Me.:last video format E. in it. in Me.. then Change {add placeholder {keeps (Al.{}T.{}):video format Me.:last video format E. identical to (Al.{}T.{}):video format Me.:last-1 video format E. but without applying to / connecting in / interacting in I.:video format Me.:last video format E. (+) E.:video format Me.:last video format E.} (Al.{}T.{}):video format Me.:last video format E. to} (Al.{}T.{}) in Me.. in Me.. {clear to blurry} {complex to simple} 1 _____ If new r.S.I.p. is received and Me. has new Me:last/latest video format E.. in Thinking Program. then Apply T. containing r.S.I.p. to Me:last/latest video format E.. in Me.. 3

E.s				Interact E.:video format Me.:last video format E. with (Al.{}T.{}):video format Me.:last video format {E.}s (+) connections for inbetween-multiple-(Al.{}T.{}):video-format-Me.:last-video-format-{E.}s (Al.{}File{})s (+ from clearer levels} that are parts of its internality {using identicality between {parts of} E.:video format Me.:last video format E. and (Al.{}T.{}):video format Me.:last video format {E.}s (+) connections for inbetween-multiple-(Al.{}T.{}):video-format-Me.:last-video-format-{E.}s (Al.{}File{})s that have locations within (part=section=quality of) (Al.{}Input{})s + (part=section=quality of) (Al.{}File{})s that is E.:video format Me.:last video format E. {(part=section=quality of) (Al.{}Input{})s + (part=section=quality of) (Al.{}File{})s that is applied to E.:video format Me.:last video format E.}} {(back to front)} {clear to blurry} {complex to simple}. 48 {I.:video format Me.:last video format E..}	
Me.					If new r.S.I.p. is received. in Thinking Program. then Save Me. {and all internal (Al.{}File{})s} to memory drive, create new E. {Me. frame} {copy of Me:last/latest video format E.} and connect it to Me. {becomes new Me:last/latest video format E.}. in File Studio {holds Me.}. 2

Back to front: stage is used starting at new I.:video format Me.:last video format E.:frame format { + E.:video format Me.:last video format E.:new I.:video format Me.:last video format E.:frame format location} and is continually used until it reaches the endings {based on position of appliance {time direction} of (Al.{}File{})s being applied+connected+interacted} of the possibility branches in I.:video format Me.:last video format E. + E.:video format Me.:last video format E. ++ of I.:video format Me.:last video format E..

Clear to blurry: stage is used starting at smallest senses + current Knowledge=Experience level in I.:video format Me.:last video format E.:current frame using back to front + E.:video format Me.:last video format E.:current frame using back to front and is continually used until it reaches the largest senses + current Knowledge=Experience level in I.:video format Me.:last video format E.:current frame using back to front + E.:video format Me.:last video format E.:current frame using back to front.

Complex to Simple: stage is used starting at alterations (+) creations in any of (Al.{}File{})'s qualities=details or presences on (+) in some (Al.{}File{})s means interaction with A.-type (Al.{}File{})s and is continually used until it reaches alterations (+) creations in none of (Al.{}File{})'s qualities=details or presences on (+) in some (Al.{}File{})s means interaction with A.-type (Al.{}File{})s.

I. has default of having apply percentage indicator of 100% {true until possibility branch possibilities allow it not to be}.

(Al.{}File{})s can be applied backwards and sideways in time.

Mutually inclusive = both (Al.{}File{})s can be applied to where they want to be applied to and have at least one possibility branch combination {all (Al.{}File{})s that exist before, during, and after (Al.{}File{}) that never require different (part/section/quality of) (Al.{}Input{})s (+) (Al.{}Input_section{})s (+) (part/section/quality of) (Al.{}File{})s (+) (Al.{}encapsulating_File{})s at any point {if such a mixup should happen, delete one of the differing (Al.{}File{})s and all of the (Al.{}File{})s that precede it up until a fork point in the possibility branch=tree=web {no double=repeated deletions}}} for each (Al.{}File{}) never require different (part/section/quality of) (Al.{}Input{})s (+) (Al.{}Input_section{})s (+) (part/section/quality of) (Al.{}File{})s (+) (Al.{}encapsulating_File{})s at any point {all possibility branches include (Al.{}File{})s}.

Mutually exclusive = both (Al.{}File{})s can be applied to where they want to be applied to but only by all of their possibility branch combinations {{all (Al.{}File{})s that exist before, during, and after (Al.{}File{}) that never require different (part/section/quality of) (Al.{}Input{})s (+) (Al.{}Input_section{})s (+) (part/section/quality of) (Al.{}File{})s (+) (Al.{}encapsulating_File{})s at any point {if such a mixup should happen, delete one of the differing (Al.{}File{})s and all of the (Al.{}File{})s that precede it up until a fork point in the possibility branch=tree=web {no double=repeated deletions}}}s} requiring different (part/section/quality of) (Al.{}Input{})s (+) (Al.{}Input_section{})s (+) (part/section/quality of) (Al.{}File{})s (+) (Al.{}encapsulating_File{})s at any point {all possibility branches include (Al.{}File{})s}.

(Al.{}Input{}) = single (Al.{}Input{}) blob.
(Al.{}Input{})s = multiple (Al.{}Input{}) blobs.

Files (+) Al.{File}s = Al.{File}. Building larger File.
Files (+) Al.{File}s = File. Connecting to File in E. + Me..

There is only one Me.. There is only one E. chain. There is only one I. chain. There is only one I. {frame} chain per E.. All Me.s, E. chains, and I. chains merge. All I. {frame} chains merge per E..

i.O.d.s stay separate. O.s combine {they have their own i.O.d.s}.

i._.d.s:
i._.d.s update themselves so they are the same + most current for all of E.{1}. Export their current state to E.{2}. E.{2}'s changes to i._.d.s only affect i._.d.s in and after E.{2}. i._.d.s get currenter over Me..

O. types:
_.s update themselves so they are the same for E. frame{1}. Export their current state to E. frame{2}. E. frame{2}'s changes to _.s only affect _.s in and after E. frame{2}. _.s get currenter over E.{1}. Repeat cycle for E.{2} {no exporting of current state etc.}.

A. types:
_.s update themselves so they are the same for all of E.{1}. Repeat cycle for E.{2} {no exporting of current state etc.}.

No E. or Al.{E.} sections. No Al.{E.}s. E.s are a constant {each senses import = new E.}. E.s are holder files not action/etc. files. They are only used as frames of Me.. This applies to all Thinking Program stages.