

PinPoint API Endpoint Specification

1. Public & Contact Form Endpoints

Submit Public Contact Inquiry

POST /api/v1/public/contact

Allows prospective clients visiting the landing page to submit contact or demo inquiry forms.

Request Body

```
{
  "fullName": "string",
  "businessName": "string",
  "email": "string",
  "industry": "string",
  "message": "string"
}
```

2. Authentication & User Profile Endpoints

User Login

POST /api/v1/auth/login

Authenticates an admin or system user and returns a session/access token.

Request Body

```
{
  "email": "string",
  "password": "string"
}
```

Get User Profile & Billing

GET /api/v1/user/profile

Retrieves the currently authenticated user's profile details, account settings, and active subscription plan.

Headers

Authorization: Bearer <token>

Update User Profile

PUT /api/v1/user/profile

Updates the authenticated user's account information.

Request Body

```
{
  "name": "string",
  "email": "string"
}
```

3. Lead Intelligence Management Endpoints

Fetch All Leads

GET /api/v1/leads

Retrieves intercepted travel leads from the database. Supports searching, filtering, and pagination.

Query Parameters

- **search** — Search term
- **scoreFilter** — Hot, Warm, or Cool
- **status** — New, Contacted, Pending, Later, or Ignored
- **page** — Page number
- **limit** — Number of records per page

Manually Generate / Intercept Lead

POST /api/v1/leads

Creates a new lead manually or simulates an AI social-listener interception.

Request Body

```
{
  "details": "string",
  "destination": "string",
  "travelType": "string",
  "budget": "number",
  "source": "string"
}
```

Get Lead Details

GET /api/v1/leads/:id

Retrieves detailed intelligence for a specific lead, including AI intent reasoning and lead summary.

URL Parameter

- **id** — Lead ID

Update Lead Status

PATCH /api/v1/leads/:id/status

Updates the operational status of a lead within the workflow.

Request Body

```
{
  "status": "New"
}
```

Allowed Values

New
Contacted
Pending
Later
Ignored

Toggle Lead Star Flag

POST `/api/v1/leads/:id/star`

Toggles the starred/flagged status of a lead for quick access.

URL Parameter

- `id` — Lead ID

Archive / Delete Lead

DELETE `/api/v1/leads/:id`

Archives or permanently removes a lead from the active lead buffer.

URL Parameter

- `id` — Lead ID

Export Filtered Leads to CSV

GET `/api/v1/leads/export`

Generates and downloads a CSV file containing leads that match the specified filters.

Query Parameters

Supports the same filters as:

GET `/api/v1/leads`

4. Notifications & Action Queue Endpoints

Fetch Notifications

GET `/api/v1/notifications`

Retrieves scheduled follow-up notifications and action alerts for the dashboard.

Query Parameters

- `status` — Pending or Later

Delete Notification

DELETE /api/v1/notifications/:id

Removes a specific notification from the action queue.

URL Parameter

- **id** — Notification ID

Bulk Clear Notifications

DELETE /api/v1/notifications

Clears notification items belonging to a specified category or status.

Query Parameters

- **status** — Pending or Later
-

5. Dashboard & Analytics Endpoints

Get Dashboard Summary Metrics

GET /api/v1/analytics/dashboard

Retrieves high-level performance metrics for the dashboard.

Metrics Include

- Total Leads
- High-Intent Lead Count
- Average Intent Score
- Conversion Rate

Parameters

None.

Get Analytics Breakdown

GET /api/v1/analytics/breakdown

Retrieves detailed analytics, including lead distribution by platform, top destinations, lead-volume trends, and travel-type ratios.

Query Parameters

- `timeframe` — 7d, 30d, or all
-

6. AI Listener & System Settings Endpoints

Get Listener Configuration

GET `/api/v1/settings`

Retrieves the current AI listener and platform configuration.

Configuration Includes

- Monitored keywords
- Target destinations
- Active social platforms
- AI scoring rules

Parameters

None.

Update Monitored Keywords

PUT `/api/v1/settings/keywords`

Updates the keywords used by the AI social listener to identify potential travel leads.

Request Body

```
{
  "keywords": [
    "string",
    "string"
  ]
}
```

Toggle Social Sources

PUT /api/v1/settings/sources

Enables or disables individual social media and travel-platform sources monitored by the AI listener.

Request Body

```
{
  "sources": [
    {
      "id": "string",
      "enabled": true
    }
  ]
}
```

Example Sources

Reddit
TripAdvisor
Twitter
Instagram

Adjust AI Scoring Rules

PUT /api/v1/settings/scoring-rules

Configures the criteria, weights, and descriptions used to calculate AI-based lead intent scores.

Request Body

```
{
  "scoringRules": [
    {
      "id": "string",
      "criterion": "string",
      "weight": 0,
      "description": "string"
    }
  ]
}
```

