

CNStream Docker Images

Build docker images for [CNStream](#).

Directory tree

```
.
├── build-cnstream-image.sh
├── Dockerfile.16.04
├── load-image-cnstream.sh
├── rm-all-docker-container.sh
└── run-container-cnstream.sh
```

Clone

```
git clone https://github.com/CambriconKnight/cnstream-docker-image.git
```

```
cam@cam-3630:/data/github$ git clone https://github.com/CambriconKnight/cnstream-docker-
Cloning into 'cnstream-docker-image'...
remote: Enumerating objects: 14, done.
remote: Counting objects: 100% (14/14), done.
remote: Compressing objects: 100% (12/12), done.
remote: Total 14 (delta 3), reused 13 (delta 2), pack-reused 0
Unpacking objects: 100% (14/14), done.
Checking connectivity... done.
cam@cam-3630:/data/github$ cd cnstream-docker-image
cam@cam-3630:/data/github/cnstream-docker-image$ ls
build-cnstream-image.sh  Dockerfile.16.04  load-image-cnstream.sh  README.md  rm-all-doc
cam@cam-3630:/data/github/cnstream-docker-image$
```

Build

```
./build-cnstream-image.sh
```

```

cam@cam-3630:/data/github/cnstream-docker-image$ ./build-cnstream-image.sh
Cloning into 'cnstream'...
remote: Enumerating objects: 1005, done.
remote: Counting objects: 100% (1005/1005), done.
remote: Compressing objects: 100% (684/684), done.
remote: Total 5920 (delta 422), reused 710 (delta 292), pack-reused 4915
Receiving objects: 100% (5920/5920), 192.19 MiB | 3.02 MiB/s, done.
Resolving deltas: 100% (3113/3113), done.
Checking connectivity... done.
File(neuware-mlu270-1.5.0-1_Ubuntu16.04_amd64.deb): Not exist!
Copy your neuware package(neuware-mlu270-1.5.0-1_Ubuntu16.04_amd64.deb) into the directory
eg:cp -v /data/ftp/v1.5.0/neuware/neuware-mlu270-1.5.0-1_Ubuntu16.04_amd64.deb ./cnstream/
cam@cam-3630:/data/github/cnstream-docker-image$ cp -v /data/ftp/v1.5.0/neuware/neuware-
'/data/ftp/v1.5.0/neuware/neuware-mlu270-1.5.0-1_Ubuntu16.04_amd64.deb' -> './cnstream/r
cam@cam-3630:/data/github/cnstream-docker-image$ ./build-cnstream-image.sh
Directory(cnstream): Exists!
File(neuware-mlu270-1.5.0-1_Ubuntu16.04_amd64.deb): Exists!
===== build image =====
Sending build context to Docker daemon 159.3MB
Step 1/11 : FROM ubuntu:16.04
--> c522ac0d6194
.....
.....
.....
Step 11/11 : WORKDIR /root/CNStream/samples/demo
--> Running in 3d594d45f6b8
Removing intermediate container 3d594d45f6b8
--> 080fdb4ca3c3
Successfully built 080fdb4ca3c3
Successfully tagged ubuntu16.04_cnstream:v1.5.0
===== save image =====
-rw----- 1 cam cam 1351632896 12月 15 22:03 ubuntu16.04_cnstream-v1.5.0.tar.gz
cam@cam-3630:/data/github/cnstream-docker-image$

```

Load

```

#加载Docker镜像
./load-image-cnstream.sh

```

Run

```


#启动Docker容器
./run-container-cnstream.sh

```

Test

```
#硬件平台：MLU270、MLU220-M.2
#软件环境：Docker (ubuntu16.04_cnstream-v1.5.0.tar.gz)
#运行实例：基于CNStream的YOLOv3测试Demo
#业务流程：读取视频文件 --> MLU硬件解码 --> MLU硬件推理 --> 叠加OSD信息 --> RTSP推流输出
#离线模型：http://video.cambricon.com/models/MLU270/yolov3/yolov3\_offline\_u4\_v1.3.0.cambr
#启动脚本：/root/CNStream/samples/demo/detection/mlu270/run_yolov3_mlu270.sh
#           /root/CNStream/samples/demo/detection/mlu220/run_yolov3_mlu220.sh
#配置文件：/root/CNStream/samples/demo/detection/mlu270/yolov3_mlu270_config.json
#           /root/CNStream/samples/demo/detection/mlu220/yolov3_mlu220_config.json
#推流地址：执行run_yolov3_mlu270.sh后，会把RTSP推流地址写入到本地文件RTSP_url_names.txt中。
#           /root/CNStream/samples/demo/detection/mlu270/RTSP_url_names.txt
```

推理结果摘选：



```

root@cam-3630:~# cd /root/CNStream/samples/demo/detection/mlu270/
root@cam-3630:~/CNStream/samples/demo/detection/mlu270# ./run_yolov3_mlu270.sh
--2020-12-15 14:24:42-- http://video.cambricon.com/models/MLU270/yolov3/yolov3_offline_
Resolving video.cambricon.com (video.cambricon.com)... 182.92.212.157
Connecting to video.cambricon.com (video.cambricon.com)|182.92.212.157|:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 98652692 (94M) [text/plain]
Saving to: 'yolov3_offline_u4_v1.3.0.cambricon'
yolov3_offline_u4_v1.3.0.cambricon 100%[=====
2020-12-15 14:25:28 (2.07 MB/s) - 'yolov3_offline_u4_v1.3.0.cambricon' saved [98652692/9
--2020-12-15 14:25:28-- http://video.cambricon.com/models/MLU270/yolov3/label_map_coco.
.....
.....
.....
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
===== [ osd Performance ] =====
[stream id] stream_0 -- [latency] avg: 4.3ms, min: 0.9ms, max: 33.6ms, [frame c
[stream id] stream_1 -- [latency] avg: 4.5ms, min: 0.7ms, max: 29.7ms, [frame c
-----
Throughput over the last 2s
Total : -- [frame count]: 16, [processing time(s)]: 0.038891, [fps]: 411.5
-----
Average throughput over the process
Total : -- [frame count]: 3568, [processing time(s)]: 7.968857, [fps]: 447.8
===== [ Pipeline Performance ] =====
End node of pipeline: rtsp_sink
[stream id] stream_0 -- [latency] avg: 271.8ms, min: 84.1ms, max: 510.7ms, [frame c
[stream id] stream_1 -- [latency] avg: 271.1ms, min: 82.1ms, max: 527.8ms, [frame c
-----
Throughput over the last 2s
[stream id] stream_0 -- [frame count]: 9, [processing time(s)]: 0.246877, [fps]: 36
[stream id] stream_1 -- [frame count]: 7, [processing time(s)]: 0.289882, [fps]: 24
(* Note: Performance info of pipeline is slightly delayed compared to that of each strea
Pipeline : -- [frame count]: 17, [processing time(s)]: 0.289882, [fps]: 58.7
-----
Average throughput over the process
[stream id] stream_0 -- [frame count]: 1784, [processing time(s)]: 59.782535, [fps]:
[stream id] stream_1 -- [frame count]: 1784, [processing time(s)]: 59.804728, [fps]:
(* Note: Performance info of pipeline is slightly delayed compared to that of each strea
Pipeline : -- [frame count]: 3568, [processing time(s)]: 59.813077, [fps]: 59.7
Total : 59.700000
CNSTREAM CORE I1215 14:26:30.512209 27883] [MyPipeline] Stop
WARNING: Logging before InitCNStreamLogging() iswritten to STDERR
CNSTREAM CORE I1215 14:26:30.512708 27887] [MyPipeline] stop updating stream message
I1215 14:26:30.513303 27883 mlu_context.cpp:82] Cambricon runtime destroy
root@cam-3630:~/CNStream/samples/demo/detection/mlu270#

```