Phenomenology of Particle Physics Errata (7/4/23)

1. **p. 4**: Eq. (1.2) The electron-volt is defined as the amount of energy gained by a single electron when it moves through an electric potential difference of one volt, hence one should read:

$$1 \text{ GeV} = 10^9 \ e \ (1 \text{ V}) = 1.602176634 \times 10^{-10} \text{ J} \text{ (exact)}$$
 (1)

2. p. 14: Eq. (1.30), one should read:

$$m = 1 \text{ GeV/c}^2 = \frac{10^9 \text{ eV}}{c^2 \frac{\text{m}^2}{c^2}} = \dots$$
 (2)

3. p. 298: Eq. (9.197), one should read:

4. p. 301: Ex. 9.2, point c, one should read:

(c)
$$\pi^+\pi^- \to \pi^0\pi^0$$
 and $\pi^0\pi^0 \to \pi^+\pi^-$

5. p. 389: Eq. (11.295), one should read:

$$\frac{ie^2}{g^2}\bar{v}(p')\gamma_{\mu}(k_{-}-k_{+})^{\mu}u(p) \tag{4}$$

where $q^{\mu} = k_{-} + k_{+}$.

6. p. 436: Ex 13.1, Eq. (13.44) should read:

$$\frac{1}{2} \sum_{\text{spin s}} \mathcal{M} \mathcal{M}^* = \frac{1}{2} \left(\frac{e\lambda}{4m_{\ell^*}} \right)^2 q_{\mu} q_{\alpha} \epsilon_{\nu}^* \epsilon_{\beta} \operatorname{Tr} \left[p_2 (\gamma^{\mu} \gamma^{\nu} - \gamma^{\nu} \gamma^{\mu}) (1 - \gamma^5) p_1 (1 + \gamma^5) \left(\gamma^{\beta} \gamma^{\alpha} - \gamma^{\alpha} \gamma^{\beta} \right) \right]$$
(5)

7. p. 437: Ex 13.1, Eq. (13.46) should read:

$$d\Gamma = \frac{1}{8m_{\ell^*}} \frac{1}{(2\pi)^2} \left(\frac{e\lambda}{4m_{\ell^*}} \right)^2 \left[32(m_{\ell^*}^3 E_2 - m_{\ell^*}^2 E_2^2) \right] \frac{p_2^2 dp_2 d\Omega d^3 \vec{k}}{\omega E_2} \delta(m_{\ell^*} - E_2 - \omega) \delta^3(-\vec{p_2} - \vec{k})$$
 (6)

- 8. p. 444: In point 3, one should read "magnetron frequency" instead of "magneton frequency".
- 9. **p. 463**: Eq. (14.123) should read $\vec{E}(x,y,z) = -\frac{V_0}{r_0^2}(x,y,-2z)$ instead of $\vec{E}(x,y,z) = \frac{V_0}{r_0^2}(x,y,-2z)$.
- 10. p. 463: Accordingly, Eq. (14.124) should also have a minus sign in front of the first term:

$$\begin{pmatrix} \ddot{x} \\ \ddot{y} \\ \ddot{z} \end{pmatrix} = -\frac{eV_0}{mr_0^2} \begin{pmatrix} x \\ y \\ -2z \end{pmatrix} + \omega_0 \begin{pmatrix} \dot{y} \\ -\dot{x} \\ 0 \end{pmatrix}$$
 (7)

11. **p. 502**: Eq. (16.28) should have absolute values.

$$|F_S(\vec{q}^2)| = \left| \frac{3}{qa^3} \int_0^a dr r \sin(qr) \right| = \left| \frac{3}{qa^3} \left[\frac{r \cos qr}{q} \right|_0^a - \int_0^a \frac{\cos qr}{q} dr \right] \right|$$

$$= \frac{3}{qa^3} \left| \frac{a \cos qa}{q} - \frac{\sin qa}{q^2} \right| = \left| \frac{3 \cos qa}{(qa)^3} \left[qa - \tan qa \right] \right|$$
(8)

- 12. **p. 529**: Bottom of the page. "Such discrimination is not possible...". The end of the sentence should read $I_3 = Y = 0$ instead of I = Y = 0.
- 13. **p. 540**: Eq. (17.68) should read:

$$\Gamma(\pi^0 \to \gamma \gamma) = \left(\frac{\alpha}{3\pi}\right)^2 N_C^2 (Q_u^2 - Q_d^2) \frac{m_\pi^3}{8\pi f_\pi^2}$$
 (9)

- 14. **p. 551**: Ex 17.3, point c, one should read $\sin \theta = 1/\sqrt{3}$ instead of $\theta = 1/\sqrt{3}$.
- 15. **p. 814**: Eq. (26.91) should read $\sigma(e^+e^- \to Z^0 \to \ell^+\ell^-) = ...$ instead of $\sigma(e^+e^+ \to Z^0 \to \ell^+\ell^-) = ...$
- 16. **p. 814**: Eq. (26.93), same
- 17. **p. 814**: Eq. (26.94), same
- p. 994: Appendix A.13, the first sentence should refer to "Gauss's theorem" instead of "Stokes's theorem".