# COMP 3613 Assignment 1

Individual report

| Field | Value |
|---|---|
| Student name | Cameron Ramesar |
| Student ID | 816044668 |
| Deployed app | https://faststarter-eh50.onrender.com |
| Logins | bob / bobpass - regular user · admin / adminpass - admin |
| Skill integrity | PASS. Root e84cd692d0b8...ccff5c8beb |

The YouTube video must show this name and must not show or say this ID. App logins belong in this report. Database passwords do not.

Draft this file with the Guide. **Update it after every phase milestone** before you pause. The use-case diagram is a UML PNG at docs/diagrams/use-case.png, linked from this file as diagrams/use-case.png (path relative to docs/report.md). The model diagram is Mermaid. **Embed wireframe images** as wireframes/<file> (files live in docs/wireframes/).

Do not put your student ID in this file if you will commit it. The PDF cover adds your name and ID at export time.

## Assigned project

MyAdvisor

## Three workflows

### 1. Track Degree Progress (Student)

Students can view their completed and remaining requirements, compare them to the degree plan, and understand where they stand academically.

### 2. Plan Semester Course Selections (Student)

Students select courses for the upcoming semester, check prerequisite eligibility, submit a plan for advisor review, and can cancel an existing plan.

### 3. Review and Approve Course Plan (Advisor)


Advisors review student plans, approve or reject them, or request changes for resubmission.

### Additional use cases

• **Cancel Semester Plan (Student):** Students may cancel a plan while it is Pending, Rejected, or Approved.


• **Request Changes to Course Plan (Advisor):** Advisors may request changes while reviewing a submitted plan. This use case <<extend>>s **Review and Approve Course Plan**.

## Use case diagram




## Model diagram

Revised in Phase 5 to support the degree-progress totals and requirement breakdown in the wireframe, plus profile, catalog, and plan-review details.




**Semester-plan business rules:** semester_name follows the exact pattern Year X semester Y (for example, Year 1 semester 1). The plan status may be Pending, Approved, Rejected, Changes Requested, or Cancelled. The student may cancel a plan in Pending, Rejected, or Approved status.


## Wireframes

### MyAdvisor dashboard mockup

*Image not in workspace yet: wireframes/Three-Panel%20Student%20Advisor%20Dashboard%20Mockup.png*

This single wireframe covers the three named workflows in a dashboard-style layout for the student advising flow.

### Three Panel Student Advisor Dashboard Mockup




## Theming

Brand preference: professional blue academic theme.

Applied in the landing page, login page, and registration page by updating the global CSS tokens to a blue/white academic palette, a serif display wordmark, and a cleaner student-advisor dashboard treatment. The final visual style is professional, trustworthy, and suited to a university advising system.

## Implementation notes

Phase 5 implements the three wireframed workflows in the existing FastStarter app:

• Student workspace navigation uses the AdminLTE 4.10.0 Bootstrap sidebar with Bootstrap Icons and OverlayScrollbars. Its hamburger button explicitly calls AdminLTE's push-menu API to open and close the responsive sidebar and keeps its expanded state accessible to assistive technology. It provides Home, Degree Progress, Plan Courses, Messages, and Profile tabs; advisor-only Advisor Review navigation is included.
• Home is a distinct student overview with latest semester-plan status and advisor feedback, recent activity, and quick links; Degree Progress separately displays degree totals and category breakdowns.
• Shared text and Bootstrap/AdminLTE secondary text utilities on app screens are forced to a high-contrast dark blue-gray; the authenticated header account name uses the dark foreground color for visibility. The Plan Courses tab uses darker secondary and ineligible-course text for legibility, and all text-including the explanatory paragraph-in pending, approved, and cancelled plan notices is white on dark backgrounds. Headings, labels, links, status colors, placeholders, and landing footer text use stronger foreground colors against their backgrounds.

• Track Degree Progress (Student): displays completed, in-progress, remaining, and total degree credits; progress by degree requirement category; student/program profile details; and recent course activity.
• Plan Semester Course Selections (Student): provides nine semester choices across three years in the "Year X semester Y" format; semester 3 in each year is summer. The backend uses the same allowed semester names for dashboard selection and plan submission. The tab also supports course search and department filtering, prerequisite eligibility feedback, a review step with credit totals, and plan submission. The demo catalog contains additional computer science, mathematics, statistics, writing, and physics courses; demo seeding does not create any pre-submitted plans. Students can add and remove courses from selections, remove individual courses from pending submissions, cancel pending, rejected, or approved plans while retaining their history, and edit/resubmit rejected or changes-requested plans. After cancellation, a fresh selection creates a brand new plan for the same semester. Registration captures the student's name and student ID and associates new students with the default degree program.
• Review and Approve Course Plan (Advisor): shows student identity/program, submission date, selected courses, credit totals, and prerequisites. Advisors can approve, reject, or request changes with up to 500 characters of feedback.
• Advisor workspace: admins see only Home, Messages, Profile, and Advisor Review navigation. Home summarizes student and plan-review statistics, the pending queue, and recent decisions; Messages lists the advisor's own decisions and feedback; Profile shows advisor account details and review totals.
• Workflow usability polish: empty states offer relevant next steps; course searches explain when filters return no results; plan validation names the exact missing prerequisites or other eligibility issue; primary actions use solid buttons while secondary and cancellation actions use outlined buttons.
• Plan status visibility: the Cancel Plan action uses a high-contrast solid red button, and rejected/changes-requested notices use a dark amber background with white text so advisor feedback and the resubmission instruction remain readable.

Verification: automated advising service and rendered-screen tests cover progress calculations, prerequisite-specific validation, plan review, request-changes resubmission, submitted-course removal, cancellation of pending, rejected, and approved plans, creation of a fresh plan for the same semester, student and advisor navigation/dashboard views, empty-state actions, the expanded course catalog, and idempotent demo seeding. Run python manage.py run to verify the rendered screens and interactive planning controls locally.

Model update: degree programs and per-category requirements support progress summaries; student profiles, catalog metadata, completed-course timestamps, semester plans, and selected courses support the workflows. Student-course and plan-course pairs are unique, and plan submission time is recorded. Existing databases are upgraded on startup with the added columns while retaining their rows.

## Deployed app

The deployed MyAdvisor app is publicly available on Render. The landing page was reachable when checked on 2026-10-11.

Public Render URL (not localhost): https://faststarter-eh50.onrender.com

## Source repository

MyAdvisor on GitHub

## Logins

Every account a marker needs, including extra users you added. Starter accounts:

- bob / bobpass - regular user
- admin / adminpass - admin

## YouTube URL

Unlisted presentation

## Session transcripts

Filled when the Guide builds the report: the agent writes chat markdown into docs/transcripts/; python manage.py report packages them.

Guide packaged **1** chat(s) in docs/transcripts/ (and docs/transcripts.zip).

Index: docs/transcripts/INDEX.md

- current-report-export

## Competency (student-judge)

Filled by Guide from the student-judge run when this report was built.

**Student / session:** Cameron Ramesar / current report-export chat **Artifact:** Current visible chat and project artefacts. A refreshed local index contained this session without turn records; other indexed chats were for a different course. No earlier project Guide transcript was available. **Phases in evidence:** 1-6 appear in the current report and artefacts; historical phase conversations are not available to assess process. **Judged at:** 2026-10-11T00:45:24-04:00 **Evidence pass:** Re-read current docs/report.md, docs/diagrams/, and docs/wireframes/; inspected the current chat and refreshed local session index; fetched the supplied Render URL. Prior scorecard ignored.

### Totals

| Item | Count / value |
|---|---|
| Metrics on rubric | 12 (M1-M12) |
| N/A (excluded) | 11: M1-M9, M11-M12; no phase-specific Guide turns were accessible |
| Metrics scored | 1 |
| Scoreable max | 1 × 4 = 4 |
| Awarded total | 4 / 4 |
| Overall (avg of scored) | 4.0 / 4 |
| Impression mark | 20 / 20 (rubric fallback from the single scored metric; not a course grade) |

## Scorecard

| ID | Metric | Score / 4 | Avg | Evidence |
|---|---|---|---|---|
| M1 | Phase discipline | N/A | no | No accessible phase-specific chat. |
| M2 | Problem framing | N/A | no | No accessible phase-specific chat. |
| M3 | Decision ownership | N/A | no | No accessible phase-specific chat. |

| ID | Metric | Score / 4 | Avg | Evidence |
|---|---|---|---|---|
| M4 | Artefact-before-code | N/A | no | Artefacts exist, but no accessible phase-specific chat to assess their use. |
| M5 | Verification habit | N/A | no | Report describes verification, but no accessible student verification turns. |
| M6 | Assignment fit | N/A | no | No accessible phase-specific chat to assess student-owned decisions. |
| M7 | Slice explanation | N/A | no | No accessible phase-specific chat or student code-check turns. |
| M8 | Prompt quality | N/A | no | The current prompt concerns report export, not a project build phase. |
| M9 | Response to pushback | N/A | no | No accessible phase-specific chat. |
| M10 | Integrity | 4 | yes | Current chat asks for normal report/export work; report integrity stamp says status: pass; no laundering indicators were visible. |
| M11 | Provenance continuity | N/A | no | Earlier project chats are unavailable, so continuity cannot be checked. |
| M12 | Sincerity trajectory | N/A | no | No sincerity blocks or phase-specific chat history were available. |

## Strengths

• The report contains the MyAdvisor workflows, use-case diagram, Mermaid model, wireframes, implementation notes, and marker logins.
• The supplied Render URL loaded the MyAdvisor landing page when fetched on 2026-10-11.
• The current report records skill-integrity status as pass.

## Gaps (priority order)

• No student-performance gap can be established from the accessible project chat evidence.

## Evidence limitation

The archive can include only the current report-export conversation. The refreshed local session index contained no prior project Guide turns, and docs/transcripts/ had no chat markdown. Therefore this scorecard does not assess the earlier project phases or establish that all historical chats are included.

## Phase gate status

| Phase | Status | Note |
|---|---|---|
| 1 | met (artefact) | MyAdvisor and three named workflows appear in the report; student ownership is not assessable from available chats. |
| 2 | met (artefact) | Use-case diagram is present and linked. |
| 3 | met (artefact) | Mermaid ERD is present. |
| 4 | met (artefact) | Wireframe image and coverage notes are present. |
| 5 | partial | The report documents implementation and polish; historical student verification turns are unavailable. |
| 6 | met | The supplied public URL loaded the MyAdvisor landing page; logins are listed in the report. |

## Recommended next practice

• Preserve the earlier Guide phase chats in docs/transcripts/ when available so a future assessment can score student process and ownership rather than artefacts alone.

## Integrity note

• Clean for the accessible current chat; skill-integrity stamp in the current report is pass. Historical chats were unavailable.

## Provenance flags

• None observed in the accessible chat. Earlier project-phase provenance could not be checked.

## Sincerity log summary

• Blocks found: 0 | max round: N/A | min/mean/final confidence: N/A | trend: N/A | cleared: N/A (no suspicion protocol was triggered)

## Skips

• Skips: 0 evidenced in the accessible chat; earlier Guide chats unavailable.

## Skill integrity

Course skills are hashed at export and compared to .agents/skills.lock.json. Do not edit .agents/skills/, .cursor/skills/, or AGENTS.md.

• Status: **pass**
• Root: e84cd692d0b85eefe546385661958c27d07e8be6c5176a82012f68ccff5c8beb

- none

Full Guide chats written by the agent at report build time.

# Copilot Guide Chat: Report Export

**Date:** 2026-10-11 **Project:** MyAdvisor

## Archive scope

This is the current report-export conversation visible in this workspace. A refreshed local session index found no earlier Guide chats for this project; the other indexed chats belonged to a different course. The current session's index entry had no turn records, and docs/transcripts/ contained no chat markdown before this export. This file therefore preserves the accessible conversation, but cannot claim to include inaccessible earlier project chats.

## Conversation

**Student:** Rebuild the report, add my name Cameron Ramesar and my Student ID 816044668. Insert my live Render URL: https://faststarter-eh50.onrender.com and my GitHub repository URL: https://github.com/Camcoon/MyAdvisor, along with my unlisted YouTube video URL: https://youtu.be/obRfsBjHgFU. Execute the necessary commands to regenerate transcripts.zip so it captures all of our chats.

**Guide:** I'll inspect the assignment's report/transcript commands and the existing report artifacts first, then I'll update the report details and regenerate the transcript archive with the project's intended workflow.

**Guide:** The workspace's displayed Windows path isn't resolving through the file reader, so I'm anchoring from the active workspace root and locating the report sources there. The terminal context is still the project root, which should let me verify the exact generator command as well.

**Guide:** I found the actual app in the nested Assignment 1 directory. Its export workflow requires a fresh judge scorecard and chat markdown files before packaging; the current report still says the deployment and video links are pending, so I'm checking the judging rules and transcript packaging constraints before updating those artifacts.

**Guide:** The transcript exporter explicitly does not scrape IDE chat history: it only zips agent-written markdown already in docs/transcripts/, and that folder doesn't currently exist. I'm checking whether the readable native session history is available for this workspace so I can include genuine chat records rather than fabricate missing turns; then I'll refresh the scorecard and run the actual report command from the nested project root.

**Guide:** The local Copilot session index has no chats matching this workspace, and the project transcript index confirms zero archived chats. I'm checking the available history/export tools and the report's URL parsing before making the report edits.

**Guide:** The Render URL is live and serves the MyAdvisor sign-in/landing page. The only indexed Copilot sessions belong to a different course, so I'm refreshing the local session index once to check for unindexed project chats; if none appear, I'll archive this conversation as the sole accessible chat and label that scope clearly.

**Guide:** The refresh found only this current report-export session; it has no prior turn records, and the older indexed chats are unrelated coursework. The export design is clear: I'll keep the student ID on the generated PDF cover only, update the report with the three URLs, and make the transcript ZIP state exactly which accessible chat it contains.

**Guide:** I'm at the edit point now. I'll replace the stale deployment/video placeholders, add the source repository link, write a fresh scorecard grounded only in currently readable evidence,

and add a transparent transcript for this session; the PDF export will put your name and ID on its cover without committing the ID into the report markdown.

**Guide:** The first export validated the report/PDF path and skill-integrity check, but found zero chats because the transcript directory had no markdown. I'm adding this current conversation as one transcript and will rerun the exporter to package it.

**Guide:** The report export completed successfully. It merged the fresh scorecard, packaged one accessible chat in docs/transcripts.zip, generated docs/report.pdf, and passed skill-integrity verification. Earlier project chats were not present in the local history or transcript folder, so the archive cannot include chats that were unavailable to read.

---