






kali@kali: ~
File Actions Edit View Help
(kali㉿kali)-[~]
$ nmap -sV -A -sS 10.0.2.15/24
Starting Nmap 7.95 (https://nmap.org) at 2025-10-10 12:57 EDT
Nmap scan report for 10.0.2.2
Host is up (1.4s latency).
All 1000 scanned ports on 10.0.2.2 are in ignored states.
Not shown: 1000 filtered tcp ports (net-unreach)
MAC Address: 52:55:0A:00:02:02 (Unknown)
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Aggressive OS guesses: 3Com 4500G switch (92%), H3C Comware 5.20 (92%), Huawei VRP 8.100 (92%), Microsoft Windows Server 2003 SP1 (92%), Oracle Virtualbox Slirp NAT bridge (92%), QEMU user mode network gateway (92%), AXIS 2100 Network Camera (92%), D-Link DP-300U, DP-G310, or Hamlet HPS01UU print server (92%), HP Tru64 UNIX 5.1A (92%), Sanyo PLC-XU88 digital video projector (92%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 1 hop
TRACEROUTE
HOP RTT ADDRESS
1 1415.31 ms 10.0.2.2
Nmap scan report for 10.0.2.3
Host is up (1.4s latency).
All 1000 scanned ports on 10.0.2.3 are in ignored states.
Not shown: 1000 filtered tcp ports (net-unreach)
MAC Address: 52:55:0A:00:02:03 (Unknown)
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Aggressive OS guesses: 3Com 4500G switch (92%), H3C Comware 5.20 (92%), Huawei VRP 8.100 (92%), Microsoft Windows Server 2003 SP1 (92%), Oracle Virtualbox Slirp NAT bridge (92%), QEMU user mode network gateway (92%), AXIS 2100 Network Camera (92%), D-Link DP-300U, DP-G310, or Hamlet HPS01UU print server (92%), HP Tru64 UNIX 5.1A (92%), Sanyo PLC-XU88 digital video projector (92%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 1 hop
TRACEROUTE
HOP RTT ADDRESS
1 1399.69 ms 10.0.2.3
Nmap scan report for 10.0.2.15
Host is up (0.000010s latency).
All 1000 scanned ports on 10.0.2.15 are in ignored states.
Not shown: 1000 closed tcp ports (reset)
Too many fingerprints match this host to give specific OS details
Network Distance: 0 hops
OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 256 IP addresses (3 hosts up) scanned in 137.72 seconds
(kali㉿kali)-[~]
$



kali@kali: ~
File Actions Edit View Help
(kali㉿kali)-[~]
$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
inet 127.0.0.1/8 scope host lo
valid_lft forever preferred_lft forever
inet6 ::1/128 scope host noprefixroute
valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
link/ether 08:00:27:d1:f8:5d brd ff:ff:ff:ff:ff:ff
inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute eth0
valid_lft 82824sec preferred_lft 82824sec
inet6 fd17:625c:f037:2:1e4d:6227:4571:3a46/64 scope global dynamic noprefixroute
valid_lft 86287sec preferred_lft 14287sec
inet6 fe80::6b17:1328:1e3a:1935/64 scope link noprefixroute
valid_lft forever preferred_lft forever
(kali㉿kali)-[~]
$ sudo nmap -sn 10.0.2.0/24
[sudo] password for kali:
Starting Nmap 7.95 (https://nmap.org) at 2025-10-10 13:16 EDT
Nmap scan report for 10.0.2.2
Host is up (0.00041s latency).
MAC Address: 52:55:0A:00:02:02 (Unknown)
Nmap scan report for 10.0.2.3
Host is up (0.00064s latency).
MAC Address: 52:55:0A:00:02:03 (Unknown)
Nmap scan report for 10.0.2.15
Host is up.
Nmap done: 256 IP addresses (3 hosts up) scanned in 2.23 seconds
(kali㉿kali)-[~]
$



kali@kali: ~
File Actions Edit View Help
The Metasploit Framework is a Rapid7 Open Source Project
msf > search proftpd
Matching Modules
Name
Disclosure Date Rank Check Description
0 exploit/linux/misc/netsupport_manager_agent
2011-01-08 average No NetSupport Manager Agent Remote Buffer Overflow
1 exploit/linux/ftp/proftp_sreplace
2006-11-26 great Yes ProFTPD 1.2 - 1.3.0 sreplace Buffer Overflow (Linux)
2 _ target: Automatic Targeting
3 _ target: Debug
4 _ target: FreeBSD 1.3.0 (source install) / Debian 3.1
5 exploit/freebsd/ftp/proftp_telnet_iac
2010-11-01 great Yes ProFTPD 1.3.2rc3 - 1.3.3b Telnet IAC Buffer Overflow (FreeBSD)
6 _ target: Automatic Targeting
7 _ target: Debug
8 _ target: FreeBSD 1.3.2a Server (FreeBSD 8.0)
9 exploit/linux/ftp/proftp_telnet_iac
2010-11-01 great Yes ProFTPD 1.3.2rc3 - 1.3.3b Telnet IAC Buffer Overflow (Linux)
10 _ target: Automatic Targeting
11 _ target: Debug
12 _ target: ProFTPD 1.3.3a Server (Debian) - Squeeze Beta1
13 _ target: ProFTPD 1_3_3a Server (Debian) - Squeeze Beta1 (Debug)
14 _ target: ProFTPD 1.3.2c Server (Ubuntu 10.04)
15 exploit/unix/ftp/proftpd_modcopy_exec
2015-04-22 excellent Yes ProFTPD 1.3.5 Mod_Copy Command Execution
16 exploit/unix/ftp/proftpd_133c_backdoor
2010-12-02 excellent No ProFTPD-1.3.3c Backdoor Command Execution
Interact with a module by name or index. For example info 16, use 16 or use



kali@kali: ~
File Actions Edit View Help
12 _ target: ProFTPD 1.3.3a Server (Debian) - Squeeze Beta1
13 _ target: ProFTPD 1_3_3a Server (Debian) - Squeeze Beta1 (Debug)
14 _ target: ProFTPD 1.3.2c Server (Ubuntu 10.04)
15 exploit/unix/ftp/proftpd_modcopy_exec
2015-04-22 excellent Yes ProFTPD 1.3.5 Mod_Copy Command Execution
16 exploit/unix/ftp/proftpd_133c_backdoor
2010-12-02 excellent No ProFTPD-1.3.3c Backdoor Command Execution
Interact with a module by name or index. For example info 16, use 16 or use
exploit/unix/ftp/proftpd_133c_backdoor
msf > search prfotftpd 1.3.3c
[-] No results from search
msf > auxiliary name:smb
[-] Unknown command: auxiliary. Run the help command for more details.
msf > smb
[-] Unknown command: smb. Run the help command for more details.
msf > search proftpd
Matching Modules
Name Disclosure Date Rank Check Description
0 exploit/linux/misc/netsupport_manager_agent 2011-01-08 average No NetSupport Manager Agent Remote Buffer Overflow
1 exploit/linux/ftp/proftp_sreplace 2006-11-26 great Yes ProFTPD 1.2 - 1.3.0 sreplace Buffer Overflow (Linux)
2 _ target: Automatic Targeting
3 _ target: Debug
4 _ target: FreeBSD 1.3.0 (source install) / Debian 3.1
5 exploit/freebsd/ftp/proftp_telnet_iac 2010-11-01 great Yes ProFTPD 1.3.2rc3 - 1.3.3b Telnet IAC Buffer Overflow (FreeBSD)
6 _ target: Automatic Targeting
7 _ target: Debug
8 _ target: FreeBSD 1.3.2a Server (FreeBSD 8.0)
9 exploit/linux/ftp/proftp_telnet_iac 2010-11-01 great Yes ProFTPD 1.3.2rc3 - 1.3.3b Telnet IAC Buffer Overflow (Linux)
10 _ target: Automatic Targeting
11 _ target: Debug
12 _ target: ProFTPD 1.3.3a Server (Debian) - Squeeze Beta1
13 _ target: ProFTPD 1_3_3a Server (Debian) - Squeeze Beta1 (Debug)
14 _ target: ProFTPD 1.3.2c Server (Ubuntu 10.04)
15 exploit/unix/ftp/proftpd_modcopy_exec 2015-04-22 excellent Yes ProFTPD 1.3.5 Mod_Copy Command Execution
16 exploit/unix/ftp/proftpd_133c_backdoor 2010-12-02 excellent No ProFTPD-1.3.3c Backdoor Command Execution
Interact with a module by name or index. For example info 16, use 16 or use exploit/unix/ftp/proftpd_133c_backdoor
msf >


15:04
kali@kali: ~
File Actions Edit View Help
Currently scanning: Finished! | Screen View: Unique Hosts
11 Captured ARP Req/Rep packets, from 4 hosts. Total size: 660
IP At MAC Address Count Len MAC Vendor / Hostname
192.168.0.1 fc:3f:fc:9f:6e:9f 8 480 Tozed Kangwei Tech Co.,Ltd
192.168.0.106 08:00:27:60:30:0a 1 60 PCS Systemtechnik GmbH
192.168.0.141 82:9e:0b:78:76:ed 1 60 Unknown vendor
192.168.0.148 1c:c1:0c:d9:31:ef 1 60 Intel Corporate



15:52
kali@kali: ~
File Actions Edit View Help
zsh: corrupt history file /home/kali/.zsh_history
┌──(kali㉿kali)-[~]
└─$ nmap -sS -sV -A 192.168.0.106
Starting Nmap 7.95 (https://nmap.org) at 2025-10-10 15:52 EDT
Nmap scan report for vtcsec (192.168.0.106)
Host is up (0.0013s latency).
Not shown: 997 closed tcp ports (reset)
PORT STATE SERVICE VERSION
21/tcp open ftp ProFTPD 1.3.3c
22/tcp open ssh OpenSSH 7.2p2 Ubuntu 4ubuntu2.2 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
| 2048 d6:01:90:39:2d:8f:46:fb:03:86:73:b3:3c:54:7e:54 (RSA)
| 256 f1:f3:c8:dd:ba:a4:85:f7:13:9a:da:3a:bb:4d:93:04 (ECDSA)
|_ 256 12:e2:98:d2:a3:e7:36:4f:be:6b:ce:36:6b:7e:0d:9e (ED25519)
80/tcp open http Apache httpd 2.4.18 ((Ubuntu))
|_http-server-header: Apache/2.4.18 (Ubuntu)
|_http-title: Site doesn't have a title (text/html).
MAC Address: 08:00:27:60:30:0A (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Linux 3.X|4.X
OS CPE: cpe:/o:linux:linux_kernel:3 cpe:/o:linux:linux_kernel:4
OS details: Linux 3.2 - 4.14
Network Distance: 1 hop
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel
TRACEROUTE
HOP RTT ADDRESS
1 1.28 ms vtcsec (192.168.0.106)
OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 10.12 seconds
┌──(kali㉿kali)-[~]
└─$


15:59
kali@kali: ~
File Actions Edit View Help
1 1.28 ms vtcsec (192.168.0.106)
OS and Service detection performed. Please report any incorrect results at h
ttps://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 10.12 seconds
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.0.106 -Pn
Starting Nmap 7.95 (https://nmap.org) at 2025-10-10 15:59 EDT
Nmap scan report for vtcsec (192.168.0.106)
Host is up (0.0010s latency).
Not shown: 997 closed tcp ports (reset)
PORT STATE SERVICE
21/tcp open ftp
22/tcp open ssh
80/tcp open http
MAC Address: 08:00:27:60:30:0A (PCS Systemtechnik/Oracle VirtualBox virtual
NIC)
Nmap done: 1 IP address (1 host up) scanned in 0.38 seconds
┌──(kali㉿kali)-[~]
└─$


16:07
kali@kali: ~
File Actions Edit View Help
[-] Unknown command: proftpd. Run the help command for more details.
msf > search proftpd
Matching Modules
0 exploit/linux/misc/netsupport_manager_agent
2011-01-08 average No NetSupport Manager Agent Remote Buffer Ov
erflow
1 exploit/linux/ftp/proftp_sreplace
2006-11-26 great Yes ProFTPD 1.2 - 1.3.0 sreplace Buffer Overf
low (Linux)
2 _ target: Automatic Targeting
3 _ target: Debug
4 _ target: ProFTPD 1.3.0 (source install) / Debian 3.1
5 exploit/freebsd/ftp/proftp_telnet_iac
2010-11-01 great Yes ProFTPD 1.3.2rc3 - 1.3.3b Telnet IAC Buff
er Overflow (FreeBSD)
6 _ target: Automatic Targeting
7 _ target: Debug
8 _ target: ProFTPD 1.3.2a Server (FreeBSD 8.0)
9 exploit/linux/ftp/proftp_telnet_iac
2010-11-01 great Yes ProFTPD 1.3.2rc3 - 1.3.3b Telnet IAC Buff
er Overflow (Linux)
10 _ target: Automatic Targeting
11 _ target: Debug
12 _ target: ProFTPD 1.3.3a Server (Debian) - Squeeze Beta1
13 _ target: ProFTPD 1_3_3a Server (Debian) - Squeeze Beta1 (Debug)
14 _ target: ProFTPD 1.3.2c Server (Ubuntu 10.04)
15 exploit/unix/ftp/proftpd_modcopy_exec
2015-04-22 excellent Yes ProFTPD 1.3.5 Mod_Copy Command Execution
16 exploit/unix/ftp/proftpd_133c_backdoor
2010-12-02 excellent No ProFTPD-1.3.3c Backdoor Command Execution
Interact with a module by name or index. For example info 16, use 16 or use
exploit/unix/ftp/proftpd_133c_backdoor


1 2 3 4
16:36
kali@kali: ~
File Actions Edit View Help
Module options (auxiliary/scanner/http/http_version):
Name Current Setting Required Description
Proxies no A proxy chain of format type:host:port[,type:host:port][...]. Supported proxies: socks5h, sapni, http, socks4, socks5
RHOSTS yes The target host(s), see https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html
RPORT 80 yes The target port (TCP)
SSL false no Negotiate SSL/TLS for outgoing connections
THREADS 1 yes The number of concurrent threads (max one per host)
VHOST no HTTP server virtual host
View the full module info with the info, or info -d command.
msf auxiliary(scanner/http/http_version) >


16:37
kali@kali: ~
File Actions Edit View Help
Metasploit Documentation: https://docs.metasploit.com/
The Metasploit Framework is a Rapid7 Open Source Project
msf > show option
[-] Invalid parameter "option", use "show -h" for more information
msf > search http_version
Matching Modules
Name Disclosure Date Rank Check D
escription
0 auxiliary/scanner/http/ normal No H
TTP Version Detection
Interact with a module by name or index. For example info 0, use 0 or use au
xiliary/scanner/http/http_version
msf > use auxiliary/scanner/http/http_version
msf auxiliary(scanner/http/http_version) > show options
Module options (auxiliary/scanner/http/http_version):
Name Current Setting Required Description
Proxies no A proxy chain of format type:host:p
ort[,type:host:port][...]. Supporte
d proxies: socks5h, sapni, http, so
cks4, socks5
RHOSTS yes The target host(s), see https://doc
s.metasploit.com/docs/using-metaspl
oit/basics/using-metasploit.html
RPORT 80 yes The target port (TCP)
SSL false no Negotiate SSL/TLS for outgoing conn
ections
THREADS 1 yes The number of concurrent threads (m
ax one per host)
VHOST no HTTP server virtual host
View the full module info with the info, or info -d command.
msf auxiliary(scanner/http/http_version) >


16:43
kali@kali: ~
File Actions Edit View Help
the reload command
To boldly go where no
shell has gone before
=[metasploit v6.4.90-dev]
+ -- --=[2,561 exploits - 1,310 auxiliary - 1,683 payloads]
+ -- --=[431 post - 49 encoders - 13 nops - 9 evasion]
Metasploit Documentation: https://docs.metasploit.com/
The Metasploit Framework is a Rapid7 Open Source Project
msf > proftpd 1.3.3c
[-] Unknown command: proftpd. Run the help command for more details.
msf > search proftpd 1.3.3c
Matching Modules
Name Disclosure Date Rank Ch
eck Description
0 exploit/unix/ftp/ 133c_backdoor 2010-12-02 excellent No
Backdoor Command Execution
Interact with a module by name or index. For example info 0, use 0 or use ex
ploit/unix/ftp/proftpd_133c_backdoor
msf >