

IS THE HOT HAND REAL? EVIDENCE FROM A PERMUTATION AND
HIERARCHICAL-BASED ANALYSIS

1 A Thesis
2 presented to
3 the Faculty of California Polytechnic State University,
4 San Luis Obispo

5 In Partial Fulfillment
6 of the Requirements for the Degree
7 Master of Science in Statistics

8 by
9 Cameron An
10 June 2026

11

© 2026

12

Cameron An

13

ALL RIGHTS RESERVED

COMMITTEE MEMBERSHIP

TITLE: Is the Hot Hand Real? Evidence from a Permutation and
Hierarchical-Based Analysis

AUTHOR: Cameron An

DATE SUBMITTED: June 2026

COMMITTEE CHAIR: Kevin Ross, Ph.D.
Professor of Statistics

COMMITTEE MEMBER: Bret Holladay, Ph.D.
Assistant Professor of Statistics

COMMITTEE MEMBER: Immanuel Williams, Ph.D.
Assistant Professor of Statistics

ABSTRACT

Is the Hot Hand Real? Evidence from a Permutation and Hierarchical-Based Analysis

Cameron An

The hot-hand phenomenon, often described as the tendency for individuals to experience prolonged streaks of success that exceed what would be expected under random performance, has been widely studied across many disciplines, particularly basketball. Early studies attempted to evaluate this effect through various techniques, often concluding that the hot-hand phenomenon was largely a myth. However, recent studies have begun to revisit previous analyses using improved statistical techniques, with some claiming evidence of a discernible hot-hand effect. This study examines the presence of the hot-hand effect in the modern NBA by testing whether observed shooting patterns deviate from those simulated under independence. A permutation-based analysis, which preserves observed shot outcomes while randomizing order, reveals that the observed shot sequences generally do not exhibit elevated streak behavior, providing limited evidence of a hot-hand effect beyond what would be expected by chance. To further account for player and season-level heterogeneity, a logistic hierarchical model was constructed to control for in-game variables that contribute to shot success. The estimated effects of being in a hot state are small and reinforce the findings of the permutation test after adjusting for additional covariates.

Keywords: Hot hand, Streak shooting, NBA, Permutation test, Logistic hierarchical model.

35

TABLE OF CONTENTS

36

Page

37

LIST OF TABLES vii

38

LIST OF FIGURES viii

39

CHAPTER

40

1 Introduction 1

41

1.1 Previous Literature 1

42

1.2 Contextual Variation in Hot-Hand Evidence 3

43

1.3 Motivation 5

44

2 Data 6

45

2.1 Modern NBA Trends 6

46

2.2 Data Collection 8

47

2.2.1 Sample Selection 8

48

2.2.2 Exploratory Data Analysis 9

49

2.3 Streak Statistics 16

50

3 Permutation Testing 17

51

3.1 Permutation Testing Procedure 17

52

3.2 Season-Level and Within-Game Shot Sequences 18

53

3.2.1 Season-long Data 18

54

3.2.2 Game-level Data 21

55

3.3 Quantifying the Bias 23

56

3.4 Monte Carlo Simulation 23

57

3.5 Bias-Adjusted Streak Statistic 26

58

3.6 Game-Level Results 27

59

4 Logistic Hierarchical Model 33

60

4.1 Shot Distance Analysis 33

61	4.2	Model Specification	37
62	4.3	Coefficient Bias	40
63	4.4	Results	41
64	5	Conclusion	45
65	5.1	Summary	45
66	5.2	Limitations	45
67	5.3	Future Work	46
68	5.4	Computational Details	47
69		REFERENCES	48
		APPENDICES	
70	A		50
71	B		52

LIST OF TABLES

73	Table	Page
74	3.1 Total Shots per Game per Player	22
75	3.2 Bias-Adjusted Streak Statistic for Different Sample Sizes.	26
76	3.3 Proportion of Games with Bias-Adjusted Difference in Proportions Greater	
77	than 0.	30
78	4.1 Average Shot Distance by Shot Type	33
79	4.2 Proportions of Distance Category by Shot Type.	36
80	4.3 Hierarchical Model Variable Descriptions.	38
81	4.4 Fixed Effect Coefficients.	41
82	4.5 Random Effects (Standard Deviations)	42

LIST OF FIGURES

Figure	Page
2.1 Trend in Three-Point Attempt Rate by Season	6
2.2 League-Average Pace by Season	7
2.3 League-Average Field Goal Attempts per Game by Season	8
2.4 Distribution of Field Goal Attempts by Season; shortened seasons in 2020 and 2021.	10
2.5 Number of Opportunities per Game per Player by Season	11
2.6 Percentage of Total Shots that were Opportunity Shots	12
2.7 Hot-Hand FG% by Season for Qualified Player-Seasons	13
2.8 Difference between Opportunity and Baseline FG% by Season, with hori- zontal marker at 0%.	14
2.9 Distribution of Shot Distances with cutoff values at 8 and 22 feet.	15
3.1 Distribution of Permutation Test P-values for Season-Long Data	20
3.2 Distribution of Permutation Test P-values compared to uniform distribution.	20
3.3 Total Number of Shots per Game for Qualified Players	22
3.4 Simulated Value of Streak Statistic under Independence ($k = 3$)	25
3.5 Bias-Adjusted Streak Statistic Distributions by Season.	28
3.6 Null Distributions of Streak Statistic under Different Scenarios.	29
4.1 Shot Distance Distributions by Shot Type.	34
4.2 Average Opportunity Shot Distance vs. Average Non-Opportunity Shot Distance for each Player-Season, grouped by Position	35
4.3 Shot Distance Composition by Shot Type	36
4.4 Histogram of Simulated Opportunity Coefficients under Independence.	41

107	4.5	P-value of Observed Opportunity Coefficient compared to Null Opportunity	
108		Coefficients	43

Chapter 1

INTRODUCTION

The concept of the hot hand in basketball has been fiercely debated among audiences spanning many decades. Fans and players often describe the phenomenon as reaching an elevated state of play following a streak of recent success. One general notion of hot-hand shooting posits that players tend to make a higher percentage of shots relative to their baseline shooting ability following a recent streak of made shots. Proponents of the hot hand argue that the physical and psychological benefits of witnessing a streak of success place players “in rhythm”, a state of increased confidence and ability that may increase the chances of making a shot. Former Golden State Warriors player Purvis Short described the experience of being “hot” as follows: “You’re in a world all your own. It’s hard to describe. But the basket seems to be so wide. No matter what you do, you know the ball is going in” (Tversky & Gilovich, 1989). However, opponents argue that these experiences may reflect cognitive biases, suggesting that apparent streaks may arise purely from random variation. These perspectives highlight the intuitive appeal of the hot-hand phenomenon, raising the question of whether perceived streaks in performance reflect underlying changes in ability under unique circumstances or simply arise from chance.

1.1 Previous Literature

Statistical research has questioned whether the hot hand truly exists, despite widespread belief from fans, players, and the general public. In a seminal study, Gilovich, Vallone, and Tversky (1985), examined streak-shooting tendencies to determine if observed streaks exceeded those expected under randomness. The sample data consisted of field goal attempts from 48 home games of 76ers players and their opponents during the 1980-81 season. The

132 first section of their analysis used conditional proportions to examine players' shooting
133 proportions conditional on the outcome of previous shots. For each of nine players on the
134 76ers, Gilovich, Vallone, and Tversky computed the overall shooting proportion as well as
135 conditional shooting proportions based on whether the previous one, two, or three shots were
136 successful. They also estimated the serial correlation between the outcomes of successive
137 shots to determine if there existed any dependence structure within a player's shot sequence.
138 A "success", or "hit", was defined as a made shot. The authors discovered that only one
139 out of the nine sampled players possessed a higher success rate on shots following a make
140 compared to their overall success rate. Furthermore, eight out of nine players exhibited a
141 negative serial correlation value, none of which being significantly different from zero.

142 The findings in this paper contributed to the characterization of the hot hand as a myth, which
143 researchers attribute to a cognitive fallacy whereby individuals misinterpret random streaks
144 as performance trends (Gilovich, Vallone, & Tversky, 1985). A potential explanation for such
145 a phenomenon involves memory bias, the idea that observers are likely to overestimate the
146 dependence of sequential shots due to long sequences of successes (or failures) being more
147 memorable than alternating successes and failures (Gilovich et al., 1985). Other studies have
148 since expanded upon the analysis of Gilovich, Vallone, and Tversky, yielding similar results
149 of a lack of hot-hand effect (Koehler & Conley, 2003; Lantis & Nesson, 2021; McNair,
150 Margolin, Law, & Ritov, 2020).

151 However, recent research has revisited the validity of the methods used in Gilovich, Vallone,
152 and Tversky (1985). In particular, Miller and Sanjurjo (2018) identified a flaw in the
153 conditional proportion analysis used in the 1985 paper. The flaw stems from a systematic
154 bias in the analysis of conditional shooting proportions within finite shot sequences, which
155 ultimately resulted in an underestimation of the true hot-hand effect. Miller & Sanjurjo
156 (2018) formally demonstrated the downward bias in conditional proportion estimators by
157 analyzing all possible permutations of short finite sequences of independent binary outcomes.

158 In their example using three consecutive coin flips, they examine the proportion of heads
159 following a previous head under the assumption of independence. A calculation of the
160 conditional proportion estimator revealed that the expected proportion of heads conditioned
161 on a previous head is equal to $\frac{5}{12}$, notably lower than the suspected 0.5, illustrating the
162 systematic downward bias introduced by conditioning on finite sequences (Miller & Sanjurjo,
163 2018).

164 Miller and Sanjurjo applied the coin-flipping framework to demonstrate bias in the method-
165 ology of Gilovich, Vallone, and Tversky (1985), whereby the conditional proportions sys-
166 tematically underestimated the true hot hand effect of the data. Coin flips that resulted in
167 heads were treated as made shots, while coin flips that resulted in tails were treated as missed
168 shots. Applying the same logic to a basketball context, Miller and Sanjurjo reasoned that
169 finite samples of shot data exhibited the same bias observed in the coin problem. More
170 specifically, the expected proportion of made shots conditioned on a previous make was
171 not equal to the player’s overall shooting proportion, but instead was biased downwards
172 due to the structure of the sampling process. To fix this issue, Miller and Sanjurjo utilized
173 a permutation test, described in detail in Section 4.1. After accounting for the downward
174 bias in conditional proportions with the permutation test, Miller and Sanjurjo discovered a
175 reversal of Gilovich’s findings, indicating a discernible hot-hand effect for the given data.

176 **1.2 Contextual Variation in Hot-Hand Evidence**

177 While much research has been conducted on hot-hand trends, the settings of each analysis
178 provide little overlap and, therefore, are applied in different contexts. In addition to Gilovich’s
179 analysis of 76ers players during the 1980-81 season, an analysis of conditional proportions
180 under a controlled shooting experiment with the Cornell intercollegiate men’s and women’s
181 basketball teams revealed that the outcomes of shot attempts were largely independent of the
182 outcome of the previous attempt (Gilovich et al., 1985). The controlled experiment required
183 players to shoot under highly regulated conditions, along with monetary incentivization

184 determined by the accuracy of their shots. These results were ultimately subject to the same
185 downward bias introduced by Miller and Sanjurjo.

186 Other analyses have yielded different results utilizing alternative methods and settings. An
187 analysis of serial dependence on 110,513 free throws in the NBA revealed a discernible,
188 albeit small, hot-hand effect in free throws (Mews & Ötting, 2023). This analysis accounted
189 for unevenly spaced time points between free throws by using a state-space model that
190 assesses a player's form using the Ornstein-Uhlenbeck process. Data from the NBA Three-
191 Point Contest also provide evidence of a hot-hand effect using the permutation testing
192 procedure presented by Miller and Sanjurjo (Ross, 2017). The aforementioned analyses
193 attempt to isolate the hot-hand effect by considering shots under controlled conditions to
194 prevent additional covariates from influencing the results. While this approach yields strong
195 results, they may not generalize to real game situations.

196 Additional research has offered unique perspectives on hot-hand trends by incorporating
197 context into a player's shots. An analysis of over 83,000 real game shots from the 2012-
198 13 NBA season revealed that players shooting over their baseline shooting percentage in
199 recent shots face different circumstances compared to when they are in their baseline state
200 (Bocskocsky, Ezekowitz, & Stein, 2014). These circumstances include longer shot distances,
201 facing tighter defense, increased likelihood of taking their team's next shot, and overall
202 attempting more difficult shots. The same study also determined that players in a "hot" state
203 are more likely to make their next shot after controlling for shot difficulty.

204 Basketball philosophy has also evolved substantially since GVT's analysis in 1985, when
205 offensive play was largely characterized by interior scoring. As player skills have evolved,
206 teams have increasingly emphasized perimeter play and distance shooting (Wang & Zheng,
207 2022). In addition, factors such as pace of play may further influence shooting patterns.
208 Together, these changes in offensive strategy and shot selection suggest that conclusions
209 drawn from earlier periods may not fully generalize to the context of modern basketball,

210 potentially altering the interpretation of the hot-hand effect.

211 Ultimately, the presence of the hot-hand phenomenon has largely remained unsolved due
212 to differences in empirical research and statistical examinations of simulated data, which
213 often rely on distinct assumptions and methodologies (Bar-Eli, Avugos, & Raab, 2006).
214 Additionally, no clear definition of the hot hand exists, with studies varying in how they
215 define and measure streak-shooting behavior. These discrepancies have contributed to
216 ongoing debate regarding the validity of the effect.

217 **1.3 Motivation**

218 Many hot-hand analyses have been conducted in controlled settings or within specific game
219 contexts, such as the NBA Three-Point Contest (Lantis & Nesson, 2024; Ross, 2017) or
220 free-throw shooting (Arkes, 2010; Chang, 2019; Lantis & Nesson, 2021). Many of these
221 foundational studies were also conducted in a different era of the NBA than in Gilovich,
222 Vallone, and Tversky (1985), when the style of play differed substantially from today's game.
223 These environments offer valuable insights in their respective contexts, but may differ in
224 applicability to modern in-game playstyles.

225 The NBA has undergone notable changes in offensive philosophy from past eras, with a
226 greater emphasis on perimeter shooting, increased pace of play, and the development of
227 more versatile offensive skill sets. As a result, modern gameplay reflects a substantially
228 different environment than previous eras. Therefore, reexamining the hot hand using modern,
229 in-game data provides a new perspective on the presence and magnitude of streak shooting.
230 Specifically, this study examines the hot-hand effect across players and seasons in the modern
231 NBA, with the goal of evaluating streak-shooting tendencies over the past 10 seasons.

2.1 Modern NBA Trends

All data and figures presented in this section are derived from publicly available NBA statistics obtained from Basketball Reference (Sports Reference LLC, 2026).

The most notable example of the evolution of offensive strategy is Stephen Curry's 2015-16 unanimous MVP season, in which he attempted a then-record 886 three-pointers. Figure 2.1 below displays an increasing trend in the percentage of total field goal attempts (FGA) that were three-point attempts (3PA) after the 2015-16 regular season. The season variable is encoded as the ending year of each NBA season (e.g., 2016 corresponds to the 2015-16 season).




Figure 2.1: Trend in Three-Point Attempt Rate by Season

243 The increase in three-point shooting raises the question of whether the hot-hand effect has
244 evolved over time. Improvements in offensive skill could amplify streakiness, whereas the
245 lower success rate of three-point attempts relative to two-point attempts may attenuate such
246 effects.

247 Since the 2015-16 regular season, teams have also emphasized a faster pace of play to get
248 more offensive possessions in a game. Pace, defined as the number of possessions a team
249 uses in a standard 48-minute game, heavily influences the number of shots taken within
250 a game and could have an impact on streak shooting. Figure 2.2 below depicts a marked
251 increase in the league-average pace from the 2015-16 to 2019-20 regular season, followed
252 by a gradual decline and stabilization in recent seasons.




Figure 2.2: League-Average Pace by Season

253 The fluctuations in pace since 2016 may suggest changes in streak-shooting tendencies
254 over time, as players attempt more shots per game and therefore have more opportunities to
255 develop scoring streaks.

256 Figure 2.3 displays the league-average field goal attempts (FGA) per game at the team level

257 increasing at a commensurate rate to the pace of play from approximately the 2015-16 to
 258 the 2019-20 regular season. Field goal attempts are defined as “any live-ball throw, shot, or
 259 tap—including layups and dunks—directed at a player’s own basket to score, excluding free
 260 throws” (National Basketball Association, 2025).




Figure 2.3: League-Average Field Goal Attempts per Game by Season

261 The increase in field goal attempts per game coincides with the increase of pace, suggesting a
 262 fundamental alteration in offensive philosophy that may influence streak-shooting tendencies.

263 2.2 Data Collection

264 2.2.1 Sample Selection

265 Data on the top 50 players with the most field goal attempts per season were collected for
 266 each of 10 seasons from 2015-16 to 2024-25 (not including playoffs), yielding a total of 500
 267 player-seasons. A player-season is defined as a single season of performance for an individual
 268 player (e.g. 2015-16 Stephen Curry, 2019-20 LeBron James). Restricting the sample to
 269 the top 50 shooters per season focuses the analysis on high-volume players, who account

for a large share of their team’s shot attempts and are often among the most influential contributors. This approach reduces the overall sample size of the dataset while preserving a high number of shot attempts, allowing for higher statistical power in detecting a hot-hand effect. Importantly, some players were top 50 shooters in FGA in multiple seasons from 2015-16 to 2024-25. These players are represented multiple times in the analysis with unique shot sequences for each respective season in which they were a top 50 shooter. The 2015-16 season was chosen as the starting point due to its significance in changing league-wide trends in shot selection. It is of interest to analyze how the hot hand has progressed since that season, as more teams attempt to replicate the success of prolific offensive teams from that time frame.

All data were collected using the R package hoopR (Gilani, 2023), which provides access to NBA play-by-play statistics through SportsDataaverse API. Shot sequence data were obtained for the 500 player-seasons in consideration, with each sequence recording the sequential outcomes of all field goal attempts by a player within a player-season. For example, a shot sequence of ‘0011’, where 0’s represent missed shots and 1’s represent made shots, corresponds to a sequence in which a player missed the first two shots and made the last two shots. A missed shot was also defined as a “failure”, whereas a made shot was defined as a “success”. In total, data from 35,428 games across the 500 player-seasons were collected.

2.2.2 Exploratory Data Analysis

The distribution of the total number of field goal attempts per season for the top 50 shooters is displayed in Figure 2.4 below. Notably, the 2019-20 and 2020-21 seasons exhibit lower overall field goal attempts relative to other seasons, which is likely attributable to COVID-19-related restrictions that reduced the number of games played. Prior to those seasons, the distributions of field goal attempts were bimodal, with the larger peaks occurring at approximately 1,000 field goal attempts and the smaller peaks under 1,500 field goal attempts. After the 2019-20 and 2020-21 seasons, the distributions become more unimodal, with peaks

shifting to greater than 1,000 field goal attempts. This pattern could suggest a delayed impact of the 2015-16 season, when long-distance shooting and faster pace became the primary emphasis for most teams. In general, we see an increase in field goal attempts post-COVID, which could alter hot-hand trends.




Figure 2.4: Distribution of Field Goal Attempts by Season; shortened seasons in 2020 and 2021.

For each shot sequence, multiple variables were collected or constructed to help analyze the hot-hand effect. An *opportunity* is defined as any shot preceded by at least k consecutive made shots, and is used as an indicator of whether a player is on a hot streak. In this analysis, $k = 3$ is used to remain consistent with prior hot-hand literature.

For example, for $k = 3$, consider the sequence:

0, 1, 1, 1, 1, 0, 1, 1, 1, 1

Shots that occur immediately after three consecutive made shots are classified as opportunity shots and are underlined in the example above. These opportunity shots are used to evaluate player performance while in a “hot” state.

309 An initial analysis of the data reveals that the mean number of opportunities per game for
 310 qualified player-seasons fluctuates across seasons, albeit at small increments, as shown in
 311 Figure 2.5 below. This trend does not necessarily imply any increase in hot-hand shooting
 312 ability, as the increase could stem from a variety of factors. As discussed earlier, league-wide
 313 average field goal attempts per game have also increased over time, which could lead to
 314 a higher number of observed opportunities simply due to a greater volume of shots being
 315 taken.




Figure 2.5: Number of Opportunities per Game per Player by Season

316 To adjust for the increase in the number of field goal attempts taken per game, the percentage
 317 of total field goal attempts that were opportunity shots was calculated and plotted in Figure
 318 2.6. The percentage of opportunity shots shows an overall upward trend across the period, but
 319 with noticeable year-to-year fluctuations. This increasing trend suggests a higher prevalence
 320 of streak occurrences over the past 10 seasons, which could be attributed to changes in
 321 offensive strategies or players becoming more capable of entering hot streaks. Importantly,
 322 this trend only describes a slight increase in the percentage of shots that were opportunity

323 shots as opposed to an actual hot-hand effect.




Figure 2.6: Percentage of Total Shots that were Opportunity Shots

324 Opportunity field goal percentage, defined as the field goal percentage on opportunity shots,
325 has also generally increased over time for qualified player-seasons, as shown in Figure
326 2.7. The graph starts at its lowest point during the 2015-16 season and increases steadily
327 until the 2018-19 season, where it initially peaks. The 2019-20 season displays a steep
328 decline in hot-hand field goal percentage, but eventually recovers and continues to rise until
329 it peaks during the 2023-24 season. The wave-like pattern of the smoothed line suggests
330 variability over time rather than a strictly monotonic increase. An upward trend provides
331 some preliminary evidence of an increase in hot-hand shooting ability over time, but needs
332 to be formally tested for statistical significance as it may be attributable to random variation.




Figure 2.7: Hot-Hand FG% by Season for Qualified Player-Seasons

333 Although the trends discussed above may indicate a higher degree of streakiness, a meaning-
 334 ful evaluation requires a comparison to baseline shooting performance. Figure 2.8 below
 335 addresses this by plotting the difference between opportunity FG% and baseline FG% for
 336 all qualified player-seasons from 2015-16 to 2024-25. For each season, the baseline FG% is
 337 computed by summing the total number of made field goals from qualified players during
 338 that season divided by the total number of field goal attempts during that season from quali-
 339 fied players. This provides a natural benchmark with which the opportunity FG% can be
 340 evaluated.




Figure 2.8: Difference between Opportunity and Baseline FG% by Season, with horizontal marker at 0%.

The overall difference seems to fluctuate around zero, with most seasons possessing a slight negative difference, indicating that the success rate on opportunity shots is less than the success rate for baseline attempts on average. While there are isolated seasons, such as 2018-19 and 2023-24, in which hot-hand FG% is greater than the baseline FG%, these deviations are neither persistent nor large in magnitude. These results do not provide any preliminary evidence that a systematic hot hand effect exists on the aggregate level. It is important to note that this analysis remains subject to the selection bias identified by Miller and Sanjurjo, as the hot-hand FG% is computed by conditioning on prior shot outcomes. Therefore, more rigorous and detailed analysis methods that account for this bias are needed before any conclusions can be made regarding the hot-hand effect.

The distance of each shot attempt was collected using hoopR's coordinate system, with each shot containing an x and y-coordinate relative to the basket. Shot distances were then organized into one of three categories: close range (0-8 feet), mid-range (8-22 feet), and

three-pointer (22+ feet). These category labels are approximate, as the distance of a three-point attempt varies depending on court location. For example, corner three-point attempts are taken from approximately 22 feet, whereas three-point attempts taken from the top of the arc must be at least 23.75 feet. The chosen cutoff values reflect the empirical distribution of shot distances, which tend to cluster in specific regions. Figure 2.9 below displays the distribution of shot distances for all games within the 500 qualified player-seasons, with vertical lines marked at cutoff values of 8 and 22 feet.




Figure 2.9: Distribution of Shot Distances with cutoff values at 8 and 22 feet.

The density plot exhibits clear clustering of shots near the basket (approximately 0-8 feet) and beyond the three-point line (approximately 22-30 feet), with relatively fewer attempts in the mid-range. This varying structure suggests that teams tend to compartmentalize shot types into various categories rather than a continuous spectrum. Therefore, modeling shot distance as a categorical predictor with three distinct levels provides a more practical and interpretable representation of shot selection than treating it as a purely continuous quantitative variable.

368 2.3 Streak Statistics

369 Ross (2017) outlines various *streak statistics* that analyze finite sequences of binary outcomes.
370 A streak statistic is a measure designed to quantify the “streakiness” of a given shot sequence.
371 The streak statistic used in my analysis is defined below:

372 *Difference in proportion of S (opportunities - non-opportunities)*: The difference
373 between the proportion of success on opportunity shots and the proportion of
374 success on non-opportunity shots. In the previous example, 0, 1, 1, 1, 1, 0, 1, 1,
375 1, 1, the value of the streak statistic was $\frac{2}{3} - \frac{6}{7} \approx -0.1905$ (Ross, 2017).

376 This statistic was chosen because it provides a direct comparison of shooting performance
377 in a “hot” state against shooting performance outside of that state. Additionally, it has an
378 intuitive interpretation under the assumption of independence, as it is often expected to be
379 equal to zero. However, as discussed earlier, this expectation is biased downward in finite
380 samples, which will be revisited in the subsequent analysis.

Chapter 3

PERMUTATION TESTING

3.1 Permutation Testing Procedure

The permutation testing procedure utilizes a streak statistic to assess the likelihood of observing a shot sequence at least as extreme as that computed from the observed shot sequence. We define the null and alternative hypotheses:

H_0 : Shots are independent.

H_a : Shots are dependent.

The steps of the procedure are outlined below:

1. Calculate the streak statistic for the observed shot sequence.
2. Randomly permute the outcomes of the observed shot sequence while preserving the total number of successes and failures. This produces a sequence consistent with the null hypothesis of independent shot attempts.
3. Calculate the streak statistic for the permuted shot sequence.
4. Repeat steps 2-3 many times (e.g. 10,000 iterations) to approximate the sampling distribution of the streak statistic assuming independence of shot attempts.
5. Calculate the proportion of permuted streak statistics that are at least as extreme as the observed statistic in the direction consistent with the hot-hand effect to obtain the p -value.

This procedure addresses the bias identified in Gilovich, Vallone, & Tversky (1985) by directly constructing an appropriate null distribution from the observed shot sequence rather

than relying on conventional assumptions under independence. The random permutation of observed outcomes satisfies the null assumption of independence, allowing us to compare the observed shot sequence to many sequences simulated under the null hypothesis.

3.2 Season-Level and Within-Game Shot Sequences

The permutation testing procedure was applied to season-long shot sequences as well as within-game shot sequences to assess the robustness of results across different levels of aggregation. Each approach provides distinct advantages that address limitations inherent in the other.

3.2.1 Season-long Data

Each observation in this sample consists of an individual player's sequential shot data for a particular season. That is, for each of the 500 player-seasons, a binary sequence of makes and misses is constructed using all shots taken over the course of the season. Shots are carried over across games, meaning they accumulate over the course of a season without resetting after each game. As a result, streaks can extend across game boundaries. For instance, if a player makes the final two shots of one game and the first shot of the next game, the subsequent shot would be classified as an opportunity. Treating each game separately, as examined in the within-game analysis, effectively censors shot sequences at the end of each game by truncating potential streaks. This could potentially result in weaker evidence of a hot-hand effect by reducing the number of observed opportunity situations and inflating p -values. By allowing sequences to carry over across games, this analysis avoids inflating p -values and maximizes the statistical power under the given context.

The permutation test is applied to each of these season-long sequences, allowing for the evaluation of streak behavior over a larger sample of shots per player. Using season-long shot data allows for greater statistical power due to the large number of opportunities within a given sequence. With more qualifying observations, estimates of conditional shooting

427 proportions become more stable and less sensitive to random variation, increasing the ability
428 to detect meaningful deviations from the null hypothesis. It also offers a unique perspective
429 on hot-hand shooting, with results applying to prolonged stretches of time rather than only
430 individual games. Significant results for season-long data could indicate a potential carry-
431 over effect, with players experiencing increased levels of play across multiple games given
432 that the player finished the previous game on a streak.

433 Appendix A displays the permutation test results for the 30 player-seasons exhibiting the
434 strongest evidence of a hot-hand effect.

435 At an $\alpha = .05$ individual significance level, only 10 out of 500 player-seasons exhibit
436 a statistically discernible hot-hand effect. However, when conducting 500 independent
437 hypothesis tests, we would expect approximately $0.05 * 500 = 25$ false rejections purely
438 by chance, even if no true hot-hand effect exists. Thus, the observed number of significant
439 results is lower than what we would expect under the null hypothesis of independence. Figure
440 3.1 below displays the distribution of p -values for the 500 player-seasons. The distribution
441 is skewed left, with many observations possessing p -values greater than 0.05.




Figure 3.1: Distribution of Permutation Test P-values for Season-Long Data




Figure 3.2: Distribution of Permutation Test P-values compared to uniform distribution.

442 The QQ Plot (Figure 3.2) above compares the observed p -values from the permutation tests
 443 to the uniform distribution. Under the null assumption of independence, we expect the

distribution of p -values to follow a uniform distribution, displayed by the diagonal line. The hot-hand effect suggests that the distribution of observed p -values should fall below the diagonal line since a larger proportion of player-seasons would be expected to show stronger evidence than under independence, resulting in lower quantiles. However, the observed p -values align above the diagonal line, which suggests that there is not only little evidence of a hot-hand effect, but also that players potentially perform slightly worse during opportunities than other shots. These results are aggregated at the player-season level, based on season-long shot sequences rather than game-level data. As a result, the analysis captures within-season patterns but may mask potential short-term dynamics.

To account for the false discovery rate of hot-hand effects, the Benjamini-Hochberg procedure was applied to the existing p -values. After this adjustment, none of the player-seasons remain statistically significant, providing no evidence of a hot-hand effect after correcting for multiple comparisons.

3.2.2 Game-level Data

Season-long shot sequences were then deconstructed further into game-level sequences. In this sample, each observation corresponds to a binary sequence of makes and misses for a single game within a player-season. Thus, each player-season contributes multiple sequences, one for each game in which the player recorded field goal attempts. The permutation test is applied to each game-level shot sequence separately, capturing within-game streak behavior and allowing for a more granular analysis of hot-hand shooting patterns. Results for game-level data are often considered more practical for hot-hand analysis than season-long data since most people attribute the hot-hand effect to individual games rather than prolonged periods of time. However, using game-level data decreases the statistical power of the permutation test considerably, as shot sequences typically contain very few opportunities, if any.

469 In total, 35,428 shot sequences were considered for the game-level analysis. The distribution
 470 of total FGA per game for qualified players is displayed below in Table 3.1 and Figure 3.3,
 471 with a mean of 16.5 FGA per game and a standard deviation of 5.19 FGA per game.

Table 3.1: Total Shots per Game per Player

Minimum	Q1	Median	Mean	SD	Q3	Maximum
1	13	16	16.5	5.19	20	50




Figure 3.3: Total Number of Shots per Game for Qualified Players

472 The limited sample size of each shot vector restrains the number of opportunity shots within
 473 a sequence, thereby reducing the statistical power of the permutation test. In addition, 14,563
 474 games (approximately 41.1%) in the sample contain no opportunity shots which further
 475 reduces the effective sample size to 20,865 games. Games with zero opportunity shots were
 476 retained in the dataset but classified as providing no information for the permutation test.

477 **3.3 Quantifying the Bias**

478 Prior work has shown that the magnitude of small-sample bias decreases as sample size
479 increases (Miller & Sanjurjo, 2018). Thus, the magnitude of bias for the season-long data is
480 minimal and has little effect on the observed streak statistic. In contrast, the limited sample
481 size of shot sequences in the within-game analysis warrant a closer examination of this bias.
482 Because the magnitude of the bias is not immediately clear, a simulation-based approach
483 was used to quantify its impact under realistic conditions for the within-game analysis.

484 **3.4 Monte Carlo Simulation**

485 A Monte Carlo simulation was used to approximate the expected value of the streak statistic
486 *Difference in proportion of S (opportunities – non-opportunities)* under different sequence
487 lengths and success probabilities. A streak length of three was used for the simulation. The
488 estimation procedure is summarized in Algorithm 1.

Algorithm 1 Monte Carlo Simulation for Expected Value of Streak Statistic

1: **Input:** Sequence lengths $n \in \{5, 6, \dots, 50\}$, streak length $k = 3$, probability $p \in \{0.40, 0.45, 0.50, 0.55, 0.60\}$, number of simulations M

2: **Output:** Expected value $\mathbb{E}[\hat{p}_{\text{opportunity}} - \hat{p}_{\text{others}}]$ for each (n, p)

3:

4: **for** each n **do**

5: **for** each p **do**

6: Initialize list $T = \emptyset$

7: **for** $j = 1$ to M **do**

8: Generate $X_1, X_2, \dots, X_n \sim \text{i.i.d. Bernoulli}(p)$

9: $S \leftarrow \emptyset$ $\triangleright$ indices of streak-following shots

10: **for** $i = k + 1$ to n **do**

11: **if** $X_{i-k} = X_{i-k+1} = \dots = X_{i-1} = 1$ **then**

12: $S \leftarrow S \cup \{i\}$

13: **end if**

14: **end for**

15: **if** $S = \emptyset$ **or** $S^c = \emptyset$ **then**

16: **continue**

17: **end if**

18: $\hat{p}_{\text{opportunity}} \leftarrow \frac{1}{|S|} \sum_{i \in S} X_i$

19: $\hat{p}_{\text{others}} \leftarrow \frac{1}{|S^c|} \sum_{i \notin S} X_i$

20: $T_j \leftarrow \hat{p}_{\text{opportunity}} - \hat{p}_{\text{others}}$

21: $T \leftarrow T \cup \{T_j\}$

22: **end for**

23: ExpectedValue(n, p) $\leftarrow \frac{1}{|T|} \sum T$

24: **end for**

25: **end for**

26: **Return:** {ExpectedValue(n, p)}

Figure 3.4 below displays the expected value of the streak statistic using Monte Carlo simulation. The parameter p varies from 0.40 to 0.60, in increments of 0.05, reflecting plausible shooting proportions observed in game settings, although more extreme values exist due to small sample sizes. The overall sample proportion of made shots across all 35,428 qualified games was approximately 0.467. For each (n, p) pair, the simulation was conducted using 10,000 trials and the resulting expected values are presented in the figure below.




Figure 3.4: Simulated Value of Streak Statistic under Independence ($k = 3$)

The curves exhibit a consistent vertical ordering with larger success probabilities corresponding to a smaller magnitude of bias. Differences in bias across success probabilities appear relatively consistent, indicating that the bias generally scales proportionally with p . Additionally, each line appears to be monotonically increasing towards 0, meaning that the expected bias decreases as n increases for a given success probability p .

These results can be compared to the null statistics of each observed shot sequence generated by the permutation test. However, it is important to note that shot sequences typically vary

with p and n , which would alter the magnitude of bias for that particular sequence.

3.5 Bias-Adjusted Streak Statistic

The permutation test was run for all shot sequences in the sample. Sequences with zero opportunities were assigned a p -value of NA . Appendix B contains a sample of 30 games, stratified based on the number of total shots, and the collected statistics through the permutation tests. To visualize the effect of different sample sizes on the null distribution, three games of different sample sizes were collected. The three selected games contained 13, 16, and 20 shots to represent Q1, the median, and Q3, respectively. Each game had a streak statistic of -0.5 for consistency. The observed and null statistics are shown in Table 3.2 below.

Table 3.2: Bias-Adjusted Streak Statistic for Different Sample Sizes.

Player	Total Shots	Total Makes	Opportunity %	Difference in Proportions	Null Mean	Bias-Adjusted Difference
Kyle Kuzma	20	9	0	-0.5	-0.235	-0.265
Tobias Harris	16	7	0	-0.5	-0.242	-0.258
Jordan Clarkson	13	6	0	-0.5	-0.292	-0.208

The *Difference in Proportions* column represents the streak statistic, defined as the difference between the proportion of makes on opportunity shots and the proportion of makes on all other shots. However, this statistic is subject to the bias discovered by Miller & Sanjurjo (2018). The *Bias-Adjusted Difference* column corrects this statistic by subtracting the null mean obtained from the observed streak statistic. This adjustment accounts for bias in the

518 original streak statistic, yielding a bias-adjusted streak statistic.

519 As expected, the null means generally seem to decrease as the number of shots increase,
520 although some trend deviation remains due to differences in field goal percentages across
521 games (Appendix B). The average null mean across all games with at least one opportunity
522 was approximately -0.229, indicating a substantial bias in the streak statistic. This estimated
523 bias agrees with the results obtained from the Monte Carlo simulation, as our overall success
524 probability was approximately 0.467 and the average number of shots taken per game
525 was approximately 16.5. The null standard deviations are relatively large compared to the
526 season-long analysis, reflecting the high variability inherent in short shot sequences. Since
527 many games contain a limited number of opportunities, the field goal percentage on those
528 opportunities can vary substantially, leading to highly volatile streak statistics. For example,
529 in games with only one opportunity, the opportunity field goal percentage can take on only
530 two values (0 or 1). As a result, the streak statistic is highly discrete, and the corresponding
531 permutation distribution is characterized by a small set of possible values that can differ
532 markedly from one another, contributing to considerable variability in the null distribution.
533 Consequently, games with few opportunities will also have lower statistical power, making
534 it more difficult to detect meaningful hot-hand trends.

535 3.6 Game-Level Results

536 Overall, only 562 out of 20,865 games (approximately 2.69%) that included at least one
537 opportunity produced a statistically significant streak statistic at the $\alpha = 0.05$ individual
538 significance level. This proportion is lower than what would be expected under the assump-
539 tion of independence, providing little evidence in support of a within-game hot-hand effect.
540 Furthermore, the mean of the *Adjusted Difference in Proportions* column across all games
541 with at least one opportunity was approximately -0.0136, indicating that, on average, players
542 performed slightly worse on opportunity shots than would be expected under independence.

Figure 3.5 provides the distributions of the bias-adjusted streak statistic by season. The distributions appear largely consistent across seasons, exhibiting similar bimodal shapes and comparable peak locations. In particular, each season shows two prominent peaks centered at approximately -0.25 and 0.25. The black points denote the seasonal means of the bias-adjusted streak statistic, which are generally centered slightly below zero. This aligns with the previous finding that players tend to perform marginally worse on opportunity shots relative to other shots after adjusting for the bias. One exception is the 2018-19 season in which the mean appears slightly above zero, suggesting a small, though likely negligible, positive hot-hand effect. The similarity between the distributions suggests little evidence of systematic seasonal differences in hot-hand effects.




Figure 3.5: Bias-Adjusted Streak Statistic Distributions by Season.

The observed bimodality can be explained by the structure of the streak statistic that results from small shot sequences. Because many games contain few opportunities, the opportunity field goal percentage is often either very low (e.g., 0) or moderate (e.g., around 0.5), while the field goal percentage on other shots is typically near 0.5, reflecting both the larger number

557 of non-opportunity (“other”) shot attempts in each game and the fact that league-wide
 558 field goal percentages tend to be close to this value. Consequently, the unadjusted streak
 559 statistic frequently takes values near -0.5 or 0. Figure 3.6 displays this pattern by using the
 560 three previously sampled games which contained different numbers of total shots (n) and
 561 successful shots (m). The null distributions reveal points clustering at approximately -0.5
 562 and 0, confirming our previous intuition.




Figure 3.6: Null Distributions of Streak Statistic under Different Scenarios.

563 After adjusting for the null mean (approximately -0.23), these values shift to around -0.25
 564 and 0.25, producing the observed peaks. This pattern reflects the high variability of the
 565 statistic rather than systematic differences across seasons, providing little evidence of a
 566 meaningful season-specific hot-hand effect.

567 To examine the results further, the games were categorized by the number of opportunities
 568 in their respective sequence in Table 3.3. The table shows an overall negative relationship
 569 between the number of opportunities within a game and the number of games associated with
 570 the number of opportunities. This is expected because qualifying for opportunity shots is

571 increasingly difficult as the number of opportunities increases. The *Proportion with Positive*
572 *Adjusted Difference* column represents the proportion of games in which the bias-adjusted
573 streak statistic was greater than 0, indicating a positive directional effect in favor of the hot
574 hand.

Table 3.3: Proportion of Games with Bias-Adjusted Difference in Proportions Greater than 0.

Number of Opportunities	Number of Games	Proportion with Positive Adjusted Difference
0	14563	NA
1	8184	0.043
2	5401	0.676
3	3341	0.644
4	1912	0.763
5	984	0.774
6	545	0.813
7	282	0.791
8	122	0.779
9	59	0.881
10	16	0.688
11	12	0.750
12	3	0.667
13	3	0.333
14	0	NA
15	1	1.000

575 The proportion of games with adjusted difference in proportions is undefined for games
576 with exactly 0 or 14 opportunities since games with zero opportunities do not yield a streak

577 statistic and zero games in the sample contain exactly 14 opportunities. Among games with
578 at least one opportunity, those with only one opportunity comprise approximately (39.22%),
579 representing the largest share across all opportunity counts. However, only about 4.3% of
580 these games exhibit a positive null-adjusted difference in proportions, indicating minimal
581 evidence of a hot-hand effect for single-opportunity games.

582 This result is consistent with the structural constraints of the shot sequence and qualifications
583 of an opportunity shot. For a game to contain exactly one opportunity, the player must
584 miss the lone opportunity shot. Otherwise, a made opportunity shot would generate an
585 additional opportunity on the subsequent attempt. Consequently, the only scenario in which
586 a positive adjusted streak statistic can occur in a one-opportunity game is when the lone
587 opportunity arises at the end of the sequence, such as when the player makes the final
588 four shots of the game with no prior opportunities. In this case, the final shot constitutes a
589 successful opportunity while precluding the possibility of additional opportunities. Because
590 this scenario occurs infrequently, the proportion of games with a positive adjusted streak
591 statistic is correspondingly low, as reflected by the 4.3% figure.

592 In games with more than one opportunity, the proportion of games exhibiting a positive
593 adjusted streak statistic is substantially larger than in single-opportunity games, with all
594 but the 13-opportunity category exceeding 50%. This pattern can be explained by the
595 underlying structure of the data, as multiple opportunities within a game typically arise
596 from prior successful opportunity shots, leading to higher opportunity field goal percentages
597 and, consequently, larger adjusted streak statistics. For instance, consider a shot sequence
598 with five opportunity shots. Due to the limited number of shots that a player can take
599 within a game, it is very likely that the opportunity shots clump together, forming a string
600 of successful opportunity shots. The example shot sequences below illustrate this concept,
601 with each containing five opportunity shots.

602

Sequence 1:

603

0, 1, 1, 1, 1, 1, 1, 1, 0, 0, 1, 1, 0, 0, 0

604

Sequence 2:

605

0, 1, 1, 1, 1, 0, 0, 1, 1, 1, 1, 1, 0, 0, 0

606

Sequence 3:

607

0, 0, 1, 1, 1, 0, 0, 1, 1, 1, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 1, 1, 1, 0

608

The difference in proportions between opportunity and non-opportunity shots for each

609

sequence is given by:

610

[Sequence 1: $\frac{4}{5} - \frac{5}{10} = 0.3$] [Sequence 2: $\frac{3}{5} - \frac{6}{10} = 0$] [Sequence 3: $\frac{1}{5} - \frac{12}{20} = -0.4$]

611

Sequences 1 and 2 contain opportunity shots that are more tightly clustered, necessitating

612

a sequence of successful opportunity shots. This results in higher opportunity field goal

613

percentages, which ultimately causes the streak statistic to increase. In contrast, sequence

614

3 contains opportunity shots that are more dispersed throughout the sequence, indicating

615

more unsuccessful opportunity shots. This structure decreases the field goal percentage on

616

opportunity shots, resulting in a lower streak statistic.

617

Importantly, sequences similar to 1 and 2 are more likely to occur in real game data, as the

618

number of shots taken during the duration of a game are limited and multiple opportunities

619

typically arise from consecutive made shots. This structural feature likely contributes to the

620

increased number of games with positive bias-adjusted streak statistics for games with a

621

large number of opportunity shots.

LOGISTIC HIERARCHICAL MODEL

While the permutation tests for both season-long and within-game sequences provide little evidence of a hot-hand effect, these analyses do not account for contextual factors that may influence shooting performance. Incorporating additional variables into our analysis allows for a reexamination of the hot-hand effect while accounting for specific in-game conditions.

4.1 Shot Distance Analysis

Shot distances were analyzed to assess whether players exhibit different shooting distances on opportunity shots compared to non-opportunity shots. Summary statistics for quantitative shot distance by opportunity status are presented in Table 4.1, where “all” includes both opportunity and other shots.

Table 4.1: Average Shot Distance by Shot Type

Shot Type	Average Distance (Ft.)
All	14.28
Opportunity	16.03
Other (non-opportunity)	14.13

The table reveals that opportunity shots are taken from a greater average distance than other shots, suggesting increased difficulty in these situations. Figure 4.1 displays the distribution of shot distances by shot type, with both curves exhibiting a similar bimodal shape corresponding to close-range and three-point attempts. However, while the peaks of the “other” shot distribution are of roughly equal height, the opportunity shot distribution

638 features a more pronounced peak at longer distances compared to its peak at shorter distances.
 639 This shift indicates that opportunity shots are more likely to be taken from longer distances
 640 than other shots, reinforcing the pattern observed in Table 4.1.




Figure 4.1: Shot Distance Distributions by Shot Type.

641 To further solidify the differences between opportunity and non-opportunity (other) shots,
 642 the average shot distance for each shot type was computed within each player-season to
 643 account for player-season variation. For each player-season, the difference between mean
 644 opportunity shot distance and mean non-opportunity shot distance was calculated. The mean
 645 of these differences was approximately 2.14 feet, indicating that, on average, opportunity
 646 shots were taken from a greater distance than other shots within the same player-season.

647 A paired t -test was conducted to assess whether the population mean difference in shot
 648 distance between opportunity and non-opportunity shots was greater is zero. The results
 649 provide strong evidence that opportunity shots are taken from a greater distance than non-
 650 opportunity shots on a population level, $t(499) = 30.94$, $p < 0.001$. The estimated mean
 651 difference was 2.14 feet, with a one-sided 95% confidence interval indicating that the true

mean difference is at least 2.03 feet.

Figure 4.2 presents a scatterplot of average shot distance on opportunity shots versus average shot distance on non-opportunity shots for each player-season, grouped by position. Positions were categorized into guard, forward, and center based on classifications from Basketball Reference (Basketball-Reference.com, 2026). The diagonal reference line represents equality in shot distance between the two shot types. The majority of points lie above this line, indicating that, for most player-seasons, opportunity shots were taken from greater distances than non-opportunity shots.



Figure 4.2: Average Opportunity Shot Distance vs. Average Non-Opportunity Shot Distance for each Player-Season, grouped by Position

Shot distance was also analyzed on a categorical scale to account for the large proportion of shots taken from grouped distances. The three levels of shot distance are close (0-8 feet), mid-range (8-22 feet), and three-pointer (22+ feet), as outlined in Section 2.2.2.

Table 4.2: Proportions of Distance Category by Shot Type.

Shot Type	Close	Mid-range	Three-Pointer
Opportunity	0.333	0.286	0.380
Non-opportunity	0.376	0.283	0.341

Table 4.2, along with Figure 4.3, reveals that a larger proportion of opportunity shots were three-pointers compared to other shots, while a smaller proportion were close shots. The proportion of mid-range shots remained relatively similar between shot types. A chi-square test of independence confirmed that the distribution of distance categories is dependent on shot type $\chi^2(2) = 420.55, p < .001$.



Figure 4.3: Shot Distance Composition by Shot Type

This phenomenon likely arises from a combination of psychological and strategic factors. Players may describe the sensation of being “on fire”, referring to a mental and physical state of heightened focus and elevated performance. This can lead to increased confidence and

671 manifest in more aggressive shot selection, including attempts from greater distances. The
672 general public commonly refers to this state as heat-check behavior, as players attempt to
673 capitalize on their recent success. Other possible explanations involve strategic adjustments
674 from both teams. Defenses may adjust by applying tighter coverage to a perceived “hot”
675 player, forcing shots from further distances or worse positions. In turn, offenses may settle
676 for longer-distance shots, as these are often quicker to attempt or more readily available
677 under increased defensive pressure.

678 Due to this phenomenon, a new model that includes shot distance as a variable would greatly
679 improve the results of the analysis by further isolating the hot-hand effect.

680 **4.2 Model Specification**

681 A logistic hierarchical model was constructed to evaluate the probability of a successful shot
682 based on specific in-game variables and random effects. The variables and random effects
683 are outlined in Table 4.3.

684 Let y_{ijk} denote the outcome of attempt i by player j in season k , where $y_{ijk} = 1$ if the
685 attempt is made and 0 otherwise. We model

$$y_{ijk} \sim \text{Bernoulli}(p_{ijk})$$

$$\begin{aligned} \text{logit}(p_{ijk}) = & \beta_0 + \beta_1 \text{opportunity}_{ijk} + \beta_2 \text{midrange}_{ijk} + \beta_3 \text{threepoint}_{ijk} \\ & + \beta_4 (\text{opportunity}_{ijk} \times \text{midrange}_{ijk}) + \beta_5 (\text{opportunity}_{ijk} \times \text{threepoint}_{ijk}) \\ & + u_{0j} + v_{0k} + u_{1j} \text{opportunity}_{ijk} \end{aligned}$$

$$u_{0j} \sim \mathcal{N}(0, \sigma_{u0}^2)$$

$$u_{1j} \sim \mathcal{N}(0, \sigma_{u1}^2)$$

$$v_{0k} \sim \mathcal{N}(0, \sigma_{v0}^2)$$

Table 4.3: Hierarchical Model Variable Descriptions.

Variable	Model Term	Description	Effect Type
make	y_{ijk}	Indicator for whether a shot was made (1 = make, 0 = miss)	Response
intercept	β_0	Baseline log-odds for the reference category	Fixed
is_opportunity	$\beta_1 \text{opportunity}_{ijk}$	Opportunity shot indicator (1 = yes, 0 = no)	Fixed
Midrange	$\beta_2 \text{midrange}_{ijk}$	Midrange shot indicator (1 = yes, 0 = no)	Fixed
ThreePoint	$\beta_3 \text{threepoint}_{ijk}$	Three point shot indicator (1 = yes, 0 = no)	Fixed

Variable	Model Term	Description	Effect Type
is_opportunity:Midrange	$\beta_4(\text{opportunity}_{ijk} \times \text{midrange}_{ijk})$	Interaction between opportunity and midrange	Fixed
is_opportunity:ThreePoint	$\beta_5(\text{opportunity}_{ijk} \times \text{threepoint}_{ijk})$	Interaction between opportunity and three point	Fixed
Player	u_{0j}	Player-specific intercept	Random intercept
is_opportunity by Player	$u_{1j} \text{opportunity}_{ijk}$	Player-specific opportunity effect	Random slope
Season	v_{0k}	Season-specific intercept	Random intercept

Hot-hand theory posits that the probability of a successful shot increases on opportunity shots compared to non-opportunity shots, which many attribute to a positive coefficient for the opportunity variable. However, this coefficient is subject to the small-sample bias discovered by Miller and Sanjurjo, which must be accounted for. The inclusion of this variable allows us to assess how the probability of a successful shot varies with opportunity status while simultaneously accounting for other factors.

Player and season random effects were also included in the hierarchical model to account for unexplained heterogeneity in shooting performance and opportunity effects. In particular, the model includes random slopes for the opportunity effect across different players rather

695 than assuming a uniform effect. Allowing different slopes for opportunity effects allows us to
696 see which players are most impacted, or potentially not impacted, by hot-hand opportunities.
697 Season random intercepts were also included to account for differences in baseline shooting
698 ability across seasons.

699 **4.3 Coefficient Bias**

700 The opportunity coefficient is prone to the small-sample bias present in permutation testing.
701 Therefore, the coefficient becomes inflated and overestimates the true effect of an opportunity
702 shot on success probability. To account for this, a random sample of 100 games was
703 selected from the full dataset. The following steps were taken to obtain a null distribution of
704 opportunity coefficients from the sample:

- 705 1. Randomly permute the shot sequences within the 100 sampled player-games to simu-
706 late independent shots. All variables pertaining to each shot were held constant, with
707 only the order of shots being permuted.
- 708 2. Fit the logistic hierarchical model for the reordered data to obtain a null opportunity
709 coefficient.
- 710 3. Repeat steps 1-2 many times (e.g., 10,000 trials) to obtain a null distribution of
711 opportunity coefficients.
- 712 4. Calculate the mean of the null distribution to obtain the opportunity coefficient ex-
713 pected under independence.

714 The procedure described above contained only 100 games due to computational limitations.
715 Therefore, the sample may not fully represent the full dataset, but should provide a general
716 estimate for the opportunity coefficient expected under independence.

717 4.4 Results

718 The null distribution of opportunity coefficients for the 100 randomly sampled games is
 719 displayed in Figure 4.4. The mean of this distribution provides an estimate of the opportunity
 720 coefficient expected under independence and will be used to determine if the observed
 721 coefficient exceeds what would be expected under independence.




Figure 4.4: Histogram of Simulated Opportunity Coefficients under Independence.

722 The mean opportunity coefficient of the simulated trials under independence is approximately
 723 0.13, suggesting the existence of a bias that overestimates the true hot-hand effect. We now
 724 compare these results to the coefficients obtained from the observed hierarchical model.
 725 The fixed coefficient estimates for the full data are listed in Table 5.4 and random effect
 726 coefficients are listed in Table 4.5.

Table 4.4: Fixed Effect Coefficients.

Coefficient	Estimate	Std. Error	z value	p-value
-------------	----------	------------	---------	---------

Intercept	0.3207	0.0173	18.5423	0e+00
is_opportunity	0.0634	0.0168	3.7856	2e-04
Midrange	-0.6126	0.0070	-87.1207	0e+00
ThreePoint	-0.8927	0.0068	-130.3290	0e+00
is_opportunity:Midrange	-0.0826	0.0245	-3.3723	7e-04
is_opportunity:ThreePoint	-0.1224	0.0232	-5.2717	0e+00

Table 4.5: Random Effects (Standard Deviations)

Group	Effect	Std. Dev.
Player	Intercept	0.1056
Player	is_opportunity	0.0002
Season	Intercept	0.0449

727 The opportunity indicator variable yields an observed coefficient of 0.0634, which is notably
 728 lower than the expected opportunity coefficient under independence. This suggests that the
 729 estimated hot-hand effect in the hierarchical model is actually weaker than what would be
 730 expected if shots were independent. The statistically significant p -value for the opportunity
 731 coefficient in Table 4.4 should be interpreted with caution, as it is derived by comparing the
 732 estimated coefficient to 0. However, the simulation of null opportunity coefficients for the
 733 100 randomly sampled games yielded an estimated coefficient of 0.13, which represents the
 734 actual value that should be compared to our observed coefficient. Figure 4.5 displays the
 735 observed opportunity coefficient in relation to the null coefficients, along with the p -value
 736 describing the proportion of simulated trials with an opportunity effect as strong as the
 737 observed effect.




Figure 4.5: P-value of Observed Opportunity Coefficient compared to Null Opportunity Coefficients

738 A large p -value of 0.6752 is obtained from the simulation, indicating weak evidence of an
 739 overall hot-hand effect over the past 10 seasons for high-volume players. The observed
 740 opportunity coefficient is consistent with what would be expected under the assumption of
 741 independence.

742 As expected, we also observe increasingly negative coefficients as shots are taken further
 743 from the basket. The mid-range and three-point indicators both show substantial decreases
 744 relative to close-range shots, reflecting the increase in shot difficulty with distance. The
 745 interaction between opportunity and distance is also negative for both mid-range and three-
 746 point shots, indicating that the impact of an opportunity shot decreases as shot distance
 747 increases.

748 The player-level random intercept yields a relatively large standard deviation, representing
 749 the substantial heterogeneity in baseline shooting ability across players. This is expected in
 750 basketball data, as skillsets vary drastically across players and contribute to different baseline

751 shooting percentages. In contrast, the standard deviation of random slopes for the opportunity
752 indicator is extremely small, suggesting that the opportunity effect is relatively consistent
753 across players. The season-level random intercept is non-negligible, indicating that the
754 baseline shooting ability varies across seasons. This could reflect changes in offensive
755 strategy, shooting ability, or other contextual factors that could impact shooting efficiency
756 from year to year.

Chapter 5

CONCLUSION

5.1 Summary

The permutation test results for season-long shot sequences did not differ significantly from those expected under independence, offering little evidence of a hot-hand effect over the duration of a season. Within-game shot sequences were also analyzed to examine the hot-hand effect in a more practical context, although with reduced statistical power due to smaller sample sizes. The within-game streak statistics did not differ significantly from those expected under independence, offering little evidence of a within-game hot-hand effect. Finally, a hierarchical model was constructed to evaluate the hot-hand effect while controlling for shot distance and incorporating player and season random effects. Comparing the observed opportunity effect to null coefficients simulated under independence revealed that the opportunity effect does not differ significantly from what is expected under independence, even after adjusting for shot distance.

5.2 Limitations

Importantly, the results obtained from the permutation test are specific to the sample of players considered, which primarily consist of high-usage players who attempt a large number of shots for their respective teams. As such, these findings do not generalize to low-usage players, whose shot selection and opportunities may differ substantially. Additionally, the permutation testing framework does not account for contextual factors that may influence the perception or existence of a streak.

Within-game shot sequences also present a challenge for detecting hot-hand patterns due

779 to limited sample sizes. The average number of shots per game for players in the sample
780 was approximately 16, resulting in relatively few opportunity shots and, consequently, low
781 statistical power. Considering season-long shot sequences increases the power of detecting
782 a hot-hand by increasing sample sizes and increasing the number of opportunities. However,
783 the results lose practical interpretability, as the hot-hand effect is generally understood to
784 occur within games rather than across extended periods.

785 Additional limitations arise from modeling assumptions and measurement choices. The hier-
786 archical model assumes independence between shots, which is partially addressed through
787 the inclusion of the opportunity variable. However, although the opportunity variable ac-
788 counts for some variation associated with shot order, it may not fully capture within-game
789 dynamics that create dependent shot outcomes. Furthermore, defining an opportunity as
790 three consecutive made shots serves only as a proxy for a “hot” state and may not fully
791 reflect the underlying hot-hand effect.

792 The bias-adjustment procedure in the hierarchical analysis used a sample of 100 games
793 to determine a null distribution of beta coefficients for the opportunity effect. While this
794 procedure simulates independent shot sequences, the resulting null distribution is specific to
795 the 100 randomly sampled games and may not fully capture the variability present in the
796 complete dataset. As a result, the estimated bias adjustment may be sensitive to the particular
797 sample of games selected, potentially limiting the generalizability of the findings.

798 **5.3 Future Work**

799 Additional analyses can be implemented to address the limitations presented above. Using
800 a larger sample of players would allow for greater generalization to the NBA as a whole
801 rather than only high-volume players. Incorporating additional variables, such as time
802 between shots, defensive pressure, and game situation would help to further isolate the
803 hot-hand effect and distinguish it from general shot streakiness. The permutation test and

804 hierarchical model in this analysis employed a streak length of 3, which limits the frequency
805 of opportunities. Shortening the streak length (e.g., $k = 1$) would increase the number of
806 opportunities within a shot sequence and, therefore, statistical power, but could weaken the
807 contextual interpretation of an opportunity as representing a genuinely “hot” state. Future
808 research could also extend this analysis to incorporate temporal dependence and a deeper
809 examination of what constitutes a “hot” state.

810 Increasing the number of sampled games would improve the bias adjustment for the hi-
811 erarchical model coefficient by providing a more stable estimate of the null opportunity
812 coefficients. Future analyses can look to construct hierarchical models on an individual
813 player level to account for the variation between players. The bias adjustment would then
814 pertain to specific players rather than the sample as a whole.

815 **5.4 Computational Details**

816 The results in this paper were obtained using R 4.5.3. R itself and all packages used are avail-
817 able from the Comprehensive R Archive Network (CRAN) at <https://CRAN.R-project.org/>.

- 819 Arkes, J. (2010). Revisiting the Hot Hand Theory with Free Throw Data in a Multivariate
820 Framework. *Journal of Quantitative Analysis in Sports*, 6(1). [https://doi.org/10.2202/](https://doi.org/10.2202/1559-0410.1198)
821 1559-0410.1198
- 822 Bar-Eli, M., Avugos, S., & Raab, M. (2006). Twenty years of “hot hand” research: Review
823 and critique. *Psychology of Sport and Exercise*, 7(6), 525–553. [https://doi.org/10.1016/j.](https://doi.org/10.1016/j.psychsport.2006.03.001)
824 psychsport.2006.03.001
- 825 Basketball-Reference.com. (2026). NBA league averages – per game. Retrieved May 3,
826 2026, from https://www.basketball-reference.com/leagues/NBA_stats_per_game.html
- 827 Bocskocsky, A., Ezekowitz, J., & Stein, C. (2014). Heat Check: New Evidence on the Hot
828 Hand in Basketball. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.2481494>
- 829 Chang, J. C. (2019). Predictive Bayesian selection of multistep Markov chains, applied to
830 the detection of the hot hand and other statistical dependencies in free throws. *Royal*
831 *Society Open Science*, 6(3), 182174. <https://doi.org/10.1098/rsos.182174>
- 832 Gilani, S. (2023). *hoopR: Access men's basketball play by play data*. [https://doi.org/10.](https://doi.org/10.32614/CRAN.package.hoopR)
833 32614/CRAN.package.hoopR
- 834 Gilovich, T., Vallone, R., & Tversky, A. (1985). The hot hand in basketball: On the
835 misperception of random sequences. *Cognitive Psychology*, 17(3), 295–314. [https://doi.org/10.1016/0010-0285\(85\)90010-6](https://doi.org/10.1016/0010-0285(85)90010-6)
836
- 837 Koehler, J. J., & Conley, C. A. (2003). The “Hot Hand” Myth in Professional Basketball.
838 *Journal of Sport and Exercise Psychology*, 25(2), 253–259. [https://doi.org/10.1123/jsep.](https://doi.org/10.1123/jsep.25.2.253)
839 25.2.253
- 840 Lantis, R., & Nesson, E. (2021). Hot Shots: An Analysis of the “Hot Hand” in NBA
841 Field Goal and Free Throw Shooting. *Journal of Sports Economics*, 22(6), 639–677.
842 <https://doi.org/10.1177/15270025211006889>

- 843 Lantis, R., & Nesson, E. (2024). The Hot Hand in the NBA 3-Point Contest: The Importance
844 of Location, Location, Location. *Journal of Sports Economics*, 25(3), 283–321. <https://doi.org/10.1177/15270025231222630>
845
- 846 McNair, B., Margolin, E., Law, M., & Ritov, Y. (2020). *The Hot Hand and Its Effect on the*
847 *NBA*. arXiv. <https://doi.org/10.48550/ARXIV.2010.15943>
- 848 Mews, S., & Ötting, M. (2023). Continuous-time state-space modelling of the hot hand in
849 basketball. *ASta Advances in Statistical Analysis*, 107(1), 313–326. [https://doi.org/10.](https://doi.org/10.1007/s10182-021-00410-y)
850 [1007/s10182-021-00410-y](https://doi.org/10.1007/s10182-021-00410-y)
- 851 Miller, J. B., & Sanjurjo, A. (2018). Surprised by the Hot Hand Fallacy? A Truth in the Law of
852 Small Numbers. *Econometrica*, 86(6), 2019–2047. <https://doi.org/10.3982/ECTA14943>
- 853 National Basketball Association. (2025). *Official rules of the national basketball association*.
854 National Basketball Association. Retrieved from [https://official.nba.com/rule-no-4-](https://official.nba.com/rule-no-4-definitions/)
855 [definitions/](https://official.nba.com/rule-no-4-definitions/)
- 856 Ross, K. (2017). Classroom Investigations of Recent Research Concerning the Hot Hand
857 Phenomenon. *Journal of Statistics Education*, 25(3), 145–157. [https://doi.org/10.1080/](https://doi.org/10.1080/10691898.2017.1395303)
858 [10691898.2017.1395303](https://doi.org/10.1080/10691898.2017.1395303)
- 859 Sports Reference LLC. (2026). Basketball-reference.com. Retrieved May 17, 2026, from
860 <https://www.basketball-reference.com/>
- 861 Tversky, A., & Gilovich, T. (1989). The Cold Facts about the “Hot Hand” in Basketball.
862 *CHANCE*, 2(1), 16–21. <https://doi.org/10.1080/09332480.1989.11882320>
- 863 Wang, F., & Zheng, G. (2022). What are the changes in basketball shooting pattern and
864 accuracy in National Basketball Association in the past decade? *Frontiers in Psychology*,
865 *13*, 917980. <https://doi.org/10.3389/fpsyg.2022.917980>

866

APPENDICES

867

Appendix A

Top 30 Player-Seasons with Largest Degree of Hot Hand (sorted by p-value of the permutation test)

Player	Season	Number of shots	Number of successes	Number of runs	Proportion of s on trials following streaks	Proportion of s on all other trials	Difference in Proportions	Null median	Null mean	Null SD	p-value	z-score
Kyle Lowry	2016	1195	502	578	0.531915	0.410336	0.121379	-0.003675	-0.005211	0.054369	0.0084	2.328351
Damian Lillard	2016	1457	601	698	0.508929	0.404461	0.104468	-0.001378	-0.002320	0.050061	0.0128	2.133171
Giannis Antetokounmpo	2021	1116	642	558	0.639269	0.559643	0.079626	-0.001361	-0.002483	0.038419	0.0128	2.137192
Shai Gilgeous-Alexander	2022	1051	477	511	0.544554	0.444211	0.100344	-0.003617	-0.004678	0.054159	0.0210	1.999160
Tobias Harris	2019	1253	611	600	0.559524	0.476498	0.083026	-0.003156	-0.003797	0.043946	0.0216	1.975685
Trae Young	2019	1276	534	624	0.505051	0.411215	0.093836	-0.002972	-0.003389	0.052923	0.0320	1.837083
Khris Middleton	2019	1161	513	555	0.521368	0.432950	0.088417	-0.002873	-0.002963	0.052827	0.0402	1.729805
Hassan Whiteside	2017	973	542	467	0.612022	0.544304	0.067718	-0.003358	-0.003527	0.042145	0.0434	1.690493
Keldon Johnson	2022	1011	471	482	0.539823	0.456570	0.083253	-0.002999	-0.003764	0.053323	0.0456	1.631883
Giannis Antetokounmpo	2023	1280	708	639	0.600917	0.543315	0.057603	-0.001051	-0.002348	0.037102	0.0490	1.615846
OG Anunoby	2025	915	425	458	0.535354	0.455882	0.079471	-0.003267	-0.004857	0.054778	0.0578	1.539446
Kemba Walker	2019	1693	733	815	0.490798	0.426797	0.064000	-0.002372	-0.003137	0.044507	0.0586	1.508464
D'Angelo Russell	2020	845	360	433	0.508475	0.419847	0.088627	-0.002480	-0.004867	0.064293	0.0610	1.454178
Nikola Vucevic	2016	1016	507	509	0.558140	0.490417	0.067722	-0.003312	-0.003741	0.047805	0.0616	1.494885
Kemba Walker	2018	1373	593	634	0.496000	0.425481	0.070519	-0.003605	-0.003682	0.049272	0.0628	1.506166
Karl-Anthony Towns	2017	1479	801	744	0.585774	0.533065	0.052710	-0.001226	-0.001976	0.036380	0.0666	1.503158
Andre Drummond	2019	1054	562	494	0.582857	0.523322	0.059535	-0.002307	-0.002697	0.042713	0.0722	1.456962
Jaylen Adams	2022	1354	680	687	0.549133	0.495343	0.053790	-0.002530	-0.003327	0.040802	0.0770	1.399853
Kobe Bryant	2016	1118	397	516	0.444444	0.351351	0.093093	-0.006244	-0.007232	0.071320	0.0780	1.406691
Klay Thompson	2016	1384	642	692	0.514925	0.458400	0.056525	-0.003207	-0.003431	0.044638	0.0844	1.343172
T.J. Warren	2020	997	534	473	0.582857	0.525547	0.057310	-0.001594	-0.002605	0.044007	0.0858	1.361483
Mikal Bridges	2023	1267	593	618	0.520000	0.461056	0.058944	-0.002089	-0.003421	0.047302	0.0858	1.318437
Paolo Banchero	2024	1417	643	705	0.507246	0.448006	0.059240	-0.001531	-0.001889	0.045462	0.0868	1.344634
Lou Williams	2019	1140	484	561	0.489583	0.418582	0.071001	-0.002161	-0.003242	0.055088	0.0870	1.347715
Jalen Green	2024	1332	563	672	0.483516	0.418211	0.065305	-0.003935	-0.004277	0.050959	0.0898	1.365452
Bojan Bogdanovic	2021	925	406	444	0.505882	0.432143	0.073739	-0.003300	-0.004779	0.058425	0.0904	1.343922
Klay Thompson	2019	1417	662	715	0.516779	0.461356	0.055422	-0.002122	-0.002767	0.043421	0.0906	1.340115
Shai Gilgeous-Alexander	2025	1575	828	762	0.565041	0.518435	0.046606	-0.001277	-0.001396	0.036128	0.0928	1.328639
Pascal Siakam	2020	1114	507	547	0.509091	0.449203	0.059888	-0.003522	-0.004125	0.051433	0.1040	1.244565
Cade Cunningham	2022	1031	429	477	0.477778	0.410202	0.067576	-0.004642	-0.006157	0.059674	0.1042	1.235593

Observed and Permutation Statistics for Stratified Games Based on Number of Shots

Player	Season	Game ID	Number of shots	Number of makes	Number of opportunities	Number of opportunity makes	Opportunity Proportion	Number of other attempts	Other Proportion	Difference in Proportions	Null median	Null mean	Null SD	p-value	z-score	Adjusted Difference in Proportions
Tobias Harris	2017	400900394	11	6	3	2	0	0.66667	0.50000	0.16667	-0.60000	-0.27993	0.38572	0.20657	1.15728	0.44605
	2017	400899969	14	9	2	0	0.00000	0.75000	0.75000	-0.75000	-0.16667	-0.21801	0.36281	0.95785	-1.46809	-0.53194
Kriszta Povungis	2024	401584847	15	10	3	1	0.33333	0.75000	0.75000	-0.41667	-0.19238	-0.17754	0.38835	0.81560	-0.70673	-0.23917
	2024	400899688	17	7	1	0	0.00000	0.43750	0.43750	-0.43750	-0.43750	-0.23954	0.30409	0.94890	-0.65094	-0.19795
Klay Thompson	2021	401307676	19	14	5	2	0.40000	0.85714	0.85714	-0.45714	-0.10254	-0.09631	0.24298	0.59000	-1.48531	-0.36082
Joel Embiid	2022	401359889	19	8	1	0	0.00000	0.44444	0.44444	-0.44444	-0.44444	-0.21443	0.31787	0.92579	-0.72096	-0.22991
	2018	400975279	19	10	2	0	0.00000	0.58823	0.58823	-0.58823	-0.22917	-0.20447	0.34387	0.99549	-1.11701	-0.38381
DeMar DeRozan	2025	401703417	19	8	2	1	0.50000	0.41765	0.41765	-0.08235	-0.44444	-0.15500	0.31787	0.38291	0.95429	0.30268
	2023	401468180	20	12	2	0	0.00000	0.66667	0.66667	-0.66667	-0.12500	-0.16459	0.38739	0.97349	-1.53633	-0.50207
Derrick Rose	2017	400899581	20	10	3	1	0.33333	0.52941	0.52941	-0.19607	-0.19607	-0.20213	0.33639	0.50351	0.01633	0.00623
	2022	401360083	21	10	2	1	0.50000	0.47864	0.47864	0.02816	-0.16667	-0.18135	0.34350	0.44185	0.60345	0.20745
Karl-Anthony Towns	2023	401468177	21	10	2	1	0.50000	0.47864	0.47864	0.02816	-0.16667	-0.18135	0.34350	0.44185	0.60345	0.20745
Franz Wagner	2025	401702381	22	11	6	4	0.66667	0.43750	0.43750	0.22917	-0.19292	-0.17778	0.32547	0.10247	1.25018	0.40695
	2025	401705518	22	10	1	0	0.00000	0.47619	0.47619	-0.47619	-0.47619	-0.19102	0.32419	0.86496	-0.87969	-0.28516
Anthony Edwards	2018	400975466	22	10	1	0	0.00000	0.47619	0.47619	-0.47619	-0.47619	-0.19102	0.32419	0.86496	-0.87969	-0.28516
Tyrese Maxey	2024	401584107	23	9	1	0	0.00000	0.49091	0.49091	-0.49091	-0.49091	-0.20463	0.30017	0.51360	-0.68169	-0.20472
	2019	401071616	26	15	4	1	0.25000	0.63636	0.63636	-0.38636	-0.09090	-0.11481	0.27826	0.85901	-0.97237	-0.27150
Antetokounmpo	2021	401267680	27	15	4	3	0.75000	0.52179	0.52179	0.22621	-0.05217	-0.14602	0.30121	0.12181	1.24525	0.37427
Jalen Brunson	2024	401585029	28	15	5	2	0.40000	0.56217	0.56217	-0.16217	-0.04167	-0.13752	0.30207	0.79162	-0.09161	-0.02768
	2024	401614476	30	15	3	1	0.33333	0.51851	0.51851	-0.18515	-0.18515	-0.15210	0.30405	0.62344	-0.10901	-0.03307
Jamal Murray	2025	401703346	36	20	3	1	0.33333	0.57578	0.57578	-0.24242	-0.06250	-0.08469	0.24729	0.70541	-0.63783	-0.15729
	2017	400900303	36	12	3	1	0.33333	0.33333	0.33333	0.00000	-0.34287	-0.17251	0.26718	0.15534	0.64567	0.17251
Nikola Jokic	2025	401705041	36	15	2	0	0.00000	0.44117	0.44117	-0.44117	-0.18750	-0.15143	0.30292	0.96605	-0.96480	-0.28974
	2021	401267439	37	17	2	0	0.00000	0.48571	0.48571	-0.48571	-0.13725	-0.13136	0.29409	0.94238	-1.20540	-0.35438
Damian Lillard	2023	401468072	38	22	5	1	0.20000	0.63636	0.63636	-0.43636	-0.08235	-0.07924	0.29451	0.53384	-1.52518	-0.35712
	2017	400900446	38	17	5	3	0.60000	0.42424	0.42424	0.17578	-0.12381	-0.11328	0.29610	0.19673	0.97613	0.28940
Klay Thompson	2023	401468713	39	21	4	1	0.25000	0.57142	0.57142	-0.32142	-0.04545	-0.09747	0.25067	0.85681	-0.89329	-0.22393
Russell Westbrook	2017	400900341	39	21	6	3	0.50000	0.54545	0.54545	-0.04545	-0.04545	-0.09747	0.25067	0.85681	-0.89329	-0.22393
Russell Westbrook	2017	400900507	40	21	3	1	0.33333	0.54054	0.54054	-0.20707	-0.11683	-0.11103	0.25023	0.69348	-0.37712	-0.09617
	2024	401585688	44	18	3	0	0.00000	0.43902	0.43902	-0.43902	-0.08130	-0.13481	0.27635	0.99681	-1.10087	-0.30423