
MECHANICAL [SKYACTIV-D 1.5]

id0110q2000100

Outline

- For SKYACTIV-D 1.5, the following is performed to lower fuel consumption.
  - — Low compression ratio
    - Combustion efficiency by lower compression ratio (14.8)
  - — Weight reductions
    - Aluminum alloy cylinder block adopted
    - Exhaust manifold integrated cylinder head adopted
  - — Weight reduction and mechanical resistance loss improvements
    - Piston shape optimized
    - Narrowed down crankshaft journal
- A maintenance-free design for valve clearance has been achieved with the adoption of the HLA.

Structural View



am2zzn00002695

Structure

- Consists of the following parts:

Cylinder head cover	(See CYLINDER HEAD COVER [SKYACTIV-D 1.5].)
Cylinder head	(See CYLINDER HEAD [SKYACTIV-D 1.5].)
Cylinder head gasket	(See CYLINDER HEAD GASKET [SKYACTIV-D 1.5].)
Cylinder block	(See CYLINDER BLOCK [SKYACTIV-D 1.5].)
Crankshaft	(See CRANKSHAFT, MAIN BEARING [SKYACTIV-D 1.5].)
Piston	(See PISTON, PISTON RING, PISTON PIN [SKYACTIV-D 1.5].)

Connecting rod		(See CONNECTING ROD, CONNECTING ROD BEARING [SKYACTIV-D 1.5].)
Engine front cover		(See ENGINE FRONT COVER [SKYACTIV-D 1.5].)
Crankshaft pulley		(See CRANKSHAFT PULLEY [SKYACTIV-D 1.5].)
Drive belt		(See DRIVE BELT [SKYACTIV-D 1.5].)
Valve mechanism (See VALVE MECHANISM [SKYACTIV-D 1.5].)	Valve	(See VALVE, VALVE SPRING, VALVE SEAL, VALVE GUIDE [SKYACTIV-D 1.5].)
	Camshaft	(See CAMSHAFT [SKYACTIV-D 1.5].)
	HLA, Rocker arm	(See HYDRAULIC LASH ADJUSTER, ROCKER ARM [SKYACTIV-D 1.5].)
Timing chain		(See TIMING CHAIN, CHAIN TENSIONER [SKYACTIV-D 1.5].)
Engine mount		(See ENGINE MOUNT [SKYACTIV-D 1.5].)