

REAR PARKING BRAKE CABLE REMOVAL/INSTALLATION [REAR BRAKE (DISC)]

id0412008013f9

1. Remove the center console tray. (See CENTER CONSOLE TRAY REMOVAL/INSTALLATION.)
2. Loosen the adjusting nut. (See PARKING BRAKE LEVER ADJUSTMENT.)
3. Remove the fuel tank side cover. (See FUEL TANK SIDE COVER REMOVAL/INSTALLATION.)
4. Remove the insulator (middle No.2) installation nuts and set them aside in front of the vehicle. (See EXHAUST SYSTEM REMOVAL/INSTALLATION [SKYACTIV-G 1.3, SKYACTIV-G 1.5].) (See EXHAUST SYSTEM REMOVAL/INSTALLATION [SKYACTIV-D 1.5].)
5. Remove the insulator (middle No.1) installation nuts. (See EXHAUST SYSTEM REMOVAL/INSTALLATION [SKYACTIV-G 1.3, SKYACTIV-G 1.5].) (See EXHAUST SYSTEM REMOVAL/INSTALLATION [SKYACTIV-D 1.5].)
6. Remove the front parking brake cable from the equalizer.
7. Remove in the order indicated in the table.
8. Install in the reverse order of removal.
9. After installation, inspect the parking brake lever stroke. (See PARKING BRAKE LEVER INSPECTION.)



am2zzw00007291



am2zzw00007292


1	Rear parking brake cable (equalizer side) (See Rear Parking Brake Cable (Equalizer Side) Removal Note.) (See Rear Parking Brake Cable (Equalizer Side) Installation Note.)
2	Nut

3	Nut
4	Clip

5	Rear parking brake cable (rear caliper side) (See Rear Parking Brake Cable (Rear Caliper Side) Removal Note.) (See Rear Parking Brake Cable (Rear Caliper Side) Installation Note.)

Rear Parking Brake Cable (Equalizer Side) Removal Note

1. Press the rear parking brake cable tabs and remove the rear parking brake cable from the body.




am2zzw00007293

Rear Parking Brake Cable (Rear Caliper Side) Removal Note

1. Remove the rear parking brake cable from the rear caliper.
2. Remove the rear parking brake cable.

Rear Parking Brake Cable (Rear Caliper Side) Installation Note


1. Install the rear parking brake cable to the torsion beam axle hook.
2. Install the rear parking brake cable to the rear caliper.



am2zzw00012284

Rear Parking Brake Cable (Equalizer Side) Installation Note

1. Install the rear parking brake cable as shown in the figure.
2. Assemble the cable with the marking to the vehicle left side as shown in the figure.
3. Verify that the rear parking brake cable tabs are securely engaged to the body.



am2zzw00007294