
## REAR BUMPER DISASSEMBLY/ASSEMBLY

id091000800800

### 4SD

1. Remove the ultrasonic sensor short-cord. (with parking sensor system) (See ULTRASONIC SENSOR SHORT-CORD REMOVAL/INSTALLATION.)
2. Remove the ultrasonic sensor. (with parking sensor system) (See ULTRASONIC SENSOR REMOVAL/INSTALLATION.)
3. Disassemble in the order indicated in the table.





am2zzw00009048

| | |
|---|---|
| 1 | Bracket |
| 2 | Rear reflector |
| 3 | Rear fog light cover (with rear fog light) |
| 4 | Rear fog light bracket (with rear fog light) |
| 5 | Rear bumper face |

4. Assemble in the reverse order of disassembly.

### 5HB

1. Remove the following parts:
   (1) Rear mount camera (See REAR MOUNT CAMERA REMOVAL/INSTALLATION.)
   (2) Rear fog light (with rear fog light) (See REAR FOG LIGHT REMOVAL/INSTALLATION.)
   (3) Ultrasonic sensor short-cord. (with parking sensor system) (See LICENSE PLATE LIGHT SHORT-CORD REMOVAL/INSTALLATION.)
   (4) Ultrasonic sensor. (with parking sensor system) (See ULTRASONIC SENSOR REMOVAL/INSTALLATION.)
2. Disassemble in the order indicated in the table.




am2zzw00012456

| | |
|---|---|
| 1 | Rear bumper garnish (with rear bumper garnish) |
| 2 | Licence plate light<br>(See LICENSE PLATE LIGHT REMOVAL/ INSTALLATION.) |


| | |
|---|---|
| 3 | Cap (without rear mount camera) |
| 4 | Rear bumper face |

3. Assemble in the reverse order of disassembly.

**Rivet Removal Note**


1. When removing the rivet, perform the following procedure:
   (1) Pinch the rivet pins from the rear fog light side using needle-nose pliers and secure them.

**Rivet A**




am2zzw00008794

**Rivet B**




am2zzw00008795


(2) Use the following drill diameter.

**Drill diameter:**
**4.5 mm {0.18 in}**

**Caution**
- **Always use a drill bit of the specified diameter when removing the rivet. If an inappropriate diameter drill bit is used, the rear bumper face, rear fog light cover, and rear fog light bracket may be damaged.**


(3) Remove the rivet flange using a drill and remove the rivet.

**Rivet A**




am2zzw00008796

**Rivet B**




am2zzw00008797

(4) Remove any rivet shavings from the rear bumper face, rear fog light cover, and rear fog light bracket.