SECURITY AND LOCKS


id091400108100

Outline

- A power door lock system has been adopted in which all doors are locked/unlocked when the driver's door is locked/unlocked using the driver's door lock knob, or the door key cylinder is operated.
- A liftgate opener system has been adopted in which the liftgate can be opened just by pressing the liftgate opener switch.
- A keyless entry system has been adopted in which locking/locking is performed by operation of the remote transmitter button, even from a location away front the vehicle. (With keyless entry system)
- An advanced keyless entry system has been adopted which performs automatic authorization of the remote transmitter that is carried and locking/unlocking of the doors. (With advanced keyless entry system)
- A push button start system has been adopted that automatically performs authorization of the remote transmitter brought into the vehicle.
- An immobilizer system has been adopted that only allows remote transmitters that have been previously programmed to the vehicle to start the engine.
- A theft-deterrent system has been adopted which activates the theft-deterrent siren or theft-deterrent horn if a door, the liftgate/trunk lid, or the hood is opened improperly. (With theft-deterrent system)


Structural View

Power door lock system




am2zzn00001880

Liftgate opener system




am2zzn00001881

Trunk lid opener system




am2zzn00001882

Keyless entry system/push button start system/immobilizer system




am2zzn00002348

Advanced keyless entry system/push button start system/immobilizer system




am2zzn00001885




am2zzn00002349

Theft-deterrent system
With intruder sensor



am2zzn00002305

Without intruder sensor



am2zzn00002306