BODY COMPONENTS CONSTRUCTION [CONSTRUCTION]

id098007739700

cardiagn.com

4SD



carlicon

am2zzb00000640

x:Applied
-:Not applied

No.	Part name		Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
1	Bonnet			X	X	0.60 {0.024}
2	Bumper bracket component	Bumper bracket	X		X	1.60 {0.0630}
		Bumper bracket side			X	1.80 {0.0709}
		Suspension mounting reinforcement		X	X	1.40 {0.0551}
		Outer frame reinforcement		X	X	0.90 {0.035}
3	Front side frame (inner)		X		X	1.20 {0.0472}
4	Front fender bracket				X	0.80 {0.031}
5	Wheel apron panel component	Apron panel (front)			X	1.00 {0.0394}
		Apron reinforcement No.3		X	X	0.90 {0.035}
		Apron reinforcement (upper)			X	0.80 {0.031}
		Suspension housing (upper)		X	X	1.80 {0.0709}
		Apron reinforcement No.1			X	1.20 {0.0472}
		Apron reinforcement No.2			X	0.80 {0.031}
		Suspension housing (lower)			X	0.70 {0.03}
		Apron reinforcement gusset			X	1.00 {0.0394}
		Wheel apron (front) reinforcement				1.20 {0.0472}
		Wheel apron (rear) reinforcement			X	1.40 {0.0551}
6	Front fender junction				X	0.80 {0.031}
7	Light bracket				X	1.60 {0.0630}
8	Front side frame (outer)		X		X	1.00 {0.0394}
9	Brake hose bracket					2.00 {0.0787}
10	Cowl side reinforcement (Front) component	Cowl side reinforcement (front)			X	0.80 {0.031}
		Light bracket (rear)	X		X	1.00 {0.0394}
11	Front frame (rear) component	Front frame (rear)	X		X	1.40 {0.0551}
		Lower arm bracket			X	1.60 {0.0630}
12	Torque box	Front		X	X	1.60 {0.0630}
		Rear	X		X	0.80 {0.031}
13	Hinge pillar (inner)		X		X	0.90 {0.035}
14	Front pillar (inner)		X			1.20 {0.0472}

carmagn.com

No.	Part name		Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
15	Front pillar reinforcement (upper)				X	0.65 {0.026}
16	Roof rail (inner)		X			0.90 {0.035}
17	Hinge reinforcement component	Hinge reinforcement	X			1.00 {0.0394}
		Front pillar (inner) reinforcement	X			1.40 {0.0551}
18	Front pillar reinforcement		X			1.40 {0.0551}
19	Roof rail reinforcement		X			1.00 {0.0394}
20	Center pillar (inner)	Upper		X		0.70 {0.03}
		Lower		X	X	1.20 {0.0472}
21	Center pillar reinforcement	Upper	X			2.00 {0.0787}
		Lower	X			2.00 {0.0787}
22	Side sill reinforcement		X		X	1.40 {0.0551}
23	Rear pillar (inner) component	Rear pillar (inner)			X	0.65 {0.026}
		Wheel housing (inner)			X	0.60 {0.024}
		Seal plate		X	X	0.60 {0.024}
24	Wheel housing (outer)				X	0.60 {0.024}
25	Suspension housing reinforcement			X	X	0.60 {0.024}
26	Rear fender rain rail component	Rear fender rain rail			X	0.65 {0.026}
		Corner plate			X	0.65 {0.026}
27	Light bracket (rear)				X	0.65 {0.026}
28	Rear fender panel (lower)				X	0.65 {0.026}
29	Side frame panel (outer)				X	0.65 {0.026}
30	Cowl side reinforcement (rear)		X		X	1.40 {0.0551}
31	Front door panel (outer)			X	X	0.65 {0.026}
32	Rear door panel (outer)			X	X	0.60 {0.024}
33	Package tray	Package member (front)				1.00 {0.0394}
		Package reinforcement				0.55 {0.022}
		Package tray				0.55 {0.022}
		Package member			X	0.60 {0.024}
34	Trunk lid (outer) panel				X	0.65 {0.026}
35	Dash panel (upper)				X	0.65 {0.026}
36	Cowl plate		X		X	1.00 {0.0394}

cardiagn.com

No.	Part name		Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
37	Wiper bracket			X	X	1.40 {0.0551}
38	Dash panel (lower)			X	X	1.00 {0.0394}
39	Roof panel					0.65 {0.026}
40	Front header				X	0.65 {0.026}
41	Roof reinforcement No.1		X			0.70 {0.028}
42	Roof reinforcement No.2					0.5 {0.02}
43	Rear header					0.65 {0.026}
44	Roof corner gusset		X			1.20 {0.0472}
45	Front fender stay				X	1.20 {0.0472}
46	Front fender panel				X	0.65 {0.026}
47	Floor reinforcement	Front	X			1.20 {0.0472}
		Rear	X		X	0.80 {0.031}
48	Front floor panel component	Front floor side panel		X		0.60 {0.024}
		tunnel reinforcement	X			0.75 {0.030}
		Dashboard bracket	X			0.60 {0.024}
49	Front B frame		X			1.00 {0.0394}
50	Seat bracket reinforcement			X		1.40 {0.0551}
51	Crossmember gusset			X		1.40 {0.0551}
52	Crossmember No.2		X			0.90 {0.035}
53	Seat bracket		X			1.60 {0.0630}
54	Seat anchorage retainer		X			1.40 {0.0551}
55	Crossmember No.3 component	Crossmember No.3	X			0.90 {0.035}
		Tank bracket (upper)	X			1.40 {0.0551}
		Tank bracket (lower)	X		X	1.00 {0.0394}
		Crossmember junction No.1 (rear)	X		X	1.00 {0.0394}
		Crossmember No.3 reinforcement	X		X	1.20 {0.0472}
56	Crossmember No.3 (lower)				X	0.60 {0.024}
57	Side sill (inner) component	Side sill (inner)	X		X	1.20 {0.0472}
		Hinge pillar (inner, lower)	X		X	1.20 {0.0472}
58	Crossmember No.4		X		X	0.80 {0.031}
59	Anchorage reinforcement		X			1.80 {0.0709}

cardiagn.com

No.	Part name			Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
60	Anchorage reinforcement			X			1.20 {0.0472}
61	Rear floor panel						0.60 {0.024}
62	Rear seat bracket						1.00 {0.0394}
63	Floor side panel			X		X	0.90 {0.035}
64	Tank bracket				X	X	1.00 {0.0394}
65	Jack reinforcement						1.20 {0.0472}
66	Rear side frame component	Rear side sill (inner)		X		X	1.40 {0.0551}
		Rear frame reinforcement		X		X	1.00 {0.0394}
		Toque box C		X		X	1.40 {0.0551}
		Rear side frame	Front	X		X	1.60 {0.0630}
			Center	X		X	1.60 {0.0630}
			Rear				1.40 {0.0551}
		Rear suspension housing				X	1.80 {0.0709}
67	Rear bumper bracket			X		X	1.20 {0.0472}
68	Rear end panel component	Rear end panel				X	0.60 {0.024}
		Rear end member (side)				X	1.00 {0.0394}
		Rear end member (center)				X	0.65 {0.026}
69	Rear bumper reinforcement (center)					X	1.00 {0.0394}
70	Rear bumper reinforcement (side)					X	1.00 {0.0394}
71	Rear bumper reinforcement (lower)					X	1.00 {0.0394}
72	Striker tower					X	1.80 {0.0709}

cardiagn.com

5HB
VIN: MMZ, MM0**, MM6**, MM8****



am2zzb00000431

x:Applied
-:Not applied

No.	Part name		Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
1	Bonnet			X	X	0.60 {0.024}
2	Bumper bracket component	Bumper bracket	X		X	1.60 {0.0630}
		Bumper bracket side			X	1.80 {0.0709}
		Suspension mounting reinforcement		X	X	1.40 {0.0551}
		Outer frame reinforcement		X	X	0.90 {0.035}
3	Front side frame (inner)		X		X	1.20 {0.0472}
4	Front fender bracket				X	0.80 {0.031}
5	Wheel apron panel component	Apron panel (front)			X	1.00 {0.0394}
		Apron reinforcement No.3		X	X	0.90 {0.035}
		Apron reinforcement (upper)			X	0.80 {0.031}
		Suspension housing (upper)		X	X	1.80 {0.0709}
		Apron reinforcement No.1			X	1.20 {0.0472}
		Apron reinforcement No.2			X	0.80 {0.031}
		Suspension housing (lower)			X	0.70 {0.03}
		Apron reinforcement gusset			X	1.00 {0.0394}
		Wheel apron (front) reinforcement				1.20 {0.0472}
		Wheel apron (rear) reinforcement			X	1.40 {0.0551}
6	Front fender junction				X	0.80 {0.031}
7	Light bracket				X	1.60 {0.0630}
8	Front side frame (outer)		X		X	1.00 {0.0394}
9	Brake hose bracket					2.00 {0.0787}
10	Cowl side reinforcement (Front) component	Cowl side reinforcement (front)			X	0.80 {0.031}
		Light bracket (rear)	X		X	1.00 {0.0394}
11	Front frame (rear) component	Front frame (rear)	X		X	1.40 {0.0551}
		Lower arm bracket			X	1.60 {0.0630}
12	Torque box	Front		X	X	1.60 {0.0630}
		Rear	X		X	0.80 {0.031}
13	Hinge pillar (inner)		X		X	0.90 {0.035}
14	Front pillar (inner)		X			1.20 {0.0472}

carmanuals.com

No.	Part name		Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
15	Front pillar reinforcement (upper)				X	0.65 {0.026}
16	Roof rail (inner)		X			0.90 {0.035}
17	Hinge reinforcement component	Hinge reinforcement	X			1.00 {0.0394}
		Front pillar (inner) reinforcement	X			1.40 {0.0551}
18	Front pillar reinforcement		X			1.40 {0.0551}
19	Roof rail reinforcement		X			1.00 {0.0394}
20	Center pillar (inner)	Upper		X		0.70 {0.03}
		Lower		X	X	1.20 {0.0472}
21	Center pillar reinforcement	Upper	X			2.00 {0.0787}
		Lower	X			2.00 {0.0787}
22	Side sill reinforcement	Front	X		X	1.40 {0.0551}
		Rear	X			1.00 {0.0394}
23	Rear pillar (inner) component	Rear pillar (inner)			X	0.65 {0.026}
		Wheel housing (inner)			X	0.60 {0.024}
24	Package gusset					1.00 {0.0394}
25	Rear side panel				X	0.60 {0.024}
26	Suspension housing reinforcement component	Suspension housing gusset		X	X	0.60 {0.024}
		Anchorage nut plate	X			1.20 {0.0472}
		Rear seat bracket	X			1.20 {0.0472}
27	Corner junction					0.60 {0.024}
28	Wheel housing (outer)				X	0.60 {0.024}
29	Rear pillar (outer) component	Rear pillar (outer)			X	0.65 {0.026}
		Corner plate			X	0.65 {0.026}
		Rear fender gusset			X	0.65 {0.026}
30	Rear fender panel (lower)				X	0.65 {0.026}
31	Side frame panel (outer)				X	0.65 {0.026}
32	Cowl side reinforcement (rear)		X		X	1.40 {0.0551}
33	Front door panel (outer)			X	X	0.65 {0.026}
34	Rear door panel (outer)			X	X	0.60 {0.024}
35	Liftgate panel (outer)				X	0.65 {0.026}
36	Dash panel (upper)				X	0.65 {0.026}

cardiagn.com

No.	Part name		Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
37	Cowl plate		X		X	1.00 {0.0394}
38	Wiper bracket			X	X	1.40 {0.0551}
39	Dash panel (lower)			X		1.00 {0.0394}
40	Roof panel					0.65 {0.026}
41	Front header				X	0.65 {0.026}
42	Roof reinforcement No.1		X			0.70 {0.028}
43	Roof reinforcement No.2					0.5 {0.02}
44	Rear header					0.65 {0.026}
45	Roof corner gusset		X			1.20 {0.0472}
46	Front fender stay				X	1.20 {0.0472}
47	Front fender panel				X	0.65 {0.026}
48	Floor reinforcement	Front	X			1.20 {0.0472}
		Rear	X		X	0.80 {0.031}
49	Front floor panel component	Front floor side panel		X		0.60 {0.024}
		tunnel reinforcement	X			0.75 {0.030}
		Dashboard bracket	X			0.60 {0.024}
50	Front B frame		X			1.00 {0.0394}
51	Seat bracket reinforcement			X		1.40 {0.0551}
52	Crossmember gusset			X		1.40 {0.0551}
53	Crossmember No.2		X			0.90 {0.035}
54	Seat bracket		X			1.60 {0.0630}
55	Seat anchorage retainer		X			1.40 {0.0551}
56	Crossmember No.3 component	Crossmember No.3	X			0.90 {0.035}
		Tank bracket (upper)	X			1.40 {0.0551}
		Tank bracket (lower)	X		X	1.00 {0.0394}
		Crossmember junction No.1 (rear)	X		X	1.00 {0.0394}
		Crossmember No.3 reinforcement	X		X	1.20 {0.0472}
57	Crossmember No.3 (lower)				X	0.60 {0.024}
58	Crossmember No.4		X		X	0.80 {0.031}
59	Anchorage reinforcement		X			1.80 {0.0709}
60	Anchorage reinforcement		X			1.20 {0.0472}

cardiagn.com

No.	Part name			Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
61	Rear floor panel						0.60 {0.024}
62	Rear seat bracket						1.00 {0.0394}
63	Floor side panel			X		X	0.90 {0.035}
64	Seat back reinforcement			X			1.20 {0.0472}
65	Rear side frame component	Rear side sill (inner)		X		X	1.40 {0.0551}
		Rear frame reinforcement		X		X	1.00 {0.0394}
		Toque box C		X		X	1.40 {0.0551}
		Rear side frame	Front	X		X	1.60 {0.0630}
			Center	X		X	1.60 {0.0630}
			Rear	X		X	1.40 {0.0551}
		Rear suspension housing				X	1.80 {0.0709}
66	Tank bracket				X	X	1.00 {0.0394}
67	Rear bumper bracket			X		X	1.20 {0.0472}
68	Side sill (inner) component	Side sill (inner)		X		X	1.20 {0.0472}
		Hinge pillar (inner, lower)		X		X	1.20 {0.0472}
69	Rear end panel component	Rear end panel				X	0.60 {0.024}
		Rear end member (side)					1.00 {0.0394}
		Rear end member (center)			X	X	0.65 {0.026}
		Rear end reinforcement					1.00 {0.0394}
70	Back panel reinforcement bracket						1.00 {0.0394}
71	Rear bumper reinforcement (side)					X	1.00 {0.0394}
72	Rear bumper reinforcement (center)					X	1.00 {0.0394}
73	Rear bumper reinforcement (lower)					X	0.70 {0.028}
74	Striker tower					X	0.60 {0.024}

carmagn.com

VIN: 3MD, JM6****



am2zzb00000431

x:Applied
-:Not applied

No.	Part name		Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
1	Bonnet			X	X	0.60 {0.024}
2	Bumper bracket component	Bumper bracket	X		X	1.60 {0.0630}
		Bumper bracket side			X	1.80 {0.0709}
		Suspension mounting reinforcement		X	X	1.40 {0.0551}
		Outer frame reinforcement		X	X	0.90 {0.035}
3	Front side frame (inner)		X		X	1.20 {0.0472}
4	Front fender bracket				X	0.80 {0.031}
5	Wheel apron panel component	Apron panel (front)			X	1.00 {0.0394}
		Apron reinforcement No.3		X	X	0.90 {0.035}
		Apron reinforcement (upper)			X	0.80 {0.031}
		Suspension housing (upper)		X	X	1.80 {0.0709}
		Apron reinforcement No.1			X	1.20 {0.0472}
		Apron reinforcement No.2			X	0.80 {0.031}
		Suspension housing (lower)			X	0.70 {0.03}
		Apron reinforcement gusset			X	1.00 {0.0394}
		Wheel apron (front) reinforcement				1.20 {0.0472}
		Wheel apron (rear) reinforcement			X	1.40 {0.0551}
6	Front fender junction				X	0.80 {0.031}
7	Light bracket				X	1.60 {0.0630}
8	Front side frame (outer)		X		X	1.00 {0.0394}
9	Brake hose bracket					2.00 {0.0787}
10	Cowl side reinforcement (Front) component	Cowl side reinforcement (front)			X	0.80 {0.031}
		Light bracket (rear)	X		X	1.00 {0.0394}
11	Front frame (rear) component	Front frame (rear)	X		X	1.40 {0.0551}
		Lower arm bracket			X	1.60 {0.0630}
12	Torque box	Front		X	X	1.60 {0.0630}
		Rear	X		X	0.80 {0.031}
13	Hinge pillar (inner)		X		X	0.90 {0.035}
14	Front pillar (inner)		X			1.20 {0.0472}

carmagn.com

No.	Part name		Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
15	Front pillar reinforcement (upper)				X	0.65 {0.026}
16	Roof rail (inner)		X			0.90 {0.035}
17	Hinge reinforcement component	Hinge reinforcement	X			1.00 {0.0394}
		Front pillar (inner) reinforcement	X			1.40 {0.0551}
18	Front pillar reinforcement		X			1.40 {0.0551}
19	Roof rail reinforcement		X			1.00 {0.0394}
20	Center pillar (inner)	Upper		X		0.70 {0.03}
		Lower		X	X	1.20 {0.0472}
21	Center pillar reinforcement	Upper	X			2.00 {0.0787}
		Lower	X			2.00 {0.0787}
22	Side sill reinforcement	Front	X		X	1.40 {0.0551}
		Rear	X			1.00 {0.0394}
23	Rear pillar (inner) component	Rear pillar (inner)			X	0.65 {0.026}
		Wheel housing (inner)			X	0.60 {0.024}
		Wheel house junction			X	0.60 {0.024}
24	Package gusset					1.00 {0.0394}
25	Rear side panel				X	0.60 {0.024}
26	Suspension housing reinforcement component	Suspension housing gusset		X	X	0.60 {0.024}
		Anchorage nut plate	X			1.20 {0.0472}
		Rear seat bracket	X			1.20 {0.0472}
27	Corner junction					0.60 {0.024}
28	Wheel housing (outer)				X	0.60 {0.024}
29	Rear pillar (outer) component	Rear pillar (outer)			X	0.65 {0.026}
		Corner plate			X	0.65 {0.026}
		Rear fender gusset			X	0.65 {0.026}
30	Rear fender panel (lower)				X	0.65 {0.026}
31	Side frame panel (outer)				X	0.65 {0.026}
32	Cowl side reinforcement (rear)		X		X	1.40 {0.0551}
33	Front door panel (outer)			X	X	0.65 {0.026}
34	Rear door panel (outer)			X	X	0.60 {0.024}
35	Liftgate panel (outer)				X	0.65 {0.026}

cardiagn.com

No.	Part name		Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
36	Dash panel (upper)				X	0.65 {0.026}
37	Cowl plate		X		X	1.00 {0.0394}
38	Wiper bracket			X	X	1.40 {0.0551}
39	Dash panel (lower)			X	X	1.00 {0.0394}
40	Roof panel					0.65 {0.026}
41	Front header				X	0.65 {0.026}
42	Roof reinforcement No.1		X			0.70 {0.028}
43	Roof reinforcement No.2				X	0.5 {0.02}
44	Rear header					0.65 {0.026}
45	Roof corner gusset		X			1.20 {0.0472}
46	Front fender stay				X	1.20 {0.0472}
47	Front fender panel				X	0.65 {0.026}
48	Floor reinforcement	Front	X			1.20 {0.0472}
		Rear	X		X	0.80 {0.031}
49	Front floor panel component	Front floor side panel		X	X	0.60 {0.024}
		tunnel reinforcement	X		X	0.75 {0.030}
		Dashboard bracket	X			0.60 {0.024}
50	Front B frame		X		X	1.00 {0.0394}
51	Seat bracket reinforcement			X		1.40 {0.0551}
52	Crossmember gusset			X		1.40 {0.0551}
53	Crossmember No.2		X			0.90 {0.035}
54	Seat bracket		X			1.60 {0.0630}
55	Seat anchorage retainer		X			1.40 {0.0551}
56	Crossmember No.3 component	Crossmember No.3	X			0.90 {0.035}
		Tank bracket (upper)	X			1.40 {0.0551}
		Tank bracket (lower)	X		X	1.00 {0.0394}
		Crossmember junction No.1 (rear)	X		X	1.00 {0.0394}
		Crossmember No.3 reinforcement	X		X	1.20 {0.0472}
57	Crossmember No.3 (lower)				X	0.60 {0.024}
58	Crossmember No.4		X		X	0.80 {0.031}
59	Anchorage reinforcement		X			1.80 {0.0709}

cardiagn.com

No.	Part name			Ultra high-tension steel	High-tension steel	Rust proof steel	Thickness (mm) {in}
60	Anchorage reinforcement			X			1.20 {0.0472}
61	Rear floor panel					X	0.60 {0.024}
62	Rear seat bracket						1.00 {0.0394}
63	Floor side panel			X		X	0.90 {0.035}
64	Seat back reinforcement			X			1.20 {0.0472}
65	Rear side frame component	Rear side sill (inner)		X		X	1.40 {0.0551}
		Rear frame reinforcement		X		X	1.00 {0.0394}
		Toque box C		X		X	1.40 {0.0551}
		Rear side frame	Front	X		X	1.60 {0.0630}
			Center	X		X	1.60 {0.0630}
			Rear	X		X	1.40 {0.0551}
		Rear suspension housing				X	1.80 {0.0709}
66	Tank bracket				X	X	1.00 {0.0394}
67	Rear bumper bracket			X		X	1.20 {0.0472}
68	Side sill (inner) component	Side sill (inner)		X		X	1.20 {0.0472}
		Hinge pillar (inner, lower)		X		X	1.20 {0.0472}
69	Rear end panel component	Rear end panel				X	0.60 {0.024}
		Rear end member (side)					1.00 {0.0394}
		Rear end member (center)			X	X	0.65 {0.026}
		Rear end reinforcement					1.00 {0.0394}
70	Back panel reinforcement bracket						1.00 {0.0394}
71	Rear bumper reinforcement (side)					X	1.00 {0.0394}
72	Rear bumper reinforcement (center)					X	1.00 {0.0394}
73	Rear bumper reinforcement (lower)					X	0.70 {0.028}
74	Striker tower					X	0.60 {0.024}

cardiagn.com