


Ejercicio Práctico 1: Servidor de archivos y Administración del Sistema

a) Gestión del sistema.


Se verifica que el servicio SSH esté funcionando.

Instalación de SSH:



```
camias@Lab01IAE: ~  
Archivo  Editar  Ver  Buscar  Terminal  Ayuda  
camias@Lab01IAE:~$ sudo apt install openssh-server -y  
Leyendo lista de paquetes... Hecho  
Creando árbol de dependencias... Hecho  
Leyendo la información de estado... Hecho  
openssh-server ya está en su versión más reciente (1:9.6p1-3ubuntu13.12).  
El paquete indicado a continuación se instaló de forma automática y ya no es necesario.  
  brave-keyring  
Utilice «sudo apt autoremove» para eliminarlo.  
0 actualizados, 0 nuevos se instalarán, 0 para eliminar y 26 no actualizados.  
camias@Lab01IAE:~$
```

Verificación de estatus:



```
camias@Lab01IAE: ~  
Archivo  Editar  Ver  Buscar  Terminal  Ayuda  
El paquete indicado a continuación se instaló de forma automática y ya no es necesario.  
  brave-keyring  
Utilice «sudo apt autoremove» para eliminarlo.  
0 actualizados, 0 nuevos se instalarán, 0 para eliminar y 26 no actualizados.  
camias@Lab01IAE:~$ sudo systemctl status ssh  
● ssh.service - OpenBSD Secure Shell server  
   Loaded: loaded (/usr/lib/systemd/system/ssh.service; enabled; preset: enabled)  
   Active: active (running) since Mon 2026-06-22 18:34:47 -03; 1h 25min ago  
TriggeredBy: ● ssh.socket  
   Docs: man:sshd(8)  
         man:sshd_config(5)  
  Process: 1110 ExecStartPre=/usr/sbin/sshd -t (code=exited, status=0/SUCCESS)  
 Main PID: 1151 (sshd)  
    Tasks: 1 (limit: 9283)  
  Memory: 2.1M (peak: 2.3M)  
     CPU: 56ms  
   CGroup: /system.slice/ssh.service  
           └─1151 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"  
  
jun 22 18:34:47 Lab01IAE systemd[1]: Starting ssh.service - OpenBSD Secure Shell  
jun 22 18:34:47 Lab01IAE sshd[1151]: Server listening on :: port 22.  
jun 22 18:34:47 Lab01IAE systemd[1]: Started ssh.service - OpenBSD Secure Shell  
lines 1-17/17 (END)
```

b) Permisos y directorios.

Crear directorio /usuario/administracion

```
camias@Lab01IAE:~$ sudo mkdir -p usuario/administracion
camias@Lab01IAE:~$
```

Agregar grupo “Programadores” y agregarlo al directorio:

```
camias@Lab01IAE:~$ sudo groupadd Programadores
groupadd: el grupo «Programadores» ya existe
```

```
camias@Lab01IAE:~$ sudo chgrp programadores /usuario/administracion
camias@Lab01IAE:~$
```

Asignar permisos al directorio:

```
camias@Lab01IAE:~$ sudo chmod 754 /usuario/administracion
camias@Lab01IAE:~$
```

c) Programación de tareas:


abrir crontab

```
camias@Lab01IAE:~$ crontab -e
no crontab for camias - using an empty one

Select an editor. To change later, run 'select-editor'.
 1. /bin/nano      <---- easiest
 2. /usr/bin/vim.tiny
 3. /usr/bin/code
 4. /bin/ed

Choose 1-4 [1]: 1
crontab: installing new crontab
camias@Lab01IAE:~$
```

insertar la tarea programada para hacer backup en el archivo crontab:



```
camias@Lab01IAE: ~  
Archivo  Editar  Ver  Buscar  Terminal  Ayuda  
GNU nano 7.2 /tmp/crontab.10GEqe/crontab *  
# Edit this file to introduce tasks to be run by cron.  
#  
# Each task to run has to be defined through a single line  
# indicating with different fields when the task will be run  
# and what command to run for the task  
#  
# To define the time you can provide concrete values for  
# minute (m), hour (h), day of month (dom), month (mon),  
# and day of week (dow) or use '*' in these fields (for 'any').  
#  
# Notice that tasks will be started based on the cron's system  
# daemon's notion of time and timezones.  
#  
# Output of the crontab jobs (including errors) is sent through  
# email to the user the crontab file belongs to (unless redirected).  
#  
# For example, you can run a backup of all your user accounts  
# at 5 a.m every week with:  
# 0 5 * * 1 tar -zcf /var/backups/home.tgz /home/  
#  
# For more information see the manual pages of crontab(5) and cron(8)  
#  
# m h dom mon dow  command  
0 23 * * * rsync -av --delete /usuario/administracion/ /backup/
```

^G Ayuda ^O Guardar ^W Buscar ^K Cortar ^T Ejecutar
^X Salir ^R Leer fich. ^\ Reemplazar ^U Pegar ^J Justificar