

```
Windows PowerShell
-a---1      12/09/2022      21:28      2180 questões módulo 4.rtf
-a---1      16/09/2022      00:38      4845506 TIRA DÚVIDAS.rtf

PS C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD> cd C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD
Set-Location : Não é possível localizar um parâmetro posicional que aceite o argumento 'ALPHA\HARD'.
No linha:1 caractere:1
+ cd C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD
+ ~~~~~
+ CategoryInfo          : InvalidArgument: (:) [Set-Location], ParameterBindingException
+ FullyQualifiedErrorId : PositionalParameterNotFound,Microsoft.PowerShell.Commands.SetLocationCommand

PS C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD> ls java*

Diretório: C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD

Mode                LastWriteTime         Length Name
----                -
da---1      17/10/2022      17:47             10 javaScript


PS C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD> cd javaScript
PS C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD\javaScript> mkdir aula_01

Diretório: C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD\javaScript

Mode                LastWriteTime         Length Name
----                -
d-----      17/10/2022      17:53             10 aula_01

PS C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD\javaScript> cd aula_01
PS C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD\javaScript\aula_01> code .
PS C:\Users\Pichau\OneDrive\Documentos\ESTUDOS ALPHA\HARD\javaScript\aula_01>
```

Ativar o Windows
Acesse Configurações para ativar o Windows.



The image shows a VS Code editor window with a dark theme. The Explorer sidebar on the left shows a project named 'AULA_01' with files: index.css, index.html, index.js, print_nav_powers..., and print_ol\$console.... The main editor area displays the content of index.css. The code defines styles for an h1, a paragraph (p), a text input, and its hover state. The h1 and paragraph are centered with a Roboto font. The input is a black box with white text, and on hover, it turns yellow with a black border. The status bar at the bottom indicates the current position is line 23, column 5, with 4 spaces, UTF-8 encoding, CRLF line endings, and CSS language mode.

```
# index.css
10 h1{
11   text-align: center;
12   font-family: roboto, sans-serif;
13   color: black;
14   margin: 10px;
15 }
16
17
18 p{
19   text-align: center;
20   font-family: roboto, sans-serif;
21   color: black;
22   font-size: 25px;
23 }
24
25
26 input{
27
28   background-color: black;
29   color: rgb(180, 142, 250);
30   font-family: roboto, sans-serif;
31   width: 20vh;
32   font-size: 15px;
33   margin-left: 10px;
34   font-weight: 700;
35 }
36
37 input:hover{
38   transition: 3s;
39   background-color: yellow;
40   color: black;
41   border: solid yellow;
```



