
Documentación SQL: Tabla Apartments


1. Crear tabla Apartments

```
CREATE TABLE apartments(
    id SERIAL PRIMARY KEY,
    name VARCHAR(50),
    address VARCHAR(100),
    city VARCHAR(50),
    postal_code VARCHAR(10),
    bedrooms INT,
    area_m2 NUMERIC(6, 2),
    price NUMERIC(10, 2),
    available BOOLEAN,
    published_date DATE
);
```




2. Inserción de Datos en Apartments

```
INSERT INTO apartments (name, address, city, postal_code, bedrooms, area_m2, price,
available, published_date) VALUES
('Depto A', 'Av. Siempre Viva 123', 'Buenos Aires', 'C1000', 2, 55.50, 120000.00,
TRUE, '2023-08-01'),
('Torre Norte', 'Av. San Martín 456', 'Córdoba', 'X5000', 3, 85.00, 145000.00,
TRUE, '2023-08-05'),
('Loft Céntrico', 'Calle Mitre 789', 'Rosario', 'S2000', 1, 40.00, 75000.00, FALSE,
'2023-08-10'),
('Duplex Vista', 'Av. Belgrano 1010', 'Mendoza', 'M5500', 3, 110.50, 180000.00,
TRUE, '2023-08-12'),
('Monoambiente Sol', 'Sarmiento 222', 'Resistencia', 'H3500', 1, 32.00, 45000.00,
TRUE, '2023-08-15'),
('Depto B', 'Av. Siempre Viva 125', 'Buenos Aires', 'C1000', 2, 58.00, 125000.00,
FALSE, '2023-08-18'),
('Penthouse Río', 'Costanera 50', 'Rosario', 'S2000', 4, 150.00, 350000.00, TRUE,
'2023-09-01'),
('Casa PH', '9 de Julio 333', 'Córdoba', 'X5000', 2, 65.00, 95000.00, TRUE, '2023-
09-02'),
('Depto Estudiante', 'Pueyrredón 80', 'La Plata', 'B1900', 1, 35.50, 50000.00,
FALSE, '2023-09-05'),
('Torre Sur', 'Av. San Martín 490', 'Córdoba', 'X5000', 2, 70.00, 115000.00, TRUE,
'2023-09-10'),
('Piso Exclusivo', 'Av. Alvear 1500', 'Buenos Aires', 'C1014', 4, 200.00,
550000.00, TRUE, '2023-09-15'),
('Estudio Arte', 'Güemes 412', 'Mar del Plata', 'B7600', 1, 38.00, 60000.00, TRUE,
'2023-09-20'),
('Depto Familiar', 'Las Heras 900', 'Mendoza', 'M5500', 3, 95.00, 130000.00, FALSE,
'2023-09-25'),
('Monoambiente 2', 'Sarmiento 224', 'Resistencia', 'H3500', 1, 30.00, 42000.00,
TRUE, '2023-10-01'),
('Depto C', 'Av. Siempre Viva 127', 'Buenos Aires', 'C1000', 2, 55.50, 118000.00,
TRUE, '2023-10-03'),
('Jardines de Paz', 'Ruta 9 Km 5', 'Córdoba', 'X5022', 3, 120.00, 190000.00, TRUE,
'2023-10-05'),
('Loft Industrial', 'Paseo Colón 888', 'Buenos Aires', 'C1063', 2, 80.00,
140000.00, FALSE, '2023-10-08'),
('Piso 10 Vista', 'Oroño 1111', 'Rosario', 'S2000', 3, 105.00, 160000.00, TRUE,
'2023-10-12'),
('Depto Playa', 'Av. Colón 2000', 'Mar del Plata', 'B7600', 2, 50.00, 85000.00,
TRUE, '2023-10-15'),
('Residencial Parque', 'Av. Libertador 400', 'Buenos Aires', 'C1001', 3, 130.00,
280000.00, FALSE, '2023-10-20'),
('Edificio Central', 'San Juan 555', 'Mendoza', 'M5500', 1, 45.00, 70000.00, TRUE,
'2023-10-22'),
('Depto D', 'Av. Siempre Viva 129', 'Buenos Aires', 'C1000', 1, 42.00, 90000.00,
TRUE, '2023-10-25'),
('Casa Bosque', 'Camino del Cerro 12', 'Bariloche', 'R8400', 4, 180.00, 320000.00,
FALSE, '2023-11-01'),
('Refugio Sur', 'Moreno 999', 'Ushuaia', 'V9410', 2, 60.00, 110000.00, TRUE, '2023-
11-05'),
('Depto Económico', 'Lavalle 150', 'Tucumán', 'T4000', 2, 52.00, 65000.00, TRUE,
'2023-11-10'),
('Torre Alta', 'Av. 25 de Mayo 100', 'Resistencia', 'H3500', 3, 90.00, 135000.00,
FALSE, '2023-11-15'),
('Loft Premium', 'Palermo 1234', 'Buenos Aires', 'C1425', 2, 75.00, 195000.00,
TRUE, '2023-11-18'),
('Piso Céntrico', 'San Luis 222', 'Rosario', 'S2000', 2, 85.00, 125000.00, TRUE,
```




3. Consulta: Departamentos ordenados por precio

```
SELECT name, address, city, price
FROM apartments
ORDER BY price asc;
```




4. Consulta: Precio promedio por ciudad

```
SELECT city, AVG(price)
FROM apartments
GROUP BY city;
```



5. Consulta: Filtro por habitaciones y área

```
SELECT name, bedrooms, area_m2
FROM apartments
WHERE bedrooms >= 2 and area_m2 < 60;
```



pgAdmin 4
localhost:8080/browser/
Archivo
Objeto
Herramientas
Ayuda
admin@example.com (interno)
Tablero
Propiedades
SQL
Estadísticas
Dependencias
Dependientes
Procesos
postgres/myuser@postgres-db*
postgres/myuser@postgres-db
Sin límite
Consulta
Historial de Consultas
Scratch Pad
ORDER BY price asc;
SELECT city, AVG(price)
FROM apartments
GROUP BY city;
SELECT name, bedrooms, area_m2
FROM apartments
WHERE bedrooms >=2 and area_m2 < 60;
Data Output
Mensajes
Notificaciones
Showing rows: 1 to 5
Page No: 1
of 1
name character varying (50)
bedrooms integer
area_m2 numeric (6,2)
1 Depto A 2 55.50
2 Depto B 2 58.00
3 Depto C 2 55.50
4 Depto Playa 2 50.00
5 Depto Económico 2 52.00
Ejecución exitosa. Tiempo de ejecución total de la consulta: 244 msec. 5 filas afectadas.
Total rows: 5
Query complete 00:00:00.244
CRLF
Ln 57, Col 1
Buscar
ENG
00:30
6/11/2026

Documentación SQL: Tabla Sales (Parte 1)

0. Creación de tabla e inserción de datos


```
CREATE TABLE sales (
    id SERIAL PRIMARY KEY,
    product VARCHAR(50),
    category VARCHAR(30),
    price NUMERIC,
    quantity INT,
    sale_date DATE
);

INSERT INTO sales (product, category, price, quantity, sale_date) VALUES
('Mouse', 'Electronics', 15, 4, '2023-07-10'),
('Keyboard', 'Electronics', 30, 2, '2023-07-11'),
('Notebook', 'Stationery', 8, 10, '2023-07-12'),
('Pen', 'Stationery', 2, 25, '2023-07-13'),
('Headphones', 'Electronics', 40, 3, '2023-07-14'),
('Monitor', 'Electronics', 120, 1, '2023-07-15'),
('Desk Chair', 'Furniture', 85, 2, '2023-07-16'),
('Notebook Case', 'Accessories', 25, 3, '2023-07-17'),
('Printer Paper', 'Stationery', 6, 15, '2023-07-18'),
('USB Drive', 'Electronics', 12, 5, '2023-07-19'),
('Desk Lamp', 'Furniture', 35, 4, '2023-07-20'),
('Stapler', 'Stationery', 7, 6, '2023-07-21'),
('Calculator', 'Electronics', 20, 3, '2023-07-22'),
('Water Bottle', 'Accessories', 10, 8, '2023-07-23'),
('Laptop Stand', 'Accessories', 45, 2, '2023-07-24'),
('Office Desk', 'Furniture', 150, 1, '2023-07-25'),
('Whiteboard', 'Furniture', 60, 1, '2023-07-26'),
('Marker Set', 'Stationery', 5, 12, '2023-07-27'),
('Mouse Pad', 'Accessories', 8, 7, '2023-07-28'),
('Webcam', 'Electronics', 50, 2, '2023-07-29'),
('Smartphone', 'Electronics', 300, 1, '2023-07-30'),
('Notebook Pro', 'Electronics', 900, 1, '2023-07-31'),
('File Cabinet', 'Furniture', 120, 1, '2023-08-01'),
('Backpack', 'Accessories', 40, 3, '2023-08-02'),
('Binder', 'Stationery', 4, 20, '2023-08-03'),
('Headset Stand', 'Accessories', 15, 5, '2023-08-04'),
('Desk Organizer', 'Accessories', 12, 6, '2023-08-05'),
('Laptop Sleeve', 'Accessories', 30, 2, '2023-08-06'),
('Paper Clips', 'Stationery', 1, 50, '2023-08-07'),
('Surge Protector', 'Electronics', 25, 3, '2023-08-08'),
('Pen Holder', 'Accessories', 5, 10, '2023-08-09');
```




1. Las ventas de la categoría 'Electronics'

```
SELECT *
FROM sales
WHERE category = 'Electronics';
```




2. Total de ingresos por categoría

```
SELECT category, SUM(price * quantity) AS ingreso
FROM sales
GROUP BY category;
```




3. La categoría con mayor ingreso total

```
SELECT category, SUM(price * quantity) AS ingreso
FROM sales
GROUP BY category
ORDER BY ingreso DESC
LIMIT 1;
```




4. Ventas donde el precio es mayor a 20

```
SELECT *
FROM sales
WHERE price > 20;
```




5. Total de unidades vendidas por cada producto

```
SELECT product, SUM(quantity) AS unidadesVendidas
FROM sales
GROUP BY product;
```




6. Ingreso promedio por venta para cada producto

```
SELECT product, AVG(price*quantity) AS ingresoPromedio
FROM sales
GROUP BY product;
```




7. Top 3 productos con mayor cantidad total vendida

```
SELECT product, SUM(quantity) AS total_vendido
FROM sales
GROUP BY product
ORDER BY total_vendido DESC
LIMIT 3;
```




8. Ventas realizadas después del 12 de julio de 2023

```
SELECT *
FROM sales
WHERE sale_date > '2023-07-12';
```




9. Ingreso total por categoría (mayor a 50)

```
SELECT category, SUM(price * quantity) AS ingresoTotal
FROM sales
GROUP BY category
HAVING SUM(price * quantity) > 50;
```




10. Productos que comienzan con la letra H

```
SELECT *
FROM sales
WHERE product LIKE 'H%';
```




11. Promedio de cantidad vendida agrupado por categoría

```
SELECT category, AVG(quantity) AS promedioVendido
FROM sales
GROUP BY category;
```



12. Ingreso por fila ordenado de mayor a menor

```
SELECT *, (price * quantity) AS ingreso
FROM sales
ORDER BY ingreso DESC;
```



13. Ventas Electronics (cantidad > 2 y precio < 40)

```
SELECT *
FROM sales
WHERE category = 'Electronics' AND quantity > 2 AND price < 40;
```

