

QUORUM FIELD GUIDE

Product & design reference

What Quorum is, page by page — every route, every role's view of it, the tokens that hold the look together, plus the honest state of what's ahead before the Bentley pilot (Aug 31 – Dec 15, 2026) and after it.

Stack: React + Vite + TypeScript, Supabase (Postgres/Auth/Realtime), no custom API
Roles: public · officer · dean · member

01 — DESIGN SYSTEM

"Structured Precision" — Swiss grid discipline crossed with a flat, no-shadow SaaS surface. One warm accent, hairline borders instead of shadows, numbers always in a mono face so columns of attendance percentages and dollar-shaped stats actually line up.

COLOR

- Quorum Orange #D85A30 — the one accent: primary actions, active nav, active-tier badges, stat icons
- Rail / Sidebar #1A1814 — always dark, in both light and dark mode
- Background oklch(0.988 0.003 80) — warm off-white, not pure white
- Card oklch(1 0 0) — pure white, one step lighter than page
- Border (hairline) #E8E6DF · 0.5px — no shadows anywhere; structure comes from a 0.5px line, not elevation

SEMANTIC (status, not brand)

- Thriving / sent / accepted #16a34a
- Healthy #2563eb
- Declining #b45309
- At-risk / failed / zero #dc2626

TYPE

- DM Sans — interface + prose. Page titles 20–22px semibold; body 14–15px regular.
- DM Mono — every number. Attendance %, stat-card values, dates, dollar amounts.
DM Sans never renders a digit that needs to line up in a column.

BADGES — one shared component per meaning

Thriving / Healthy / Declining / At Risk / Not Yet Rated

HealthBadge is the only place a club health tier ever renders — public, member, officer and dean surfaces all call the same component so the label can never drift. The tier itself is dean-eyes-only; everyone else's queries return null.

STRUCTURE

12px card radius, 8px input radius · no shadows, ever · 0.5px hairline borders · a fixed 250px dark rail on desktop, an off-canvas drawer below the md breakpoint.

02 — CORE MECHANICS

The two features that are actually the product — everything else is UI wrapped around these two rule sets. Both are enforced entirely in Postgres, not the client.

CLUB HEALTH SCORE (AHS/CHS)

A monthly-computed tier — at-risk / declining / healthy / thriving, or unrated — replacing self-reported engagement. The formula and its weights never leave the database: `club_health_tier()` is a security definer SQL function, and only its resulting tier is ever safe for client code to read.

Cold-start rule: a club's first ~30 days have no real prior month to compare against, so the formula falls back to an officer-entered `initial_monthly_avg_attendance` baseline instead of guessing from nothing. This also absorbs the "whole cohort launches in the same month" case — every Bentley club going live for the same fall pilot doesn't get penalized for lacking history it couldn't possibly have.

A tier only becomes real once two things are both true: the baseline is set, and there are real `event_attendees` rows with a `checked_in_at` in the current calendar month. Until then, the tier reads unrated — never a fabricated placeholder score.

Who sees it: deans only. Officers, members, and the public Discover page all get null back from the same query — an unlucky "at-risk" label with no way to contest it is too risky to surface outside the dean's office. Discover's "Most Active"/"Featured" sorting keys off real event counts instead.

QR CHECK-IN

Fixed expiry window, not a rotating code: a per-event QR opens 15 minutes before start and closes 3 hours after — simple, still defeats "photograph the

code and check in from bed later." Codes are per-event, never a reusable per-club link, so there's never a "which event is currently open" resolution step.

Guests are allowed, on purpose. Anyone can check in without being on the roster. Guest rows are recorded but structurally excluded from official attendance-rate and health-score math — every stats query joins through `club_members.profile_id`, which a guest's null `profile_id` can never match.

Excused absences are excluded from a member's attendance-rate denominator entirely — neither a hit nor a miss.

Anonymous member health voting — one rating per member per month, rank-and-file only (officers can't vote on their own club), and nobody, including officers, can ever see an individual vote — only the aggregate feeds the tier.

Load-tested, not just logically verified: a real 40-concurrent-scan burst against production measured 448ms, zero drops, zero duplicates. The one thing never yet tested is a human scanning a projected QR with an actual phone.

03 — PUBLIC SURFACE

No login required. This is the whole "zero configuration" pitch made visible — a visitor can discover a club, register for an event, and check in at the door without ever creating a password.

Discover </discover>

Campus-wide club directory, the front door for a prospective member who isn't signed in yet. Filterable card grid (few filters, deliberately not the 8-dropdown pattern CampusGroups uses). "Most Active"/"Featured" sort keys off real event counts, never the health tier (dean-only).

Events Discovery </discover/events>

The campus-wide event equivalent of Discover — events are first-class here, not just a tab buried inside a club page. Calendar view + list, .ics export, capacity/registration state per card. Parent/child umbrella events show a "Part of {parent}" line rather than duplicate-looking sibling rows.

Check-in </checkin/:token>

The core product moment — a QR scan lands here. Signed-in visitors auto-check-in instantly; signed-out visitors give just a name + email, no

account created. Single-purpose, near-full-screen confirmation, no nav chrome.

Join Club / Join by Code /join/:slug · /j/:code

Two entry points to the same action — a public club page, or a short invite code an officer hands out directly. Club header (name, description, real member/event stats) over a single join action.

Login / Signup /login · /signup

Email-domain-gated (falcon.bentley.edu) signup — server-enforced, not just a client-side check. Email confirmation is deliberately off. Centered single-column form, orange primary action, no split-screen marketing panel.

Privacy / Terms /privacy · /terms

Written to match what the app actually does and who can actually see what — checked against real RLS policies, not boilerplate. Long-form prose, no sidebar.

04 — OFFICER SURFACE

The daily-driver role. 13 nav items — the widest surface in the app — all wrapped in DashboardLayout: fixed dark rail, warm content area, a PageHeader at the top of every page pairing a title with right-aligned actions.

Dashboard /dashboard

Landing page after login. Four StatCards (members, events held, avg attendance, active officers), a two-thirds/one-third split below. Left: recent members list + a DM-Mono-labeled bar chart of check-ins per event. Right: a live check-in panel — event picker, tap-to-open QR scanner, a rolling feed of who just checked in — plus an upcoming-events mini-list.

Members / Member Directory /members · /member-directory

Roster management vs. a lighter read-only directory view of the same people. Table rows — avatar, name, major/class year, RoleBadge, attendance % in the color-coded AttPct scale.

Events / Calendar /events · /calendar

Create → QR opens immediately, no hunting a small icon in a table row. Row-expansion reveals attendees, a discussion thread, and reminder delivery status inline. Table view and calendar view of the same data.

Attendance / Analytics /attendance · /analytics

Per-event and per-member attendance, plus the deeper trend view. Mono-numeral tables and charts. CSV export via the shared downloadCSV helper.

Announcements /announcements

One-way broadcast plus real threaded replies from members and officers. Feed of cards, newest first; reply composer inline per thread; unread state ties into the sidebar notification bell.

Invitations /invitations

Bulk CSV/paste roster invite for day-one onboarding. InvitationBadge (pending/accepted/declined) per row. The fake "Resend" button found in an earlier audit was removed, not left decorative.

Documents /documents

Club file storage — bylaws, budget, minutes, roster. Fixed named slots (Bylaws/Budget/Minutes/Roster + custom fallback) replacing a raw prompt(). FileTypeIcon per row (PDF/DOC/XLS/PNG/JPG, each its own tint).

Handoff /handoff

Outgoing → incoming officer transition doc, built from real club data (members, events, attendance, documents). Print-friendly single column. Despite the sparkle icon in the UI, this is a template function, not a model call.

Settings /settings

Club baseline (the number that activates health scoring for a new club), notification config, and a Renewal tab. The old "Officer permissions" and "Member approvals" decorative tabs were removed outright once found to be non-persisting useState.

Profile /profile (shared w/ member)

One real notification toggle (event reminder emails, backed by notification_preferences) — four other fake toggle categories were deleted, not disabled. Involvement-record export lives here for the member version.

05 — DEAN SURFACE

Cross-club portfolio view. Same rail/content shell, seven nav items, and the only role that ever sees a real health tier.

Overview </university>

The dean's landing page — university-wide stats and a real Campus Activity feed (check-ins, joins, event creation), written by three security definer triggers, not a mock.

All Clubs </university/clubs>

Every club, its real HealthBadge tier, a pending-renewal queue with approve/decline, plus a direct Active/Archived toggle per club.

Events </university/events>

Cross-club event table, including per-recipient reminder delivery status ("Sent to provider," never "Delivered" — no webhook receiver exists to claim more).

Activity </university/activity>

The full real activity feed the Overview widget summarizes.

Reports </university/reports>

Semester summary, at-risk clubs, member engagement — real CSV export, same shared helper as officer exports.

AI Insights </university/insights>

Plain-language question in, an answer grounded strictly in real club_stats/club_health/activity_log queries out — never a free-form model guess. The app's first real LLM call, running as a Supabase Edge Function. (Production key now live.)

Settings </university/settings>

University-level config, including Branding — logo + primary color, consumed everywhere through UniversityContext + BrandMark. Fields exist, unpopulated for Bentley today.

06 — MEMBER SURFACE

The narrowest nav in the app — two items. A member's job here is check in, see the club, and hold their own record.

My Club </my-club>

Upcoming events (with inline discussion threads), announcements (with reply), and a member's own attendance history.

Profile /profile

Same real-toggle notification card as the officer version, plus the Involvement Record export — a one-page, auto-generated document (real member-since date, real verified attendance) a student can actually hand to an employer.

07 — SHARED COMPONENTS

Everything visual funnels through one small file, `ui-quorum.tsx` — a badge or stat card only ever has one implementation, so a tier or status label can never render two different ways in two different places.

Sidebar The fixed dark rail. Renders one of three nav sets by role, a notification bell with a live Realtime unread badge, account switcher/logout at the bottom.

DashboardLayout Wraps every authenticated page — sidebar + scrollable content pane, off-canvas drawer under md breakpoint.

PageHeader Title + optional subtitle left, right-aligned actions.

StatCard Label (uppercase, tracked) over a DM-Mono value, optional icon in an orange-wash tile, optional click-through.

HealthBadge The only place a club health tier ever renders.

RoleBadge / StatusBadge / InvitationBadge / LocationBadge / DeliveryStatusBadge
One pill component per status axis in the app.

Avatar Initials on an orange-fill circle — no photo uploads exist.

AttPct Attendance percentage, color-coded red→orange→amber→green.

CheckInModal / QRScanner / LiveEventModal
The check-in trio: modal shell, camera-driven scanner, live rolling view of who just checked in.

EmptyState / SectionDivider / DarkModeToggle / FileTypeIcon
Small utility primitives.

08 — WHAT'S NEXT

Pilot starts Aug 31, 2026. Pulled straight from the project's own handoff notes.

IN PROGRESS — Pilot-readiness, this week

- Verify campuscommons.app in Resend and point send_event_reminders()'s `from` address at it. (Reminder emails currently only reach a Resend test-mode inbox, not real students.)

PLANNED — Before day one (Aug 31)

- Scan a real projected QR code with a real phone in a real room (highest-value untested path — every check-in test so far is scripted against prod)
- Heads-up to Student Activities that this is a student project
- One-page privacy explainer for officers (separate from in-app Privacy Policy)
- Recruit the two pilot ambassadors
- Printed QR cards for in-person meetings
- Populate real branding (logo/color) for Bentley — mechanism exists, empty today

PLANNED — Later, once bottom-up adoption has real data

- Bootstrap the first real dean/admin account (dean flow works, nobody's using it yet — deferred on purpose until clubs have something worth showing)
- SSO/SIS integration (table-stakes for larger institutional buyers, out of scope for the Bentley pilot)
- Department accounts (only after clubs are won — doubles permission-model complexity)

DEFERRED, NOT DESIGNED — Next CampusGroups-parity tier

- Budgeting
- Service-hour tracking
- Co-curricular transcript export

EXPLICITLY DECLINED — Rejected on purpose, not just unbuilt

- Badges / points / public leaderboard (confirmed structural in CampusGroups — rewards using the software, not attending anything; a public leaderboard is a real social-pressure risk)
- Generic forms engine (CampusGroups' own multi-page routed form validated the refusal — a fixed, non-configurable renewal form covers the real need)
- Chat / ticketing
- Concurrent multi-tenant SaaS (one clean deploy per university, not shared infrastructure across schools)

Quorum — real attendance instead of RSVPs, a computed health score instead of self-reported engagement, zero admin configuration instead of a 40-item launch checklist.