

6. Permissões

30-set-2025


UA | ESAN | Desenvolvimento de Software

Permissões

UA | ESAN
TeSP de Desenvolvimento de Software
Programação MobileAndroid 6.0
API 23


API 22 ou inferiores


API 23 ou superiores



Os utilizadores
concedem permissões
quando as aplicações
são instaladas

Os utilizadores
concedem permissões
quando as aplicações
estão em execução





Declaração

UA | ESAN
TeSP de Desenvolvimento de Software
Programação Mobile

- app » manifests » AndroidManifest.xml

```

<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools">

    <uses-feature
        android:name="android.hardware.telephon" android:required="false" />

    <uses-permission android:name="android.permission.SEND_SMS" />

    <uses-permission android:name="android.permission.ACCESS_COARSE_LOCATION" />
    <uses-permission android:name="android.permission.ACCESS_FINE_LOCATION" />

    <application
        ...
    </application>
</manifest>
  
```

Exemplo

UA | ESAN
TeSP de Desenvolvimento de Software
Programação Mobile

```
<uses-permission android:name="android.permission.ACCESS_COARSE_LOCATION" />
```

```
onCreate    onResume
```

```
val requestPermissionLauncher = registerForActivityResult(
    ActivityResultContracts.RequestPermission()
) { isGranted: Boolean ->
    if (isGranted) { binding.textView.text = "Permission is granted" }
    else { binding.textView.text = "Permission denied" }
}
```

Ver mais: <https://developer.android.com/training/permissions/requesting>

Exemplo

UA | ESAN
TeSP de Desenvolvimento de Software
Programação Mobile

```
binding.btnCoarseLocation.setOnClickListener {
    when {
        ContextCompat.checkSelfPermission(this, Manifest.permission.ACCESS_COARSE_LOCATION)
        == PackageManager.PERMISSION_GRANTED -> {
            binding.textView.text = "You can use the API that requires the permission";
        }
        ActivityCompat.shouldShowRequestPermissionRationale(
            this, Manifest.permission.ACCESS_COARSE_LOCATION) -> {
            binding.textView.text = "Explain to the user why your app requires this permission"
        }
        else -> {
            // You can directly ask for the permission.
            requestPermissionLauncher.launch(Manifest.permission.ACCESS_COARSE_LOCATION)
        }
    }
}
```

Ver mais: <https://developer.android.com/training/permissions/requesting>

Referências

UA | ESAN

TeSP de Desenvolvimento de Software

Programação Mobile

- Permissions overview
url: <https://developer.android.com/guide/topics/permissions/>
- Manifest.permission - Summary
url: <https://developer.android.com/reference/android/Manifest.permission>