R and Bioconductor

Gang Chen chengang@bgitechsolutions.com

November 22, 2014





Outline

- R Package
- 2 Bioconductor
- Reproducible Research in R
- Advanced Topics

Next

- R Package
 - R Package Development
 - devtools
- 2 Bioconductor
- Reproducible Research in R
- Advanced Topics

R Package

- Hadley: In R, the fundamental unit of shareable code is the package.
- Hilary Parker: Seriously, it doesn' t have to be about sharing your code (although that is an added benefit!).
 It is about saving yourself time.

References

- Writing R Extensions: http://cran.r-project.org/manuals.html
- R Packages from Hadley: http://r-pkgs.had.co.nz/
- Writing an R package from scratch: http://hilaryparker.com/2014/04/29/ writing-an-r-package-from-scratch/
- 开发R程序包之忍者篇: http://cos.name/2011/05/ write-r-packages-like-a-ninja/



R Package from Scratch

see cgr directory

Why devtools?


- This book espouses my philosophy of package development:
- anything that can be automated, should be automated.
- Do as little as possible by hand.
- Do as much as possible with functions.



Next


- R Package
- Bioconductor
 - Overview
 - GenomicsRanges
 - ggbio
- Reproducible Research in R
- Advanced Topics

```
qplot(mpg, data=mtcars, geom="density", fill=gear, alpha=I(.
5), main="Distribution of Gas Milage", xlab="Miles Per
Gallon", ylab="Density")
```






qplot(hp, mpg, data=mtcars, shape=am, color=am, facets=gear of size=I(3), xlab="Horsepower", ylab="Miles per Gallon")




```
qplot(wt, mpg, data=mtcars, geom=c("point", "smooth"),
method="lm", formula=y x, color=cyl, main="Regression
of MPG on Weight", xlab="Weight", ylab="Miles per Gallon")
```





```
qplot(gear, mpg, data=mtcars, geom=c("boxplot", "jitter"),
fill=gear, main="Mileage by Gear Number", xlab="", ylab="Mile
per Gallon")
```







Next

- R Package
- 2 Bioconductor
- Reproducible Research in R
 - knitr
 - Interactive Report and Shiny
- Advanced Topics

Overview

- Official website: http://yihui.name/knitr/
- Reference: Dynamic Documents with R and knitr
- Author: Yihui Xie

4□ → 4回 → 4 = → 4 = → 9 < 0</p>

Examples

- the slides of the R lectures are generated by knitr
 - Knitr
 - XeLaTeX
- see knitr directory for the Knitr example in Markdown

<ロ > < 回 > < 回 > < 巨 > < 巨 > 三 の < @

Interactive Report

- Google Analytics
- 百度统计 from Baidu.com
- 数据魔方 from Taobao.com

Shiny Overview

- A web application framework for R
- Turn your analyses into interactive web applications
- No HTML, CSS, or JavaScript knowledge required
- http://shiny.rstudio.com/

R and Bioconductor

Reproducible Research in R

Interactive Report and Shiny

Example

see shinyApp directory

Next

- R Package
- Bioconductor
- Reproducible Research in R
- 4 Advanced Topics
 - Machine Learning
 - Big Data

Machine Learning

- Deep learning
- Support Vector Machine
- Decision Tree
- Recommendation System
- Exper System: Computer-aided diagnosis

Machine Learning in R

- Task View: Machine Learning & Statistical Learning http://cran.r-project.org/web/views/ MachineLearning.html
 - RWeka
 - Rattle
 - e1071, C50, randomForest
 - ..

High Performance Computing

- Task View: High-Performance and Parallel Computing with R http://cran.r-project.org/web/views/ HighPerformanceComputing.html
 - Rcpp
 - Multi-core
 - GPU
 - MPI

Big Data Framework

- Hadoop:
- Spark: SparkR, AMPLab UC BERKELEY http://amplab-extras.github.io/SparkR-pkg/
- Storm:
 - https://github.com/allenday/R-Storm
 - https://github.com/quintona/storm-r

