

CANDY DIALOGUE CREATOR

Setup

1.1.0

Below are the instructions for setting up Candy Dialogue Creator.

Before using Candy Dialogue Creator, we recommend that you add Candy Dialogue Engine inside a Godot project.

Launching

1. Download the compiled version of Candy Dialogue Creator for your operating system.
2. Unpack (unzip) the downloaded file.
3. Place the unpacked folder wherever you want on your disk.
4. Launch the Candy Dialogue Creator.

Profile Menu




When Candy Dialogue Creator finishes loading, the Profile Menu will display.

Click the + button to create a new User. Give it your name.

Click "New Profile" to create a new profile. Name it similarly to your Godot project.


The new profile will appear in the list. Click on it to select it, then click "Select Profile".

Main Menu




The Profile Menu will close and you will see the Main UI. This is where you write dialogues.

At the top of the screen, click the  icon (second from the left). This will open the Settings Menu.



Settings Menu

Project Paths Tab



Ignore the "Preferences" tab for now: you can configure these options later.

Click the "Project Paths" tab.

At the top, for "Project Path", click the ... button.

Navigate to your Godot project and select the root folder. This is the folder with a file named 'project.godot'. The 'Candy_DE' folder should also be there.

If your project uses Candy Dialogue Engine's default folder structure, you don't need to configure the other paths: they are already correct. If you use a custom structure, you need to assign that custom paths to the various folders.

Project Data Tab

The screenshot shows a 'Settings' dialog box with a blue header and a dark blue body. The 'Project Data' tab is selected. The dialog is organized into four sections: Actors, Roles, Flags, and Dispositions. Each section has three input fields: 'Script', 'Variable', and 'Data'. The 'Script' field for all sections is 'Candy_DE/Scripts/Candy_Database.gd'. The 'Variable' field for Actors is 'actors', for Roles is 'roles', for Flags is 'flags', and for Dispositions is empty. The 'Data' field for Actors is 'Player, Alice, John, construction_worker', for Roles is '°civilian_1', for Flags is 'flag_1, flag_2, quest_started', and for Dispositions is 'Like, Dislike'. Each section also has an 'Import Data' button. A 'Close' button is located at the bottom center of the dialog.

Section	Script	Variable	Data
Actors	Candy_DE/Scripts/Candy_Database.gd	actors	Player, Alice, John, construction_worker
Roles	Candy_DE/Scripts/Candy_Database.gd	roles	°civilian_1
Flags	Candy_DE/Scripts/Candy_Database.gd	flags	flag_1, flag_2, quest_started
Dispositions			Like, Dislike

Click the "Project Data" tab.

This is where you can import data from scripts in your Godot project. Specifically, you can import the following data:

- Actors
- Roles
- Progression Flags
- Dispositions

When you enter data into dialogue Lines, Candy Dialogue Creator will provide lists with this data: you can then select an actor, role, flag or disposition quickly by clicking on it instead of typing.

By default, you should enter this data inside Candy Dialogue Engine's Candy_Database.gd script. If you store this data in another script, set the path to that script inside each data's 'Script' field.

In each data's 'Variable' field, provide the dictionary or array in the script that the data is stored in. By default, in Candy_Database.gd, this is 'actors', 'roles' and 'flags'.


If you have already added custom data to these dictionaries/arrays in Candy Dialogue Engine, you can click the "Import Data" button to let Candy Dialogue Creator copy that data. This will be useful when you write dialogues.

The data will appear in the "Data" field. You can add data manually (separate each value with a comma) or delete imported data that you don't need. If you click "Import Data" again, it will add missing data but it will not erase data that you manually added, even if that data is not in the dictionaries/arrays.

Note that when you install Candy Dialogue Engine in a project, the dictionaries/arrays contain default/template data. If you click "Import Data", it will import that data. This is not very useful, because you will probably replace the default data with your own data later.

Note that "Dispositions" doesn't have a Script or Variable by default: this is because Candy Dialogue Engine does not require that you create a list of dispositions in a variable. You can create a custom array of dispositions in your project and import from that, or you can manually write some of the dispositions your game will feature.

Symbols Tab



Click the "Symbols" tab.

Symbols are used in special cases, such as providing variable references in place of Line data (see Candy Dialogue Engine documentation for details).

The symbols can be customized in Candy Dialogue Engine in your project. If you have customized the symbols, click "Update" to automatically load your configuration in Candy Dialogue Creator.

WARNING: it's strongly recommended that you customize symbols early, before you write dialogues. If you change symbols later, you will need to manually change them where you used them inside dialogue Lines. Symbols should be customized to characters that are easy to type on your keyboard. Be sure to read the 'Variables.pdf' guide in Candy Dialogue Engine, as there are important rules to follow when customizing these symbols.

Once you have completed all the instructions above, press the "Close" button at the bottom to close the Settings Menu.

Congratulations: Candy Dialogue Creator is now ready to write dialogues for your Godot project!