

CANDY DIALOGUE ENGINE

Voiced Dialogue


1.1.0

Voices dialogue is made remarkably easy in Candy DE: thanks to the Candy Dialogue Creator, you can assign a voice file to a spoken line in just a couple of clicks.

Folder Structure


Before you can assign voice files to lines, you'll need to organize your voice files correctly inside the resources folders.

Assuming you're using the default folder setup, open **Candy_DE/Media/Characters/Voices**:




In the **Voices** folder, you must create a subfolder for every actor who has voiced lines.

Inside each **Actor** folder, you must create a subfolder for each Conversation (or at least those the actor has voiced lines for):



Finally, inside each **Conversation** folder, you must create a subfolder for each Block that has voiced lines for the actor:



Finally, place the voice files inside these **Block** folders. The full setup:

Candy_DE/Media/Characters/Actor/Conversation/Block

Assigning Files

Main UI

Once your voice files are placed in the correct **Block** folders, in the Candy Dialogue Creator, provide the name of a file in the "Voice File" field of a Spoken Line.


You can type the file name, but if you have setup your voice files and folders correctly, if you've provided a speaker reference for the line, and if you've provided the Candy Dialogue Creator with the path to your project, you can make things even easier:

Just click the (:) button next to the Voice File field, and a list of all voice files matching the speaker and the Block will appear! Just click to select the right one!

And if you're not sure which voice file is the correct one for the line, just hover any file in the list to listen to it!

As a little extra convenience, if you type a file's name, you don't need to write the extension (e.g. .ogg or .mp3) as long as Candy DE is configured to use the same extension as the default for voice files.

Default extensions are configured in **Candy_Engine.gd** in the Voice category:



Preview



In Candy Dialogue Creator, you can listen to voice files to preview them, or to ensure the text you type for character speech matches the file exactly:

Translations & Variants

There is no need to manually assign voice files for translations or other variants of a line:

- 1) Inside each **Block** folder where voice files are stored, create a subfolder for any variant, and name it the same as that variant.
- 2) Place variant voice files in their corresponding **variant** folders.
- 3) Make sure the variant voice files share the same name as their 'Default' counterpart voice files.

That's it. No need to assign the variant voice files to lines explicitly: if a spoken line has a voice file assigned for its Default variant, Candy DE will find the correct voice file for any variant, thanks to the fact they're named the same.

What if for some reason, the Default variant doesn't have a voice file, but some variants have voice files?

No worries! Make sure all the variant voice files have the same name. Then, in the Voice File field, write that name just like if a Default voice file actually existed.

Candy DE won't crash: it will simply not play anything for the Default variant, since no such file exists, but it will play the files for variants that have one!

Candy DE Settings

Now how does Candy DE actually handle voice files?

By default, it just plays them when it processes a line. But you can configure a few settings in **Candy_Engine.gd** under the "Settings" region:

No Voice Skipping



If you don't want the player to be able to skip to the next line until voice playback is finished, in **Candy_Engine.gd**, in the Inspector, under the Writing category, set **await_voice_playback** to 'true'.

This also prevents auto-read mode from continuing to the next line until voice playback is finished. Note that auto-read will start counting down as soon as the line text is fully displayed, but if the timer expires and the voice file is still playing, it will wait for it to finish.

Synchronize Voice & Writing



If you use progressive writing (typewriter effect) you can make Candy DE synchronize the writing speed to the duration of the voice file. In **Candy_Engine.gd**, in the Inspector, under the Writing category, set **sync_write_speed_voice** to 'true', and it will automatically calculate the correct writing speed!

Disable Voice



Finally, if you want to disable voice playback for spoken lines, in **Candy_Engine.gd**, in the Inspector, under the Voice category, set **enable_voice** to 'false'.

Note that this will not affect "Voice" dialogue mode: that would render Voice mode entirely pointless, as it doesn't display any text on screen.

But if for some reason you really want to have the option of disabling voice for "Voice" mode too, just open **Candy_Engine.gd**, go to the **display_line()** function, and in the match statement, navigate to "Voice".

There, find this block:

```
    #@ Start voice file playback:
    if voice_player.stream != null:
        voice_player.play()
        await wait_for_player_advance()

if voice_player.stream != null:
    voice_player.play()
    await wait_for_player_advance()
```

And change the if statement like this:

```
    #@ Start voice file playback:
    if enable_voice and voice_player.stream != null:
        voice_player.play()
        await wait_for_player_advance()

if enable_voice and voice_player.stream != null:
```

```
voice_player.play()  
await wait_for_player_advance()
```

Remember to always keep notes of any changes you make to the Candy_Engine.gd script, so you can easily re-apply them after updates. For safety, make back-ups before modifying the code. This warning doesn't apply to changes made in the Inspector.

Text-To-Speech

A final option for voicing dialogues is to use a Text-To-Speech (TTS) tool.

Candy DE has built-in code to support such tools, but it's up to you to integrate one in your game, and write a small function so Candy DE can use it.

For more details, see the [TTS](#) guide.