
# Pose-error distributions: initial model and self-training

One point = one frame/model with both errors available; smaller errors are at the lower left.




Both axes use a symmetric-log scale: 0-1 is linear; larger errors are logarithmic.


All available paired errors are shown. Missing/failed poses and undefined rotations are not zero.

Errors use the existing 2D-reconstructed reference; this is a supplemental pose assessment.

Per-model frame sets differ. See the all-observed and common-frame distribution panels.

# Pose-error distributions: initial model and self-training

One point = one frame/model with both errors available; smaller errors are at the lower left.




Both axes are linear; the full error range is retained.


All available paired errors are shown. Missing/failed poses and undefined rotations are not zero.

Errors use the existing 2D-reconstructed reference; this is a supplemental pose assessment.

Per-model frame sets differ. See the all-observed and common-frame distribution panels.

# All available errors: individual-frame distributions

Translation and rotation retain their own available frame sets, matching Table 4-1.




One point = one available frame error. Black bars: median and interquartile range; all tails retained.

Vertical axes: symmetric-log (linear 0-1, logarithmic above 1). Horizontal jitter is for visibility only.


Errors vs. existing 2D-reconstructed reference; rotation uses the original symmetry and geometry masks.

Missing errors are excluded, not zero. Model-specific n changes as more poses become available.

WOOD125 includes the approved 80 additional frames; mixed resolutions and shared adaptation recordings.

# Same-frame comparison across R0, R1 and R2

Each metric uses frames with a valid error in all three models.




One point = one available frame error. Black bars: median and interquartile range; all tails retained.

Vertical axes: symmetric-log (linear 0-1, logarithmic above 1). Horizontal jitter is for visibility only.

Errors vs. existing 2D-reconstructed reference; rotation uses the original symmetry and geometry masks.

Common-frame sets differ between translation and rotation. Pose failures remain outside these distributions.

WOOD125 includes the approved 80 additional frames; mixed resolutions and shared adaptation recordings.