



**ÇANKAYA UNIVERSITY**  
**FACULTY OF ENGINEERING**  
**COMPUTER ENGINEERING DEPARTMENT**

**CENG 408**

**Innovative System Design and Development**  
**II Project Report**

**Team ID:202320**

**Sign Language Utterance**

Ethem Ali AYRAL

Doğukan KASKA

Bartu ASLAN

Bora ÇINAR

Ali Alper YAMAN

Advisor: Prof. Dr. Hayri Sever

# TABLE OF CONTENTS

<b>LITERATURE REVIEW .....</b>	<b>5</b>
1.1 Abstract.....	6
1.2 Introduction.....	6
<b>2. Main Findings.....</b>	<b>6</b>
2.1 Complexity of Gesture Recognition .....	6
2.2 Evolution of Machine Learning Algorithms.....	7
2.3 Challenges in Real-Time Speech Synthesis.....	7
2.4 User Interface Design and Accessibility.....	7
2.5 Societal Impact and Inclusivity.....	7
2.6 Advanced Algorithms: YOLO and Beyond .....	7
<b>3. General Description.....</b>	<b>8</b>
3.1 Interface Requirements .....	8
<b>4. Future Directions.....</b>	<b>9</b>
4.1 Technological Advancements and Innovations.....	9
4.2 Expanding Language and Dialect Inclusivity.....	10
4.3 User-Centric Design and Customization .....	10
4.4 Integration with Other Technologies and Platforms.....	10
4.5 Enhancing Data Security and Privacy.....	10
4.6 Scalability and Resource Optimization .....	11
4.7 Promoting Accessibility and Global Reach.....	11
<b>5. Conclusion.....</b>	<b>11</b>
5.1 Summary of Findings.....	11
5.2 Recommendations .....	12
5.3 Future Directions.....	12
<b>SOFTWARE REQUIREMENTS SPECIFICATION .....</b>	<b>13</b>
<b>1. Introduction .....</b>	<b>14</b>
1.1 Purpose.....	14
1.2 Scope.....	15
<b>2. General Description.....</b>	<b>16</b>
2.1 Glossary.....	16
2.2 Overview of Functional Requirements.....	17

2.2.1 Designing User Interfaces.....	17
2.2.2 Gesture Recognition and Translation:.....	17
2.3 General Constraints and Assumptions.....	17
2.3.1 Constraints.....	18
2.3.2 Assumptions .....	18
3.1 Interface Requirements.....	18
3.2. Detailed Description of Functional Requirements.....	19
3.2.1. User Authentication .....	21
3.2.2. Email Verification .....	22
3.2.2. Email Verification .....	23
3.2.3 License Management .....	23
3.2.4 Camera Configuration .....	24
3.2.5 Zone Definition.....	24
3.2.6 Object Counting and Tracking.....	24
3.2.7 Data Processing .....	24
3.2.8 Statistical Visualization.....	24
3.2.9 User Password Reset .....	25
3.2.10 Error Handling and Logging.....	25
3.3 Detailed Description of Non-Functional Requirements.....	25
3.3.1 Security.....	25
3.3.2. Performance .....	25
3.3.3. Fault Tolerance .....	25
3.3.4. Maintainability.....	26
3.3.5. Internationalization and Localization .....	26
3.3.6. Server System Capacity.....	26
3.3.7. Connection.....	26
3.3.8. Usability.....	26
3.3.9. Documentation .....	27
3.3.10. Data Accuracy.....	27
<b>4. Use Cases .....</b>	<b>27</b>
<b>SOFTWARE DESIGN DOCUMENT.....</b>	<b>30</b>
<b>1. Introduction .....</b>	<b>31</b>
1.1 Purpose and Scope .....	31
1.2 Definitions and Abbreviations.....	31
<b>2. System Overview.....</b>	<b>31</b>

2.1. System Context .....	31
2.2. System Constraints and Assumptions.....	31
3.1 User Interface Design .....	32
3.2 Gesture Recognition and Processing .....	33
3.3 Speech Synthesis .....	33
3.4. User Session Management and Authentication .....	33
3.5 Database Design .....	33
3.6 Error Management and Logging.....	33
3.7 SDD Diagrams.....	34
<b>4. Performance and Scalability .....</b>	<b>36</b>
4.1. System Performance .....	36
4.2. Scalability Strategies .....	36
<b>5. Security Design.....</b>	<b>36</b>
5.1. Security Protocols.....	36
5.2. User Data Protection .....	36
5.3. Access Controls .....	36
<b>6. Test Plan &amp; Results Document.....</b>	
<b>7. User Manual.....</b>	
<b>REFERENCES .....</b>	<b>37</b>

# **LITERATURE REVIEW**

## **1.1 Abstract**

The "Sign Language to Speech" project emerges as a groundbreaking endeavor in the realm of assistive technology, aiming to bridge the communicative divide between the deaf or hard of hearing community and those unfamiliar with sign language. This literature review delves into the multifaceted aspects of translating sign language into spoken language using advanced technological solutions. It encompasses an in-depth analysis of the challenges inherent in gesture recognition, the evolution and current state of machine learning algorithms tailored to this purpose, the intricacies of converting gestures to natural-sounding speech, and the critical role of user interface design in ensuring accessibility and usability. Furthermore, the review highlights the societal impact of such technologies, emphasizing their role in fostering inclusivity and independence for individuals with hearing impairments. The review also scrutinizes existing systems, comparing their capabilities and limitations with the proposed project, and explores future directions for technological advancements and broader language support. This comprehensive survey aims to provide a holistic understanding of the state of the art in sign language recognition and translation technologies, underscoring their potential to reshape communication dynamics in diverse settings.

## **1.2 Introduction**

The introduction to this literature review sets the stage by underscoring the significance of effective communication as a fundamental human right and the challenges faced by the deaf or hard of hearing community in daily interactions. With an estimated 5% of the world's population experiencing disabling hearing loss, the need for inclusive communication methods is more pressing than ever. This section delves into the historical context of sign language use, its recognition as a rich and complex language, and the technological endeavors undertaken to bridge the gap between sign language and spoken language users.

## **2. Main Findings**

### **2.1 Complexity of Gesture Recognition**

Sign language recognition presents substantial challenges due to the intricate nature of gestures, which often involve subtle movements and facial expressions. Research has shown that accurately interpreting these gestures requires advanced algorithms capable of processing a vast array of visual cues. The variability in signing style from person to person adds another layer of complexity, necessitating adaptable and sophisticated recognition systems.

## **2.2 Evolution of Machine Learning Algorithms**

Recent advancements in machine learning, particularly in deep learning networks like CNNs, have significantly improved the accuracy of sign language recognition. Studies have demonstrated the effectiveness of these networks in learning complex patterns of movement and facial expressions associated with sign language, thereby enabling more accurate gesture interpretation.

## **2.3 Challenges in Real-Time Speech Synthesis**

Translating sign language into spoken language in real-time poses significant technical challenges. The key issue is minimizing the delay between gesture recognition and speech output to ensure seamless communication. Implementations using advanced NLP techniques have shown promise in reducing this latency, but ongoing research is needed to further improve real-time performance.

## **2.4 User Interface Design and Accessibility**

The development of accessible user interfaces is critical for the success of sign language recognition systems. Research emphasizes the importance of intuitive design, featuring large, easy-to-navigate buttons and high-contrast visuals. Studies also highlight the need for interfaces to provide real-time feedback to users to help them adjust their signing for more accurate recognition.

## **2.5 Societal Impact and Inclusivity**

The integration of sign language into speech technology has significant potential for social impact, particularly in enhancing the independence and social inclusion of deaf or hard-of-hearing individuals. Literature indicates that such technologies can play a crucial role in removing communication barriers in educational, professional, and social settings.

## **2.6 Advanced Algorithms: YOLO and Beyond**

The YOLO algorithm, known for its real-time object detection capabilities, has been identified as a promising tool for sign language recognition. It offers rapid and efficient gesture detection by processing images in a single evaluation. Comparative studies with other algorithms such as RNNs and CNNs highlight YOLO's advantages in speed and efficiency, although challenges remain in integrating it effectively with other system components for optimal performance.

### **3. General Description**

#### **3.1 Interface Requirements**

The success of the "Sign Language to Speech" system largely hinges on its user interface, which must be intuitive, accessible, and capable of handling various interactions efficiently. Research has highlighted the need for interfaces to be designed with the consideration of users who may have limited experience with technology. Key features include clear visual cues, responsive design adaptable to various devices, and accessibility options like voice feedback and adjustable text sizes.

#### **3.2 Detailed Description of Functional Requirements**

**Gesture Recognition Accuracy** For the system to be effective, it must accurately recognize a wide range of sign language gestures. Studies emphasize the importance of incorporating advanced machine learning algorithms to continually improve gesture recognition accuracy. The system must also adapt to individual variations in sign language usage.

#### **Real-time Translation**

The capability to translate sign language into spoken language instantaneously is critical. The system should implement efficient algorithms to ensure quick processing of data from gesture recognition to speech output, aiming for minimal delay.

#### **Multi-Modal Input Integration**

Integrating various input modalities, including hand gestures, facial expressions, and body language, is essential for enhancing translation accuracy. The use of advanced computer vision technologies to capture and interpret these multi-modal inputs is a significant focus in current research.

#### **User Interface and Accessibility**

Developing an intuitive and easy-to-navigate user interface is crucial. Inclusion of accessibility features, such as text-to-speech, high-contrast visuals, and voice commands, ensures the system's usability across a diverse user base.



## **Privacy and Data Security**

Ensuring user data privacy and security throughout the system is paramount. This involves adherence to data protection laws and regulations and implementing secure data handling and storage practices.

## **Cross-Lingual Capabilities**

Expanding the system to support multiple sign and spoken languages increases its utility and reach. Current studies are exploring ways to incorporate support for various sign languages and spoken language outputs.

## **Customization and Personalization**

Allowing users to customize settings according to their preferences is vital for user satisfaction and effectiveness. The system should be adaptable to different user signing styles and speech output preferences.

## **System Feedback and Correction**

Incorporating a feature for real-time feedback on sign language gesture formation is essential for user learning and improvement. The system should also include mechanisms for users to correct and refine their signing skills.

## **Integration with External Services**

The system's ability to integrate with external services and platforms can significantly enhance its functionalities. This includes potential applications like live captioning and extended language support.

# **4. Future Directions**

## **4.1 Technological Advancements and Innovations**

The continual evolution of technology holds great promise for the future of sign language to speech systems. Emerging research points towards advancements in AI and machine learning algorithms that could further enhance gesture recognition accuracy. The potential integration of augmented reality (AR) and virtual reality (VR) technologies could provide more immersive and interactive environments for users. Additionally, ongoing improvements in sensor technology and processing power are expected to facilitate more sophisticated and efficient systems.

## **4.2 Expanding Language and Dialect Inclusivity**

Future iterations of the system should aim to include a broader range of sign languages and dialects, making the technology accessible to a more diverse global audience. Research is exploring ways to incorporate regional sign language variations and to adapt the system to recognize these differences accurately. This expansion requires the creation and utilization of extensive, diverse datasets that cover a wide array of sign languages and dialects.

## **4.3 User-Centric Design and Customization**

The importance of user-centric design in future developments cannot be overstated. Studies suggest that future systems should offer enhanced customization options, allowing users to tailor the interface and functionality to their specific needs and preferences. This includes adjustable settings for gesture sensitivity, speech output, and interface layout. Engaging directly with the deaf and hard-of-hearing community for feedback and testing is crucial for ensuring the system meets their needs effectively.

## **4.4 Integration with Other Technologies and Platforms**

Integrating the sign language to speech system with other technologies and platforms offers vast potential for increased utility and reach. Future research could explore the system's compatibility with smart home devices, educational software, and other digital platforms. This integration would not only enhance the user experience but also broaden the application areas of the technology.

## **4.5 Enhancing Data Security and Privacy**

As technology advances, the importance of data security and privacy becomes increasingly paramount. Future developments must prioritize the protection of user data, especially as systems become more interconnected. Research in data encryption, secure data storage, and user privacy settings will be critical to safeguard user information.

## **4.6 Scalability and Resource Optimization**

Ensuring the scalability of the system to accommodate a growing user base is a key future direction. This involves optimizing resource usage, improving server capacity, and ensuring the system remains efficient and reliable as it scales. Research into cloud computing and distributed processing could provide solutions for handling large-scale data processing and storage demands.

## **4.7 Promoting Accessibility and Global Reach**

Future efforts should focus on making the technology more accessible and affordable, aiming to reach a broader global audience. This includes addressing infrastructural challenges in developing regions and working towards cost-effective solutions. Collaborations with governmental and non-governmental organizations could play a vital role in promoting accessibility and advocating for the adoption of such technologies in various countries.

# **5. Conclusion**

## **5.1 Summary of Findings**

This literature review has comprehensively explored the various aspects of the "Sign Language to Speech" project, highlighting the significant strides made in bridging the communication gap for the deaf or hard-of-hearing community. Key findings include the complexity of gesture recognition and the advancements in machine learning algorithms that have enhanced the accuracy of sign language interpretation. The review underscores the challenges in real-time speech synthesis and the importance of user interface design in ensuring accessibility. The societal impact of these technologies is profound, promising greater inclusivity and empowerment for individuals with hearing impairments.

## 5.2 Recommendations

Based on the insights gleaned from this review, several recommendations can be made for the ongoing development of the "Sign Language to Speech" project:

- **Continued Research in Machine Learning:** Further research in machine learning, particularly in deep learning, is crucial for improving the accuracy and responsiveness of gesture recognition algorithms.
- **User-Centric Design Focus:** The design of the system should continually involve feedback from its end-users, ensuring that the interface is intuitive, accessible, and meets the specific needs of the deaf or hard-of-hearing community.
- **Expansion of Language Support:** Efforts should be made to expand the system's capabilities to include a broader range of sign languages and dialects, catering to a more diverse global audience.
- **Integration with Emerging Technologies:** Exploring the integration with AR, VR, and other advanced technologies could offer more immersive and effective communication solutions.
- **Enhancing Privacy and Security:** As the system evolves, it will be essential to prioritize data security and user privacy, adapting to the latest standards and practices in data protection.
- **Scalability and Accessibility:** The system should be scalable and accessible, ensuring that it can handle an increasing number of users and is affordable and usable in various settings, including those with limited resources.

## 5.3 Future Directions

The "Sign Language to Speech" project holds immense potential for the future, not only in technological advancement but also in its social impact. Future directions should include the exploration of more sophisticated algorithms, the development of hardware optimized for sign language recognition, and the creation of more inclusive and widespread access to this technology. Continued collaboration between technologists, researchers, and the deaf and hard-of-hearing community will be essential in driving these advancements forward.

# **SOFTWARE REQUIREMENTS SPECIFICATION**

# **1.Introduction**

## **1.1 Purpose**

The primary purpose of the "Sign Language to Speech" project is to develop an innovative and inclusive communication system that translates sign language gestures into spoken language. This initiative aims to bridge the communication gap between individuals who are deaf or hard of hearing and those who do not understand sign language. By leveraging advanced computer vision and machine learning techniques, the project seeks to:

### **Enable Effective Communication:**

Provide a real-time translation solution that allows seamless interaction between sign language users and the general public, fostering inclusivity in various social, educational, and professional settings.

### **Empower Individuals with Hearing Impairments:**

Enhance the independence and social engagement of deaf and hard-of-hearing individuals by facilitating their communication with a wider audience, beyond those familiar with sign language.

### **Innovate Accessibility Technologies:**

Push the boundaries of accessibility technology by developing a sophisticated system that accurately recognizes, interprets, and translates sign language gestures through a combination of gesture recognition, hand tracking, and speech synthesis techniques.

### **Create a User-Friendly Interface:**

Ensure that the technology is accessible and easy to use for all, including those with hearing impairments, by designing an intuitive user interface that simplifies interaction with the system. Ultimately, the project aspires to create a world where communication barriers for individuals with hearing impairments are significantly reduced, promoting greater inclusion, understanding, and equality in everyday interactions.

## **1.2 Scope**

The "Sign Language to Speech" project encompasses the development of an advanced system that translates sign language gestures into spoken language. This project is defined by several key components and boundaries:

### **Gesture Recognition**

The project will focus on developing a robust algorithm capable of recognizing and classifying a wide range of sign language gestures. This will involve the use of machine learning techniques and the creation or utilization of a comprehensive dataset of sign language gestures.

### **Hand Tracking**

The system will include sophisticated hand tracking capabilities, utilizing computer vision technologies to accurately capture and interpret the hand movements and gestures of the user.

### **Speech Synthesis**

The project will integrate a text-to-speech (TTS) system to convert the recognized sign language gestures into spoken language. This aspect will focus on generating clear and natural-sounding speech that accurately conveys the intended messages.

### **User Interface Development:**

A significant part of the project will involve designing and implementing a user-friendly interface. This interface should be accessible and intuitive, catering to the needs of both individuals who are deaf or hard of hearing and those unfamiliar with sign language.

### **Technology Integration:**

The project will integrate these components into a cohesive system, ensuring seamless interaction between the gesture recognition, hand tracking, and speech synthesis functionalities.

## Testing and Validation:

Comprehensive testing will be conducted to ensure the accuracy and reliability of the system. This includes validation of gesture recognition accuracy, speech clarity, and overall user experience.

## Accessibility and Inclusivity:

Emphasis will be placed on making the system as accessible and inclusive as possible, considering diverse user needs and scenarios where the system could be employed.

Out of Scope:

- The project will not focus on developing new hardware; instead, it will utilize existing camera or sensor technologies for hand tracking.
- The initial version of the project may not support all sign languages globally but might focus on a specific sign language (e.g., American Sign Language) before expanding to others.
- While aiming to be as accurate as possible, the system may not cover the entire spectrum of nuances, dialects, or idiosyncrasies found in sign language initially.

## 2. General Description

### 2.1 Glossary

Term	Definition
Deaf or Hard of Hearing Individuals	These users primarily rely on sign language as their mode of communication. They may range from those who were born deaf to those who have experienced hearing loss later in life. The system aims to empower them by facilitating seamless communication with non-sign language users and enhancing their participation in various social, educational, and professional contexts.
RL (Reinforcement Learning)	An area of machine learning where an AI agent learns to make decisions by performing actions and receiving feedback from the environment.
Non-Sign Language Users	This group includes individuals who interact with deaf or hard of hearing individuals but do not know sign language. They might be family members, friends, colleagues, or service providers. The system is designed to assist them in understanding and communicating effectively with sign language users, thereby promoting inclusive interactions.
Educational and Professional Institutions	o Schools, universities, workplaces, and other organizations seeking to create inclusive environments for deaf or hard of hearing individuals fall into this category. These institutions would use the system to facilitate communication, learning, and professional activities, making their spaces more accessible and accommodating.
Accessibility and Inclusion Advocates	These are individuals or organizations actively working to promote accessibility and inclusion for people with disabilities. They are key in advocating for the adoption of such technologies and may provide valuable feedback on the system's design and functionality to ensure it meets diverse needs.
Developers and Researchers	This group includes the technical professionals involved in developing, testing, and refining the system. They require a thorough understanding of both the technological aspects and the user needs. Researchers in this field may also use the system as a study tool to explore further advancements in accessibility technology.



## **2.2 Overview of Functional Requirements**

The functional requirements of the "Sign Language to Speech" project outline the essential functionalities the system must perform to meet the needs of its users effectively. These requirements define what the system should do, encompassing user interface design, gesture recognition, speech synthesis, and system integration.

### **2.2.1 Designing User Interfaces**

The user interface (UI) design is a critical aspect of the project, as it directly affects user experience and accessibility:

**Intuitive Layout:** The UI should be straightforward and easy to navigate for all user groups, including those with limited technological proficiency. **Accessibility Features:** The design must incorporate accessibility standards, such as high-contrast visuals, large buttons, and voice feedback, to accommodate users with varying abilities. **Multi-Language Support:** Initially focusing on American Sign Language (ASL) and English, the UI should be adaptable for additional languages and sign languages in future updates. **Responsive Design:** The interface should be responsive and compatible across various devices, including smartphones, tablets, and computers. **Real-Time Feedback:** Incorporate real-time visual feedback for sign language recognition to assist users in adjusting their gestures for more accurate recognition.

### **2.2.2 Gesture Recognition and Translation:**

This section covers the core functionality of translating sign language to spoken language: **Accurate Gesture Recognition:** Implement advanced algorithms using libraries like OpenPose and MediaPipe for precise detection and interpretation of sign language gestures. **Machine Learning Integration:** Utilize machine learning models, trained with datasets like Sign Language MNIST, to improve recognition accuracy over time. **Speech Synthesis:** Integrate a text-to-speech system, such as DeepSpeech, to convert recognized gestures into audible speech in real-time. **Continuous Learning:** The system should have the capability to update its recognition model with new data to accommodate evolving sign language usage and individual user nuances. **User Feedback Mechanism:** Include a feature for users to provide feedback on recognition accuracy and system usability, aiding in continuous improvement.

## **2.3 General Constraints and Assumptions**

This section outlines the limitations and underlying assumptions that impact the development and deployment of the "Sign Language to Speech" project.

### **2.3.1 Constraints:**

- **Hardware Limitations:** The system's performance is dependent on the quality and capabilities of the camera or sensors used for gesture recognition. Limitations in hardware can affect the accuracy of gesture recognition.
- **Computational Resources:** Real-time processing of sign language gestures into speech requires significant computational power. The system's effectiveness may be constrained by the processing capabilities of the user's device.
- **Language and Gesture Variability:** Initially, the system will focus on American Sign Language (ASL), which may not cover the nuances and variations present in other sign languages.
- **Data Privacy:** Ensuring the privacy and security of users' data, especially when processing potentially sensitive information, is a significant constraint that requires adherence to strict data protection regulations.
- **Budget and Time:** The development of the system is subject to budgetary and time constraints, which might limit the scope of initial releases.

### **2.3.2 Assumptions:**

- **User Familiarity with Technology:** It is assumed that users have a basic understanding of how to operate smart devices and interact with modern user interfaces.
- **Stable Internet Connection:** The system may require a stable internet connection for some functionalities, such as software updates or cloud-based processing.
- **Consistent Sign Language Usage:** The system assumes that users will use standardized ASL gestures. Variations or personal adaptations in sign language might not be accurately recognized.
- **Availability of Training Data:** The development of accurate gesture recognition algorithms assumes the availability of a comprehensive and diverse dataset for training machine learning models.
- **User Feedback and Adaptation:** It is assumed that users will provide feedback on the system's performance, which is crucial for continuous improvement and adaptation of the technology.

## **3.1 Interface Requirements**

This section defines the user interface requirements for the "Sign Language to Speech" system. These requirements are crucial for ensuring the system is user-friendly, accessible, and efficient.

## **Account Creation**

- An intuitive process for users to create new accounts.
- Accessibility features integrated into the account creation process.
- Secure handling of personal data and compliance with privacy standards.
- User verification mechanisms for account security.

## **License Procurement**

- A seamless interface for acquiring or renewing software licenses.
- Integration with secure payment systems for license transactions.
- Tools for users to manage, view, and update their license information.

## **Camera Setup**

- A guided setup for camera or sensor configuration.
- Compatibility checks with the user's camera or sensor devices.
- Real-time preview feature during camera setup for optimal positioning.

## **Statistics Access**

- A dashboard for users to view statistics related to their system use.
- Customizable report generation based on user activity and system interaction.
- Adherence to data privacy laws and user control over data sharing.

## **3.2. Detailed Description of Functional Requirements**

This section provides an in-depth look at the functional requirements of the "Sign Language to Speech" system, detailing the essential functionalities that the system must possess to meet user needs and project objectives.

### **Gesture Recognition Accuracy**

The system must accurately recognize a wide range of sign language gestures. Incorporation of advanced machine learning algorithms for continuous improvement in gesture recognition. Capability to adapt to individual variations in sign language use.

## **Real-time Translation**

Ability to translate sign language into spoken language in real-time with minimal latency. Implementation of efficient algorithms to ensure quick processing of data from gesture recognition to speech output.

## **Multi-Modal Input Integration**

Integration of various input modalities, including hand gestures, facial expressions, and body language, to enhance translation accuracy. Use of advanced computer vision technologies to capture and interpret these multi-modal inputs.

## **User Interface and Accessibility**

Development of an intuitive and easy-to-navigate user interface. Inclusion of accessibility features such as text-to-speech, high-contrast visuals, and voice commands. Responsiveness across multiple device types and screen sizes.

## **Privacy and Data Security**

Ensuring user data privacy and security throughout the system. Compliance with relevant data protection laws and regulations. Secure handling and storage of user data, with transparency in data usage.

## **Cross-Lingual Capabilities**

Ability to translate between different sign languages, enhancing the system's utility across various linguistic groups. Inclusion of support for multiple spoken languages in the speech output.

## **Customization and Personalization**

Features allowing users to personalize settings according to their preferences and needs. Adaptability to different user signing styles and preferences for speech output.

## **System Feedback and Correction**

Provision for real-time feedback to users on their sign language gesture formation. Mechanisms for users to correct and improve their signing skills through interactive guidance.

## **Integration with External Services**

Capability to integrate with external services and platforms for enhanced functionalities, such as live captioning or extended language support. APIs for third-party integrations and collaborations.

### **3.2.1. User Authentication**

User authentication is a critical component of the system, ensuring that access is secure and personalized. Here are the detailed functional requirements for this feature:

#### **Secure Login Process**

- The system must provide a secure login mechanism for users to access their accounts.
- Implementation of strong encryption for user credentials during transmission and storage.
- Option for two-factor authentication (2FA) to enhance security.

#### **Password Management**

- Users should be able to easily create, reset, and recover passwords.
- Password strength requirements to ensure the creation of robust passwords.
- Mechanisms for notifying users of unusual login activities or security breaches.

#### **Biometric Authentication (Optional)**

- If feasible, integration of biometric authentication options such as fingerprint scanning or facial recognition for quick and secure access.
- Ensuring that biometric data, if used, is stored and processed with high security and privacy standards.

#### **Session Management**

- Automatic logout after periods of inactivity for security purposes.
- User sessions should be securely managed to prevent unauthorized access during active sessions.

#### **User Account Verification**

- Email or phone verification for new accounts to confirm the identity of the user.
- Regular prompts for users to update or verify their account details.

## **Privacy Settings**

- Users must have control over their privacy settings, allowing them to manage what information is visible to others or used by the system.
- Clear and accessible privacy policy and user agreement.

## **Access Control**

- Differentiation of user roles and permissions, if applicable, to ensure that users have access only to the features relevant to their role.
- Regular updates and audits of access controls to maintain system integrity.

**These user authentication requirements are designed to ensure that the system maintains high standards of security and privacy while being user-friendly and accessible.**

### **3.2.2. Email Verification**

Email verification is a crucial process in the user authentication and account management system. It ensures the validity of the user's email address and enhances overall security.

#### **Initial Account Verification**

- Upon account creation, the system must automatically send an email to the user's provided email address.
- This email should contain a verification link or code that the user must click or enter to activate their account.
- The system should provide clear instructions and user guidance in the verification email.

#### **Verification Link Security**

- The verification link must be securely generated and unique to each user.
- The link should have an expiration time to ensure security (e.g., 24 hours).
- In case of an expired link, users should have the option to request a new verification email.

#### **User Feedback on Verification Status**

- After the user clicks the verification link, the system should confirm the successful verification and direct them to a confirmation page or their user dashboard.
- In case of issues or errors in verification, the system must provide clear error messages and guidance on how to resolve the issue.
- Resend Verification Email:

Users should have the option to resend the verification email if needed, accessible through the login interface or account settings.

## **Email Change Verification**

- If a user changes their email address in account settings, the system must trigger a new verification process for the new email address.
- The account's email-related functionalities should be restricted until the new email address is verified.

## **Security Notifications**

- The system should notify users of important account activities related to email changes or verification status, enhancing account security and user awareness.

## **Integration with Authentication System**

- The email verification process should be seamlessly integrated with the overall user authentication system, ensuring a smooth user experience.

**These email verification requirements aim to ensure that the system maintains secure and effective user account management, preventing unauthorized access and enhancing overall system integrity.**

### **3.2.2. Email Verification**

- **Process:** Automated email sent upon account registration or email update with a unique, time-sensitive verification link or code.
- **Security:** The verification link must be encrypted and user-specific. It should expire within a reasonable timeframe to ensure security (e.g., 24 hours).
- **User Interface:** Clear instructions in the email, user-friendly interface on the verification landing page, and instant feedback on the success or failure of the verification process.
- **Resend Option:** Users should be able to request a new verification email if the original expires.

### **3.2.3 License Management**

- **License Acquisition:** Secure and streamlined process for purchasing and renewing licenses, with support for multiple payment methods.
- **License Administration:** User interface for managing licenses, including viewing current status, renewal dates, and options for upgrades or changes.
- **Integration:** Seamless integration with the overall system for real-time license status updates and access control based on license validity.

### **3.2.4 Camera Configuration**

- **Setup Wizard:** A step-by-step guide to assist users in setting up and configuring their camera or sensor, with automatic detection of connected devices.
- **Compatibility and Optimization:** The system should automatically detect the camera model and suggest optimal settings. A manual override option for advanced users.
- **Real-Time Preview:** An integrated feature that allows users to see what the camera captures in real-time, aiding in adjusting angles and positions for optimal gesture recognition.

### **3.2.5 Zone Definition**

- **Customization:** Users should be able to define and customize zones within the camera's field of view where gesture recognition will be active.
- **Interface:** An intuitive interface for drawing or selecting zones, with the ability to save and modify them as needed.
- **Integration:** Close integration with the camera setup to ensure that zones are accurately mapped and responsive to the camera's positioning.

### **3.2.6 Object Counting and Tracking**

- **Object Identification:** Ability to identify and count specific objects (e.g., hands, fingers) within the defined zones.
- **Real-Time Tracking:** Continuous tracking of objects in motion, with minimal lag or error.
- **Data Output:** Display and storage of counting and tracking data for user access and analysis.

### **3.2.7 Data Processing**

- **Efficiency:** Fast and accurate processing of input data from camera feeds, with minimal latency.
- **Privacy:** Ensure all data processing complies with privacy standards and regulations, with secure handling and storage of user data.
- **Adaptability:** Capability to process data from various camera types and in different environmental conditions.

### **3.2.8 Statistical Visualization**

- **Dashboard:** A comprehensive dashboard displaying key statistics and trends in a user-friendly format.
- **Customization:** Allow users to customize the data they wish to see and the format of visualization (graphs, charts, etc.).
- **Historical Data:** Access to historical data for comparison and analysis over time.



### **3.2.9 User Password Reset**

- **Secure Process:** A secure, user-friendly process for password resetting, including identity verification steps.
- **Email Link/Code:** Sending a password reset link or code to the user's registered email.
- **Feedback:** Clear instructions and feedback during the password reset process, with user support options for troubleshooting.

### **3.2.10 Error Handling and Logging**

- **Error Detection:** Prompt detection and handling of system errors to minimize user impact.
- **Logging:** Comprehensive logging of errors for system diagnosis and improvement.
- **User Notifications:** Clear and informative error messages to users, with guidance on resolution or alternative actions.

## **3.3 Detailed Description of Non-Functional Requirements**

### **3.3.1 Security**

- **Encryption:** Strong encryption of user data, both in transit and at rest.
- **Regular Audits:** Frequent security audits to identify and address vulnerabilities.
- **User Authentication:** Robust user authentication mechanisms to prevent unauthorized access.

### **3.3.2. Performance**

- **Speed:** High processing speed to handle real-time data with minimal lag.
- **Resource Management:** Efficient use of computational resources to optimize performance.
- **Scalability:** Ability to scale resources in response to varying loads.

### **3.3.3. Fault Tolerance**

- **Redundancy:** Implementation of redundancy in critical system components to prevent total system failure.
- **Recovery Mechanisms:** Quick recovery processes for system errors or failures.
- **Continuity:** Ensuring system continuity and availability during fault conditions.

#### **3.3.4. Maintainability**

- **Code Quality:** Well-documented, clean, and modular code to facilitate easy maintenance and updates.
- **Update Mechanism:** Streamlined process for deploying system updates and patches.
- **Support Infrastructure:** Adequate support infrastructure for system maintenance and troubleshooting.

#### **3.3.5. Internationalization and Localization**

- **Language Support:** Support for multiple languages in the user interface.
- **Cultural Adaptability:** Adaptation to regional differences in terms of data formats, time zones, etc.
- **Locale Customization:** Allowing users to set and change their locale settings.

#### **3.3.6. Server System Capacity**

- **Load Handling:** Adequate server capacity to handle peak loads and data processing demands.
- **Expandability:** Capability to expand server resources in line with user growth and data volume.
- **Monitoring:** Continuous monitoring of server performance and capacity.

#### **3.3.7. Connection**

- **Stability:** Consistent and stable network connections.
- **Diverse Connectivity Support:** Compatibility with various network types and speeds.
- **Graceful Degradation:** Capability to maintain essential functions during connectivity issues.

#### **3.3.8. Usability**

- **User-Centric Design:** Interface designed for ease of use, with intuitive navigation and clear instructions.
- **Accessibility:** Inclusion of features for users with disabilities.
- **Consistency:** Uniform user experience across different platforms and devices.

### 3.3.9. Documentation


- **Comprehensiveness:** Detailed and clear documentation covering all aspects of the system.
- **Accessibility:** Easy access to documentation, formatted for clarity and comprehension.
- **Up-to-Date:** Regularly updated documentation to reflect the current state of the system.

### 3.3.10. Data Accuracy


- **Validation:** Mechanisms in place for validating input data for accuracy.
- **Error Checking:** Processes for regularly checking and correcting data errors.
- **Continuous Improvement:** Ongoing efforts to improve the accuracy of data processing and output.

## 4. Use Cases

### Login Interface



## Sign Language to Speech System



Field	Description
Use Case Number	Use Case 1
Use Case Name	Sign Language to Speech Translation
Actor	Deaf Individual, System
Description	Deaf individual uses the app to communicate with listeners via translated speech.
Precondition	App is operational, camera is functioning, and the system is ready to interpret sign language.
Scenario	1. Deaf individual opens the app. 2. Points camera to hands. 3. Signs in sign language. 4. App converts signs to text, then to speech.
Postcondition	Listeners understand the translated speech from the sign language.
Exceptions	Camera malfunction, incorrect gesture recognition, system translation error.
Related Use Cases	Use Case 2

Field	Description
Use Case Number	Use Case 2
Use Case Name	User Feedback Submission
Actor	Application User, System
Description	User submits feedback on the app's functionality and performance.
Precondition	User has used the translation feature and is logged into the app.
Scenario	1. User navigates to feedback. 2. Enters feedback on translation accuracy. 3. Submits feedback.
Postcondition	Feedback is recorded and available for system improvement.
Exceptions	Feedback feature is unavailable, submission error.
Related Use Cases	Use Case 1

Field	Description
Use Case Number	Use Case 3
Use Case Name	Resetting Password
Actor	Application User, System
Description	User resets a forgotten password to regain access to the account.
Precondition	User has an existing account and has forgotten the password.
Scenario	1. Selects "Forgot Password". 2. Enters email for reset link. 3. Resets password via email link.
Postcondition	User's password is reset, and access to the account is restored.
Exceptions	Invalid email address, reset link not sent, user unable to access email.
Related Use Cases	Use Case 1

Field	Description
Use Case Number	Use Case 4
Use Case Name	Admin User Management
Actor	Admin, System
Description	Admin manages user accounts, including updates and deletions.
Precondition	Admin is authenticated and has access to the admin panel.
Scenario	1. Admin logs in. 2. Selects "Manage Users". 3. Updates user roles or deactivates accounts.
Postcondition	User accounts are managed according to admin actions.
Exceptions	Admin panel is down, unauthorized access attempt, database error.
Related Use Cases	Use Case 1(User Registration and Login)

# **SOFTWARE DESIGN DOCUMENT**

# **1. Introduction**

## **1.1 Purpose and Scope**

This document delineates the software design for the "Sign Language to Speech" project. The project's primary objective is to develop a system that instantly converts sign language gestures into spoken language for users of sign language and individuals with hearing impairments. The system utilizes camera and sensor technology to track users' hand movements and facial expressions.

## **1.2 Definitions and Abbreviations**

ASL: American Sign Language TTS: Text-to-Speech ML: Machine Learning UI: User Interface  
API: Application Programming Interface

# **2. System Overview**

## **2.1. System Context**



The system is a software platform that detects sign language gestures, translates these into text, and then vocalizes them into spoken language. It follows users' hand gestures and facial expressions using camera and sensor technology.

## **2.2. System Constraints and Assumptions**

Constraints: The system relies on existing camera and sensor technologies and requires high computational capacity for real-time processing. Assumptions: It is assumed that users have basic technological skills and the system is designed to utilize standard ASL gestures. Detailed Design

### 3.1 User Interface Design

The user interface is designed to be intuitive and accessible. The layout of the screen is organized to ensure that users can easily understand and navigate the system. The interface includes high-contrast visuals and large buttons, with voice feedback when necessary.





### **3.2 Gesture Recognition and Processing**

The system employs advanced machine learning algorithms to recognize and process sign language gestures. This algorithm extensively analyzes hand movements, finger positions, and facial expressions.

### **3.3 Speech Synthesis**

Recognized gestures are converted into natural and understandable spoken language using TTS technology. The system offers options for different languages and accents, catering to a broad user base.

### **3.4. User Session Management and Authentication**

The system includes secure session management and authentication processes, allowing users to manage their personal preferences and settings. This includes username and password verification and optional two-factor authentication.

### **3.5 Database Design**



The database securely and efficiently stores user information, session data, and system logs. It is optimized for high availability and quick query response.



### **3.6 Error Management and Logging**

The system incorporates comprehensive error management and logging systems to effectively handle potential issues. This is crucial for correcting user errors, monitoring system performance, and continual improvement.

This design document serves as a critical roadmap for the successful implementation of the project and provides detailed technical guidance at every stage of the project.

### 3.7 SDD Diagrams





## **4. Performance and Scalability**

### **4.1. System Performance**

**Data Processing Speed:** The system should process sign language gestures in real-time and minimize delays in converting them into speech. **System Stability:** The system should maintain stability even with high user numbers or data throughput. **Resource Utilization:** Efficient use of system resources (CPU, memory, storage) and optimizing performance under heavy loads. **Response Time:** The user interface should be responsive, quickly reacting to user inputs and changes within the system.

### **4.2. Scalability Strategies**

**Horizontal Scalability:** The system should be able to scale by adding more servers or services to meet increasing demand. **Microservices Architecture for Services Management:** Organizing system components as independent microservices facilitates scaling specific components as needed. **Dynamic Resource Management:** Automatic resource allocation and scaling based on traffic load optimize system performance. **Database Optimization:** Continuously monitoring database performance and adjusting query optimizations and database configurations is crucial.

## **5. Security Design**

### **5.1. Security Protocols**

**Data Encryption:** Encrypt user data and sensitive information both in transit and at rest. **Network Security:** Protect data communication using secure network protocols (e.g., SSL/TLS). **Intrusion Detection and Prevention:** Continuous security monitoring, regular security updates, and measures against potential security breaches.

### **5.2. User Data Protection**

**Privacy Policy:** Provide a transparent privacy policy on how users' personal data is used and protected. **Data Access Control:** Allow access to user data only for authorized personnel, preventing unnecessary data access. **Data Retention and Disposal Policies:** Retain data for the necessary period and securely dispose of it once its useful life is over.

### **5.3. Access Controls**

**Authentication and Authorization:** Implement strong authentication mechanisms (e.g., two-factor authentication) and allow users access only to information they are authorized for. **Role-Based Access Control (RBAC):** Assign customized access rights to users based on their roles. **Audit Logs and Monitoring:** Record critical system activities and regularly review them to detect suspicious or unauthorized activities.

TEST PLAN  
&  
RESULTS  
DOCUMENT

# Table of Contents

1. INTRODUCTION.....	1
1.1 Version Control .....	1
1.2 Overview .....	1
1.3 Scope.....	1
1.4 Terminology .....	1
2. FEATURES TO BE TESTED .....	1
2.1 Graphical User Interface (GUI) .....	1
2.2 Sign Language Detection .....	2
2.3 Speech Synthesis .....	2
2.4 Machine Learning Model.....	2
3. FEATURES NOT TO BE TESTED.....	2
4. ITEM PASS/FAIL CRITERIA.....	3
4.1 Exit Criteria .....	3
5. TEST DESIGN SPECIFICATIONS.....	4
5.1 Graphical User Interface (GUI) .....	4
5.1.1 Subfeatures to be tested .....	4
5.1.1.1 Main Menu (GUIMAIN_MENU).....	4
5.1.1.2 Settings Panel (GUISETTINGS) .....	4
5.1.1.3 Real-time Translation Interface (GUIREALTIME).....	4
5.2 Sign Language Detection .....	4
5.2.1 Subfeatures to be tested .....	4
5.2.1.1 Hand Gesture Recognition (SLD.HGR).....	4
5.2.1.2 Real-time Detection (SLD.RTD) .....	4
5.3 Speech Synthesis (SS) .....	5
6.3.1. Subfeatures to be tested.....	5
6.3.1.1 Text-to-Speech Conversion (SS.TTS).....	5
5.4 Machine Learning Model.....	5
5.4.1 Subfeatures to be tested... ..	5
5.4.1.1 Model Accuracy (MLM.ACC) .....	5
5.4.1.2 Model Performance (MLM.PERF) .....	5
5.4.2 Test Cases .....	6
6. Detailed Test Cases .....	7
6.1 GUIMAIN_MENU.01 .....	7
6.2 GUI.SETTINGS.01.....	7
6.3 SLD.HGR.01.....	8
6.4 SLD.RTD.01... ..	8
6.5 SS.TTS.01... ..	9
6.6 MLM.ACC.01... ..	10
6.7 MLM.PERF.01.....	10
7. Test Results.....	11

# 1. INTRODUCTION

## 1.1 Version Control

Version No	Description of Changes	Date
1.0	First Version	May 28, 2024

## 1.2 Overview

The Sign Language to Speech project aims to develop a system that translates sign language gestures into spoken words using machine learning and computer vision techniques. This test plan outlines the testing strategy for verifying the functionalities of the system.

## 1.3 Scope

This document covers the test plan for the Sign Language to Speech system, including test design specifications and detailed test cases to ensure the system meets the specified requirements.

## 1.4 Terminology

Acronym	Definition
GUI	Graphical User Interface
ML	Machine Learning
CV	Computer Vision
ASL	American Sign Language

# 2. FEATURES TO BE TESTED

## 2.1 Graphical User Interface (GUI)

Graphical User Interface (The GUI components to be tested include:

- Main Menu
- Settings Panel
- Training Mode Interface
- Real-time Translation Interface

## **2.2 Sign Language Detection**

Testing the accuracy and responsiveness of the system in detecting and recognizing sign language gestures.

## **2.3 Speech Synthesis**

Testing the conversion of recognized sign language gestures into spoken words using text-to-speech (TTS) technology.

## **2.4 Machine Learning Model**

Testing the performance and accuracy of the machine learning model in recognizing different signs.

# **3. FEATURES NOT TO BE TESTED**

## **3.1 Third-Party Integrations:**

If the system relies on third-party APIs or services, testing their functionality is often not within the scope of the project. This is because the third-party providers are responsible for ensuring the reliability and functionality of their services.

## **3.2 Non-Essential or Secondary Features:**

Features that are considered non-essential or secondary to the core functionality of the system may not be tested thoroughly. For example, if a sign language translation system has a feature for changing the color scheme of the user interface, testing this feature might not be a priority compared to testing the accuracy of gesture recognition.

## **3.3 Performance under Extreme Conditions:**

While it's important to test the system's performance under normal operating conditions, testing extreme scenarios that are unlikely to occur in real-world usage may not be necessary. For instance, testing the system's response time when thousands of users simultaneously access it might not be practical unless it's a critical requirement.

## **3.4 Compatibility with Outdated Software/Hardware:**

Ensuring compatibility with outdated software or hardware versions may not be feasible or necessary, especially if they are no longer supported by the manufacturer or used by a small portion of the target audience.

## **3.5 Security Features:**

Security features, such as encryption protocols or firewall configurations, may be tested separately by security experts to ensure the system's resilience against cyber threats. However, detailed testing of these features may not be included in the standard testing plan.

## **3.6 User Training and Documentation:**

While user training and documentation are essential for the system's successful deployment, testing the effectiveness of training materials or user guides may fall outside the scope of the testing plan.



### **3.7 Legal Compliance:**

Ensuring legal compliance with regulations such as GDPR or HIPAA may require specialized audits or assessments that go beyond the scope of traditional software testing.

## **4. ITEM PASS/FAIL CRITERIA**

### **4.1 Exit Criteria**

- 100% of the test cases are executed
- 99% of the test cases passed
- All High and Medium Priority test cases passed

## **5. TEST DESIGN SPECIFICATIONS**

### **5.1 Graphical User Interface (GUI)**

#### **5.1.1 Subfeatures to be tested**

##### **5.1.1.1 Main Menu (GUI.MAIN\_MENU)**

Verify that the main menu displays correctly and allows navigation to other parts of the application.

##### **5.1.1.2 Settings Panel (GUI.SETTINGS)**

Verify that the settings panel allows the user to adjust preferences such as volume and display settings.

##### **5.1.1.3 Real-time Translation Interface (GUI.REALTIME)**

Verify that the real-time translation interface displays detected signs and converts them to speech correctly.

### **5.2 Sign Language Detection**

#### **5.2.1 Subfeatures to be tested**

##### **5.2.1.1 Hand Gesture Recognition (SLD.HGR)**

Verify that the system accurately recognizes various hand gestures used in ASL.

##### **5.2.1.2 Real-time Detection (SLD.RTD)**

Verify that the system detects hand gestures in real-time without significant lag.

## **5.3 Speech Synthesis (SS)**

### **5.3.1 Subfeatures to be tested**

#### **5.3.1.1 Text-to-Speech Conversion (SS.TTS)**

Verify that the system correctly converts recognized gestures to spoken words using TTS.

## **5.4 Machine Learning Model**

### **5.4.1 Subfeatures to be tested**

#### **5.4.1.1 Model Accuracy (MLM.ACC)**

Verify that the machine learning model achieves the target accuracy for gesture recognition.

#### **5.4.1.2 Model Performance (MLM.PERF)**

Verify that the model performs efficiently without causing significant delays in recognition.

### 5.4.2 Test Cases

TC ID	Requirements	Priority	Scenario Description
GUL.MAIN_MENU.01	3.1	H	Verify that the main menu displays correctly and allows navigation to other parts of the application.
GUL.SETTINGS.01	3.2	H	Verify that the settings panel allows the user to adjust preferences such as volume and display settings.
SLD.HGR.01	4.1	H	Verify that the system accurately recognizes various hand gestures used in ASL.
SLD.RTD.01	4.2	H	Verify that the system detects hand gestures in real-time without significant lag.
SS.TTS.01	5.1	H	Verify that the system correctly converts recognized gestures to spoken words using TTS.
MLM.ACC.01	6.1	H	Verify that the machine learning model achieves the target accuracy for gesture recognition.
MLM.PERF.01	6.2	H	Verify that the model performs efficiently without causing significant delays in recognition.

## 6. Detailed Test Cases

### 6.1 Graphical User Interface (GUI)

#### 6.1.1 Main Menu (GUI.MAIN\_MENU)

**TC\_ID:** GUI.MAIN\_MENU.01

**Purpose:** Verify that the main menu displays correctly and allows navigation to other parts of the application.

**Requirements:** 3.1

**Priority:** High

**Estimated Time Needed:** 10 minutes

**Dependency:** N/A

**Setup:** Application should be installed and running.

**Procedure:**

1. [A01] Launch the application.
2. [A02] Verify that the main menu is displayed.
3. [A03] Click on each menu item (e.g., Settings, Training Mode, Real-time Translation) and verify that the corresponding interface loads correctly.
4. [V01] Ensure the navigation to each interface works without errors.

**Cleanup:** Close the application.

#### 6.1.2 Settings Panel (GUI.SETTINGS)

**TC\_ID:** GUI.SETTINGS.01

**Purpose:** Verify that the settings panel allows the user to adjust preferences such as volume and display settings.

**Requirements:** 3.2

**Priority:** High

**Estimated Time Needed:** 5 minutes

**Dependency:** GUI.MAIN\_MENU.01 must pass

**Setup:** Navigate to the settings panel from the main menu.

**Procedure:**

1. [A01] Open the settings panel from the main menu.
2. [A02] Adjust the volume settings.
3. [A03] Change the display settings (e.g., theme, font size).
4. [V01] Ensure the changes are applied and saved correctly.

**Cleanup:** Reset settings to default if necessary.

## **6.2 Sign Language Detection (SLD)**

### **6.2.1 Hand Gesture Recognition (SLD.HGR)**

**TC\_ID:** SLD.HGR.01

**Purpose:** Verify that the system accurately recognizes various hand gestures used in ASL.

**Requirements:** 4.1

**Priority:** High

**Estimated Time Needed:** 15 minutes

**Dependency:** N/A

**Setup:** Application should be installed and running, with the camera enabled.

**Procedure:**

1. [A01] Launch the application and navigate to the real-time translation interface.
2. [A02] Perform a series of predefined ASL gestures in front of the camera.
3. [V01] Verify that each gesture is correctly recognized and displayed on the screen.

**Cleanup:** Turn off the camera and close the application.

## 6.2.2 Real-time Detection (SLD.RTD)

**TC\_ID:** SLD.RTD.01

**Purpose:** Verify that the system detects hand gestures in real-time without significant lag.

**Requirements:** 4.2

**Priority:** High

**Estimated Time Needed:** 10 minutes

**Dependency:** SLD.HGR.01 must pass

**Setup:** Application should be installed and running, with the camera enabled.

**Procedure:**

1. [A01] Launch the application and navigate to the real-time translation interface.
2. [A02] Perform a continuous sequence of ASL gestures.
3. [V01] Verify that each gesture is detected and translated to text/speech in real-time with minimal lag.

**Cleanup:** Turn off the camera and close the application.

## 6.3 Speech Synthesis (SS)

### 6.3.1 Text-to-Speech Conversion (SS.TTS)

**TC\_ID:** SS.TTS.01

**Purpose:** Verify that the system correctly converts recognized gestures to spoken words using TTS.

**Requirements:** 5.1

**Priority:** High

**Estimated Time Needed:** 10 minutes

**Dependency:** SLD.HGR.01 and SLD.RTD.01 must pass

**Setup:** Application should be installed and running, with the camera enabled.

**Procedure:**

1. [A01] Launch the application and navigate to the real-time translation interface.
2. [A02] Perform a predefined ASL gesture in front of the camera.
3. [V01] Verify that the gesture is correctly recognized and converted to spoken words using TTS.

**Cleanup:** Close the applicaton.

## 6.4 Machine Learning Model (MLM)

### 6.4.1 Model Accuracy (MLM.ACC)

**TC\_ID:** MLM.ACC.01

**Purpose:** Verify that the machine learning model achieves the target accuracy for gesture recognition.

**Requirements:** 6.1

**Priority:** High

**Estimated Time Needed:** 20 minutes

**Dependency:** N/A

**Setup:** Application should be installed and running, with the camera enabled.

**Procedure:**

1. [A01] Launch the application and navigate to the real-time translation interface.
2. [A02] Perform a series of predefined ASL gestures.
3. [V01] Compare the recognition results against a predefined accuracy benchmark.

**Cleanup:** Close the application.

### 6.4.2 Model Performance (MLM.PERF)

**TC\_ID:** MLM.PERF.01

**Purpose:** Verify that the model performs efficiently without causing significant delays in recognition.

**Requirements:** 6.2

**Priority:** High

**Estimated Time Needed:** 15 minutes

**Dependency:** MLM.ACC.01 must pass

**Setup:** Application should be installed and running, with the camera enabled.

**Procedure:**

1. [A01] Launch the application and navigate to the real-time translation interface.
2. [A02] Perform a series of rapid ASL gestures.
3. [V01] Verify that the recognition is performed efficiently and in a timely manner without causing significant delays.

**Cleanup:** Close the applicaton.




## 7. Test Results


TC_ID	Result	Priority	Explanation
GUI.MAIN_MENU.01	Pass	High	Main menu displayed correctly; navigation functional.
GUI.SETTINGS.01	Pass	High	Settings panel allowed adjustment of preferences.
SLD.HGR.01	Pass	High	Accurately recognized various hand gestures.
SLD.RTD.01	Pass	High	Real-time detection without significant lag.
SS.TTS.01	Pass	High	Converted recognized gestures to spoken words.
MLM.ACC.01	Pass	High	Machine learning model achieved target accuracy.
MLM.PERF.01	Pass	High	Model performed efficiently without delays.


# User Manual

- 1) Open the program then perform hand gestures to form a sentence.



- 2) If the sign language model predicts an unwanted letter simply press backspace to delete the letter.






Sentence: H

Space  
(Space)

Delete  
(Backspace)

Speak  
(S)




Sentence: HE

Space  
(Space)


Delete  
(Backspace)

Speak  
(S)

3) If you want to add a Space character simply press space.



Sentence: HELLO



Sentence: HELLO W



- 4) Finally if you achieved your desired input, simply press 's' to convert this sentence to speech.



Sentence: HELLO WORLD

Space  
(Space)

Delete  
(Backspace)

Speak  
(S)

In this case, It outputs 'Hello World'.

## REFERENCES

1. <https://www.researchsquare.com/article/rs-3126918/v1>
2. <https://www.who.int/news-room/fact-sheets/detail/deafness-and-hearing-loss>
3. Vedak, Omkar, et al. "Sign language interpreter using image processing and machine learning." International Research Journal of Engineering and Technology (IRJET) (2019).
4. Wang et al., "Hear Sign Language: A Real-Time End-to-End Sign Language Recognition System," in IEEE Transactions on Mobile Computing, vol. 21, no. 7, pp. 2398-2410, 1 July 2022, doi: 10.1109/TMC.2020.3038303.
5. K. Dutta and S. A. S. Bellary, "Machine Learning Techniques for Indian Sign Language Recognition," 2017 International Conference on Current Trends in Computer, Electrical, Electronics and Communication (CTCEEC), 2017, pp. 333-336, doi: 10.1109/CTCEEC.2017.8454988.
6. CENG\\_408\\_Group20\\_SRS, December 26, 2023. Available: (<https://github.com/CankayaUniversity/ceng-407-408-2023-2024-SignLang2Utterance/wiki/Software-Requirement-Specification>)
7. CENG\\_408\\_Group20\\_SDD, January 7, 2024. Available: <https://github.com/CankayaUniversity/ceng-407-408-2023-2024-SignLang2Utterance/wiki/SDD>