Current status of data center for cosmic rays based on KCDC

GRID-2018, Dubna

Victoria Tokareva, Dmitriy Kostunin, Andreas Haungs
for the German-Russain Astroparticle Data Life Cycle Group | September 12, 2018

INSTITUTE FOR NUCLEAR PHYSICS (IKP)

Introduction:
The astroparticle physics data rate



Modern astroparticle experiments data rate [Gbytes/day]*

- Wide range of experiments;
- Looking at the same sky with different eyes: different detectors, different phenomena under the study;
- Common data rate for astrophysical experiments all together is a few PBytes/yeary, which is comparable to the current LHC output*
- Big data for deep learning

*APPEC brochure on Computing, 2016 http://www.appec.org/wp-content/uploads/Documents/Docs-from-old-

German-Russian Astroparticle Data Life Cycle Initiative*

KIT
Karlsruhe Institute of Technology

НИИЯФ МГУ

TAIGA

KIT-IKP
Karlsruher Institut für Technologie
Institut für Kernphysik

ИРКУТСКИЙ ГОСУДАРСТВЕННЫЙ УНИВЕРСИТЕТ
1918

RSF Russian Science Foundation

HELMHOLTZ ASSOCIATION

SCC
Steinbuch Centre for Computing

Matrosov Institute for System Dynamics and Control Theory

KASCADE - Grande
KArlsruhe Shower Core and Array DEtector - Grande

*Granted by RSF-Helmholtz Joint Research Groups

KASCADE

- Proposed in 1989—disassembled in 2013;
- Aimed at studying high-evergy (galactic) cosmic rays by observing extensive air showers (EAS);
- Consisted of:
  - scintillators detecting e, γ, μ:
    - KASCADE - 256 stations;
    - GRANDE - 37 stations;
  - Hadronic callorimeter;
  - Radiodetector LOPES detecting e, e^+;
- Recognized astrophysical results were obtained. The data analysis is ongoing;
- KCDC (**K**ASCADE **C**osmic Ray **D**ata **C**enter, http://kcdc.ikp.kit.edu) is a dedicated portal where all the data collected are available online.

TAIGA

- Started in the mid 90s, is still operating and continiously enhancend;

Tunka-133

- 133 photomultipliers
- measures EAS Cherenkov light

Tunka-Rex

- 63 antennas
- measures EAS radio-emission

Tunka-HiSCORE

- 47 photomultipliers
- measures EAS Cherenkov light

Tunka-Grande

- 380 scintillators 0.64m^2 each
- measures e/μ from EAS

Tunka-IACT

- Imaging Air Cherenkov Telescopes
- is being extended

The project objectives



† Minh Duc Nguyen, *A distributed data warehouse system for astroparticle physics*, GRID2018 session 10

‡ Yu. Kazarina, *Application of Hubzero platform for the educational process in astroparticle physics*, GRID2018 poster

Deep into KASCADE-Grande and Tunka data formats

Different

- Data format (depends on avalilable detectors)
- Dedicated software for analyzing data
- Special system environment for the software

Common

- Metadata format (e.g. time, location, atmospheric conditions)
- Software for EAS simulation (e.g. CORSIKA)
- Shower parameters
- Theoretical models

Current state

- Separate APIs and UIs for different experiments

Our objective

- Unified API and UIs for different experiments

WMS—workload management system

- The basic idea is to provide a central queue for all users and make all the distributed sites look like local ones;
- Starting from mid 90's are widely used in collider experiments (AliEn, Dirac, PanDA);
- Dedicated for:
  - Unified usage of the distributed remote data and common data analysis;
  - Conceal various low-level software and provide unified high-level interface;
- Provide the common way to issue tasks to different types of the distibuted sites;
- The same system for the data access, analysis and simulation.

Data-oriented approach

What data do we work with?

- Data types:
  - Raw detector readouts;
  - Pre-analyzed events;
  - Metadata
- Data structure:
  - Different formats;
  - Different messengers;
  - Common metadata

Our approach:

- It is proposed to store unique event id and metadata in the unified database
- With growing data sizes, distributed storage for events could be useful

Proposed cosmic-ray metadata structure



Data analysis

Karlsruhe Institute of Technology

- Software for data analysis depends on a particular experiment
  - Problem: It may even require dedicated system environment
  - Solution: Virtualization could be useful
- Data analysis requires huge amounts of input data
  - Problem: It is often more optimal to perform it on the same site the data are stored
  - Solution: Job management could handle the task

Simulation

Feature		Consequence
The software for EAS simulation (e.g. CORSIKA) does not depend on a particular experiment	$\Rightarrow$	Simulations require standardized system environment
Simulations require small amounts of input data Simulations can be done independently for different events	$\Rightarrow$	Simulations are easily scalable
Simulations require a lot of computing resources	$\Rightarrow$	HPC sites are needed

Distributed computing could be useful

Distributed analysis and simulation scheme



Current status

- The KASCADE project has a data center called KCDC, that is planned to serve as the basis for the future common center for data access;
- The differences in the data formats were analyzed and solutions for organizing storage and distributed data processing were proposed;
- A scheme of a relational database for the future data center is designed using a metadata-based approach;
- The possibilities to apply the results of the project to educational and outreach activities are being explored.
  The joint resource **astroparticle.online** is created to provide access to KASCADE and TAIGA data and metadata.

Conclusion

- The constantly growing amount of accumulated astroparticle data and the request for the multi-messenger astronomy and machine learning, enable us to develope a unified system for astroparticle data storage and processing;
- KASCADE is the only astroparticle experiment so far that has fully published its data and has a software infrastructure for data access and online analysis (KCDC);
- The pecularities of data format and acquisition make it impossible to utilize 'from scratch' the solutions widely used in collider experiments;
- We are developing a new approach to the astroparticle data life cycle for combined analysis of the KASCADE and TAIGA data;
- The built-up infrastructure will be used to analyze combined data sets with large statistics, allowing to study galactic sources of high-energy γ-rays, which could be a notable step forward in multi-messenger astroparticle physics.

The German-Russain Astroparticle Data Life Cycle collaboration

- **TAIGA** - **T**unka **A**dvanced **I**nstrument for cosmic ray physics and **G**amma **A**stronomy (see **taiga-experiment.info**);
- **KASCADE-Grande** – **KA**rlsruhe **S**hower **C**ore and **A**rray **DE**tector - **Grande** (see **www-ik.fzk.de/KASCADE_home.html**);
- KIT-IKP - Institute for Nuclear Physics Karlsruhe Institute of Technology
- SCC - Steinbuch Centre for Computing Karlsruhe Institute of Technology
- SINP MSU - Skobeltsyn Institute Of Nuclear Physics Lomonosov Moscow State University
- ISU – Irkutsk State University
- ISDCT – Matrosov Institute for System Dynamics and Control Theory

The German-Russain Astroparticle Data Life Cycle Initiative

Karlsruher Institut für Technologie

Institut für Kernphysik

- 133 photomultipliers
- measures EAS Cherenkov light