

MCnebula2 workflow for LC-MS/MS dataset analysis

Contents

1	data processing	1
2	Sample infomation and outlier detection	1
3	Missing value	2
4	RSD	4
5	intensity	5
6	correlation	6
7	PCA	7

1 data processing

2 Sample infomation and outlier detection

Table 1: example



sample	group
M1	Model
M10	Model
M11	Model
M12	Model
M13	Model
M2	Model
M3	Model
M4	Model
M6	Model
M7	Model
M8	Model
Sham1	Sham
Sham2	Sham
Sham3	Sham
Sham4	Sham
Sham5	Sham
Sham6	Sham
Sham7	Sham
Sham8	Sham
Sham9	Sham

3 Missing value


```
## Cluster size 3350 broken into 33 3317
## Done cluster 33
## Cluster size 3317 broken into 212 3105
## Done cluster 212
## Cluster size 3105 broken into 414 2691
## Done cluster 414
## Cluster size 2691 broken into 547 2144
## Done cluster 547
## Cluster size 2144 broken into 664 1480
## Done cluster 664
## Done cluster 1480
## Done cluster 2144
## Done cluster 2691
## Done cluster 3105
## Done cluster 3317
```


4 RSD


RSD Scatter Plot



5 intensity



6 correlation



7 PCA

UUO serum ESI-

