

Complex Geometry - Index of Notations and ideas

Taper

July 8, 2016

Contents

1	Book	2
1.1	1. Local Theory	2
1.1.1	1.1 Holomorphic Functions of Several Variables	2
1.2	2. Complex Manifolds	2
1.2.1	2.2 Holomorphic Vector Bundles	2
1.2.2	2.6 Differential Calculus on Complex Manifolds	3
1.3	Appendix B: Sheaf Cohomology	3
2	My lecture Notes	4
2.1	Lecture 2016 Lecture 1	4
2.2	Lecture 4 (20160307) Complex Manifold	4
2.3	Lecture 5 Submanifolds (20160308)	5
2.4	Lecture 6 Sheaf & Cohomology (20160315)	6
2.4.1	Notes of Čech Cohomology with Coefficients in a Sheaf	6
2.5	Lecture 7 Vector Bundle (20160321)	7
2.6	Lecture 8 Almost Complex Structures (20160322)	7
2.7	Lecture 9 Exterior Algebra on Complex Manifold (20160329)	8
2.8	Lecture 10 Debeault Cohomology (20160406)	8
2.9	Lecture 11 (20160412)	9
2.10	Lecture 12 Hermitian Structure on Manifold Manifold (20160418)	9
2.11	Lecture 13 Kähler Manifold (20160419)	10
2.12	Lecture 14 Hodge Theory (20160425)	10
2.13	Lecture 15 Hodge Theory on Manifold (20160426)	10
2.14	Lecture 16 Harmonic forms on Kähler Manifold (20160503)	11
2.15	Lecture 17 Hermitian Vector Bundle (20160510)	11
2.16	Lecture 18 Connection (20160516)	12
2.17	Lecture 19 Holomorphic Connection & Curvature (20160517)	12
2.18	Lecture 20 Divisors & (Holomorphic) Line Bundles (20160524)	12
2.19	Lecture 21 Divisors & (Holomorphic) Line Bundles (20160530)	13
2.20	Lecture 22 Divisors & (Holomorphic) Line Bundles (20160606)	13

Abstract

Obviously.

1 Book

1.1 1. Local Theory

1.1.1 1.1 Holomorphic Functions of Several Variables

Note: the content covered by this section is geared for accompanying my personal notes of lecture 1.

[holomorphic](#): pp.1. pp.4. Def 1.1.1. pp.10(Def.1.1.8).

[Cauchy-Riemann equations](#): pp.2

$\frac{\partial}{\partial z}, \frac{\partial}{\partial \bar{z}}: \frac{\partial}{\partial z} := \frac{1}{2}(\frac{\partial}{\partial x} - i\frac{\partial}{\partial y}), \frac{\partial}{\partial \bar{z}} := \frac{1}{2}(\frac{\partial}{\partial x} + i\frac{\partial}{\partial y})$

[Maximum principle](#): pp.3.

[Identity theorem](#): pp.3.

[Riemann extension theorem](#): pp.3. pp.9 (Prop. 1.1.7).

[Riemann mapping theorem](#): pp.3.

[Liouville theorem](#): pp.4.

[Residue theorem](#): pp.4.

[polydiscs](#) $B_\epsilon(\omega): \{z \mid |z_i - \omega_i| < \epsilon\}$. pp.4.

[Hartogs' theorem](#): Prop. 1.1.4. pp.6.

[Weierstrass preparation theorem \(WPT\)](#): Prop. 1.1.6. pp.8.

[Weierstrass polynomial](#): Def. 1.1.5. pp.7.

$Z(f)$: zero set of f . pp.9.

[biholomorphic](#): pp.10.

[\(complex\) Jacobian, regular, regular value](#): Def. 1.1.9. pp.10.

[IFT. Inverse function theorem](#): Prop 1.1.10 pp.11.

[IFT. Implicit function theorem](#): Prop 1.1.11. pp.10.

$\mathcal{O}_{\mathbb{C}^n}$: sheaf of holomorphic functions on \mathbb{C}^n . Def. 1.1.14. pp.14.

$\mathcal{O}_{\mathbb{C}^n, z}$: Def. 1.1.14. pp.14.

$\mathcal{O}_{\mathbb{C}^n, 0}^*$: units of $\mathcal{O}_{\mathbb{C}^n, 0}$. pp.14.

[UFD, unique factorization domain, irreducible](#): Def. 1.1.16. pp.14.

[Gauss Lemma](#): pp.14.

[Weierstrass division theorem](#): Prop. 1.1.17. pp.15.

[1: 1: 1: 1: 1: 1: 1: 1:](#)

1.2 2. Complex Manifolds

1.2.1 2.2 Holomorphic Vector Bundles

τ_X : holomorphic tangent bundle of a complex manifold X (Def 2.2.14 at pp. 71).

Ω_X, Ω_X^p : holomorphic cotangent bundle and holomorphic p -forms. (Def 2.2.14 at pp. 71)

$K_X := \det(\Omega_X) = \Omega_X^n$, the canonical bundle of X . (Def 2.2.14 at pp. 71)

1.2.2 2.6 Differential Calculus on Complex Manifolds

$\wedge_{\mathbb{C}}^k X := \wedge^k (T_{\mathbb{C}} X)^*$. (Def 2.6.7 at pp. 105)

$\wedge^{p,q} X := \wedge^p (T^{1,0} X)^* \otimes_{\mathbb{C}} \wedge^q (T^{0,1} X)^*$. (Def 2.6.7 at pp. 105)

$\mathcal{A}_{X,\mathbb{C}}^k, \mathcal{A}_X^{p,q}$: sheaves of section of the above correspond items. (Def 2.6.7 at pp. 105)

$\mathcal{A}^{p,q}(E)$: the sheaf of p, q -forms with values in E , a complex vector bundle. (Def 2.6.22 at pp.109). Note that in particular, $\mathcal{A}^0(E)$ is the sheaf of sections of E .

1.3 Appendix B: Sheaf Cohomology

- [pre-sheaf](#): Def B.0.19, pp. 287.
- $\mathcal{C}'_{\mathcal{M}}$: the pre-sheaf of continuous functions on M . Example B.0.20, pp. 287.
- [sheaf](#): Def B.0.21, at pp.288.
- \mathbb{R}, \mathbb{Z} : constant sheaves, Sometimes written simply as \mathbb{R}, \mathbb{Z} respectively. pp. 288.
- \mathcal{E} : actually a \mathcal{C}_M^0 -modules. Sometimes identified as E . pp.288.
- [\(pre\)-sheaf homomorphism](#): Def B.0.23. pp.288.
- $\text{Ker}(\phi), \text{Im}(\phi), \text{Coker}(\phi)$: as pre-sheaves in pp.288. sheaves in pp.289, Def B.0.26.
- [injective, surjective of sheaf-homomorphism](#): pp.289.
- [complex, exact complex](#): Def B.0.27. pp.289
- [text](#):
- [text](#):
- [text](#):
- [text](#):
- [text](#):
- [text](#):
- [text](#):
- [text](#):
- [text](#):
- [text](#):
- [text](#):

- [text:](#)
- [text:](#)
- [text:](#)
- [text:](#)
- [text:](#)
- [text:](#)
- [text:](#)

2 My lecture Notes

2.1 Lecture 2016 Lecture 1

The first few lectures are not well noted, hence I delegate the task of recording the theorems and notations to the book's corresponding section:section 1.1.1 on page 2.

2.2 Lecture 4 (20160307) Complex Manifold

Note: we use abbreviation *mnfd* for *manifold*.

pp. A:

- [Holomorphic Atlas](#)
- [Holomorphic chart](#)
- [Complex mnfd](#)

pp. B:

- [Holomorphic function](#)
- \mathcal{O}_X : sheaf of holomorphic functions on a complex mnfd X .

pp. C:

- [Hartogs' theorem](#): on complex mnfd.
- [Holomorphic functions on complex mnfd](#):

pp. D:

- [Complex Lie group](#)
- [Complex Projective Space, \$\mathbb{CP}^n\$, or just \$\mathbb{P}^n\$.](#)

pp. E:

- [Topology in \$\mathbb{P}^n\$](#)
- [Mnfd structure on \$\mathbb{P}^n\$, atlas, and the **canonical covering**](#)

pp. F

- Grassmannian mnfd.

2.3 Lecture 5 Submanifolds (20160308)

pp. A:

- Affine Hypersurface (actually this is not quite different from the usual \mathbb{C}^n .)

Part 2. **Sheaf Theory**

pp. A:

- pre-sheaf
- $\mathcal{O}_X(U)$
- $\mathcal{O}_X^*(U)$

pp. B:

- C^∞
- \mathbb{Z} , sometimes simply denoted as \mathbb{Z} : sheaf of locally constant \mathbb{Z} -valued functions.
- Sheaf

pp. D:

- sheaf-morphisms

pp. E:

- Section
- $\text{Ker}(\phi)$ - sheaf of kernels.

pp. F:

- $\text{Im}(\phi)$ is a presheaf, but not a sheaf.
- $\text{Im}(\phi)$: the sheafification of $\text{Im}(\phi)$ above. Note that we use the same notation to denote both.

2.4 Lecture 6 Sheaf & Cohomology (20160315)

pp. A:

- Stalk \mathcal{F}_x .
- germ
- Directed partial order set
- Directed System

pp. B:

- Directed limit

pp. C:

- Exact Complex/ Exact Sequence.
- Exponential sequence (*mentioned under the definition of exact sequence*).
-

pp. D:

- Čech cohomology

pp. E:

- q-cochain
- coboundary operator. δ .
- $Z^p(U, \mathcal{F}) = \text{Ker}$.
- $B^p(U, \mathcal{F}) = \text{Im}$.
- $\check{H}^p(U, \mathcal{F}) = \frac{\text{Ker}}{\text{Im}}$.

2.4.1 Notes of Čech Cohomology with Coefficients in a Sheaf

pp.1:

- q-simplex σ .
- support $|\sigma|$.
- q-cocain
- $C^q(U, \mathcal{F})$
- Coboundary Operator δ .

pp.2,3,4:

- Cochain Complex
- Čech cohomology
- cocycle
- cochain
- $\check{H}^p(U, \mathcal{F}), Z^p(U, \mathcal{F}), B^p(U, \mathbb{F})$.
- $\check{H}^0(\{u_i\}, \mathcal{F}) = \mathcal{F}(X)$.

2.5 Lecture 7 Vector Bundle (20160321)

pp.1,2:

- Vector Bundle
- Trivializing covering, $\{(U_i, \tau_i)\}$.
- trivializing maps, trivializes.
- VB-equivalent of trivializing maps.
- E: total space, X: base space.

pp. 3,5:

- transition maps.
- fibre.
- $\mathcal{O}(-1)$
- cocycle condition.
- \mathcal{T}_X , Holomorphic tangent bundle.

pp. 8:

- s: section of a holomorphic vector bundle.
- \mathcal{E} : sheaf of sections of holomorphic vector bundle. $\mathcal{E}(U)$.

2.6 Lecture 8 Almost Complex Structures (20160322)

pp. 1,2:

- I : Almost Complex Structure. $I^2 = -1$. Sometime J is used in place of I .
- $V_{\mathbb{C}} := V \otimes \mathbb{C}$.
- $I_{\mathbb{C}}$: I extending to $V_{\mathbb{C}}$. Usually abbreviated simply as I .
- $V^{1,0} := \ker(I + i)$.
- $V^{0,1} := \ker(I - i)$.

2.7 Lecture 9 Exterior Algebra on Complex Manifold (20160329)

pp. 1,2:

- V^* : dual of V .
- $\{dx^i, dy^i\}$.
- J^* : J extending to dual space.
- $dz^i, d\bar{z}^i$.

pp. 3:

- $S^k(V), \Lambda^k(V)$.
- s and a , symmetrization and anti-symmetrization of a tensor.
- Λ^*V .

pp. 4:

- $\Lambda^n T_{\mathbb{C}}^*X$.
- $\Lambda^* T_{\mathbb{C}}^*X$.
- $\Lambda^{p,q} T_{\mathbb{C}}^*X$.

pp. 5,6:

- \mathcal{A} : sheaf of section of cotangent bundle.
- $\mathcal{A}^n(U), \mathcal{A}^{p,q}(U)$.
- Λ on \mathcal{A} .
- d : de Rham differential.
- $\partial, \bar{\partial}$.

2.8 Lecture 10 Debeault Cohomology (20160406)

pp. 1:

- $\mathcal{H}^{p,q}(X)$.
- f^* : pull-back. Various definition from pp.1 to pp.4.

pp. 5,6,7:

- $\mathcal{A}^{p,q}(U, E) := \Gamma(U, \Lambda^{p,q} T_{\mathbb{C}}^*X \otimes E)$.
- $\bar{\partial}_E$
- $\mathcal{H}^{p,q}(X, E)$.
- $\bar{\partial}$ -Poincaré lemma in one variable.

2.9 Lecture 11 (20160412)

pp.1,2,3:

- $\bar{\partial}$ -Poincaré lemma in n-dimension
- Ω_X^p : holomorphic p-forms. On pp.2.
- $\check{H}^q(X, \Omega^p)(\check{\text{Cech}}) \cong \mathcal{H}_{\bar{\partial}}^{p,q}(X)(\text{Dolbeault})$. On pp.3.

pp. 6,7:

- Analytic Subvariety.
- Analytic Hybersurface.
- Cousin's Problem.

2.10 Lecture 12 Hermitan Structure on Manifold Manifold (20160418)

pp. 1,2,3:

- I compatible with $\langle -, - \rangle$.
- ω : Fundamental form associated with \langle, \rangle and I . $\omega(v, w) := \langle I(v), w \rangle$.
- Conformal Equivalence.
- \langle, \rangle : Hermitian Inner Product.

pp. 4:

- $(,)$: s.t. $(v, w) := \langle v, w \rangle - i\omega(v, w) = \langle v, w \rangle - i \langle I(v), w \rangle$

pp. 5:

- $\langle, \rangle_{\mathbb{C}}$ be s.t. $\langle v \otimes \alpha, w \otimes \beta \rangle := \alpha \bar{\beta} \langle v, w \rangle$.

pp. 6:

- $\frac{1}{2}(,) = \langle, \rangle_{\mathbb{C}}|_{V^{1,0}}$

pp. 7,8:

- Local computations: z_i, h_{ij} ,
- $\omega = (...dx^i ...dy^i)$
- ω , Fundamental form on Riemannian Mnfd.
- Kähler mnfd: $d\omega \equiv 0$.

2.11 Lecture 13 Kähler Manifold (20160419)

pp.1:

- Local computation: $\omega = (\dots dz^i \dots d\bar{z}^i)$

pp.4:

- Fubini-Study Metric on \mathbb{CP}^n .

2.12 Lecture 14 Hodge Theory (20160425)

pp.1:

- \langle, \rangle on $\Lambda^k V$
- vol: volume element.
- $*$: Hodge Star Operator.

pp.4:

- L : Lefschetz Operator
- Λ : adjoint of L . $\Lambda = *^{-1} \circ L \circ *$.

pp.5 :

- $*, L, \Lambda$ on Kähler mnfd.
- $d^* := (-1)^{m*(k+1)+1} * \circ d \circ *$, adjoint of d . On a Kähler mnfd, $d^* = -* \circ d \circ *$
- $\Delta := d^* \circ d + d \circ d^*$.

pp. 6:

- $\bar{\partial}^*, \partial^*$: Similar to the above for d .
- $\Delta_{\partial}, \Delta_{\bar{\partial}}$: Similar to the above for d .

2.13 Lecture 15 Hodge Theory on Manifold (20160426)

pp.1:

- $(,)$ on $\mathcal{A}^*(X)$. $(\alpha, \beta) := \int_X g_{\mathbb{C}}(\alpha, \beta) vol$

pp.3:

- $\mathcal{H}^k(X, g)$: d-harmonic forms. Sometimes we replace \mathcal{H} with \mathcal{H} for harmonic forms, so is for symbols below.
- $\mathcal{H}_{\bar{\partial}}^k(X, g)$: $\bar{\partial}$ -harmonic forms. (Be careful to distinguish this with Dolbeault Cohomology groups).

- $\mathcal{H}_{\partial}^k(X, g)$: ∂ -harmonic forms.

pp. 5:

- $\mathcal{H}_d^k(X, g) \cong \mathcal{H}_d^{2n-k}(X, g)$, Poincaré duality
- $\mathcal{H}_{\bar{\partial}}^{p,q}(X, g) \cong (\mathcal{H}_{\bar{\partial}}^{n-p, n-q}(X, g))^*$, both are harmonic forms, called Serre Duality.

pp. 6,7:

- $\mathcal{A}^{p,q} = \bar{\partial}\mathcal{A}^{p,q-1}(X) \oplus \bar{\partial}^*\mathcal{A}^{p,q+1}(X) \oplus \mathcal{H}_{\bar{\partial}}^{p,q}(X, g)$:
Hodge decomposition
- $\mathcal{H}_{\bar{\partial}}^{p,q}(\text{harmonic forms}) \cong \mathcal{H}_{\bar{\partial}}^{p,q}(X)$ (Dolbeault Cohomology group)
- $\mathcal{H}_d^{p,q}(\text{harmonic forms}) \cong \mathcal{H}_{dR}^{p,q}(X)$ (de Rham Cohomology group)

pp. 8:

- A lot of isomorphisms between *de Rham*, *Dolbeault* and *harmonic forms*.

2.14 Lecture 16 Harmonic forms on Kähler Manifold (20160503)

pp.1:

- $\Delta_{\partial} = \Delta_{\bar{\partial}} = \frac{1}{2}\Delta_d$, for Kähler mnfd.

2.15 Lecture 17 Hermitian Vector Bundle (20160510)

pp.1,3:

- Hermitian Vector Bundle. pp.1
- Antilinear map. pp.3.
- Hermitian Inner Product on $\mathcal{A}^{p,q}(X, E)$. pp.4
- $\bar{*}_E$ Hodge Operator on Hermitian vector bundle. pp.5.
- $\bar{\partial}_E^*$

pp. 8:

- Kadaira-Serre Duality.

2.16 Lecture 18 Connection (20160516)

- ∇ : connection. pp.1.
- Trivial connections. pp.2
- $\mathcal{A}^1(M, \text{End}(E)) := \Gamma(M, \Lambda^1 M \otimes \text{End}(E))$. pp.3. Also, one may find how elements in this sheaf act on $\mathcal{A}^0(M)$ on pp.173, inside proof of proposition 4.2.3.
- $s \in \mathcal{A}^0(E)$ is Parallel/flat/constant $\Leftrightarrow \Delta(s) = 0$. pp.4.
- $\Delta = d + A$. pp.4.
- Δ be compatible with hermitian structure on E . pp.5.
- Δ be compatible with holomorphic vector bundle. pp.6.
- $A = \bar{H}^{-1} \partial H$. Chern connection. pp.6.

2.17 Lecture 19 Holomorphic Connection & Curvature(20160517)

- Holomorphic Connection. pp.1.
- $At(E)$: Atiyah class of E . pp.2.
- Δ^k . pp.4.
- F_Δ : curvature associated with Δ . pp.5.
- $F_\Delta = dA + A \wedge A$: Cartan structure equation. pp.6.
- First Chern class of complex line bundle.

2.18 Lecture 20 Divisors & (Holomorphic) Line Bundles (20160524)

- Analytic Subvariety. pp.1.
- Regular/Smooth Point. pp.1.
- Singular Point. pp.2.
- Irreducible analytic subvariety. pp.2.
- $\dim(Y)$: dimension of analytic subvariety. pp.2. Also pp.4.
- Affine algebraic varieties. pp.3.
- Projective algebraic varieties. pp.3.
- Hypersurface. pp.4.

- Divisor, $Div(X)$:=group of all divisors. pp.5.
- Effective divisor. pp.6.
- $Ord_Y(f)$: order of function. pp.6. Also pp.8.
- Meromorphic function on complex mnfd.
- (f) : divisor given by a global meromorphic function.
- Principal divisor. pp.8.

2.19 Lecture 21 Divisors & (Holomorphic) Line Bundles (20160530)

- $H^0(X, K_X^*/\mathcal{O}_X^*) \cong Div(X)$. pp.1.
- $Pic(X)$: Picard group, all holomorphic line bundles. pp.3.
- $Pic(X) \cong \check{H}^1(X, \mathcal{O}_X^*)$. pp.3.
- $\mathcal{O}(D)$: line bundle given by divisor D . pp.5.
- Linear equivalent of divisors.
- *: used only in this section to denoted the map:

$$(Div(X)/Pic(X)) \hookrightarrow Pic(X)$$

pp.6.

- $Z(s)$: divisor constructed from nonzero section $s \in H^0(X, L)$ for a line bundle L .

2.20 Lecture 22 Divisors & (Holomorphic) Line Bundles (20160606)

- Base point of a line bundle. pp.4.
- $Bs(L)$:= set of all base points of line bundle L . pp.4.
- $\mathcal{O}(1), \mathcal{O}(k)$. pp.6.

References

- [1] Complex Geometry