Complex Geometry - Index of Notations and ideas

Taper

July 11, 2016

Contents

Abstract

Obviously.

1 Book

1.1 1. Local Theory

1.1.1 1.1 Holomorphic Functions of Several Variables

Note: the content covered by this seciton is geared for accompanying my personal notes of lecture 1.

holomorphic: pp.1. pp4. Def 1.1.1. pp.10(Def.1.1.8).
Cauchy-Riemann equations: pp.2
$\frac{\partial}{\partial z}$,$\frac{\partial}{\partial \bar{z}}$: $\frac{\partial}{\partial z} := \frac{1}{2}(\frac{\partial}{\partial x} - i\frac{\partial}{\partial y})$, $\frac{\partial}{\partial \bar{z}} := \frac{1}{2}(\frac{\partial}{\partial x} + i\frac{\partial}{\partial y})$
Maximum principle: pp.3.
Identity theorem: pp.3.
Riemann extension theorem: pp.3. pp.9 (Prop. 1.1.7).
Riemann mapping theorem: pp.3.
Liouville theorem: pp.4.
Residue theorem: pp.4.
polydiscs $B_\epsilon(\omega)$: $\{z||z_i - \omega_i| < \epsilon\}$. pp.4.
Hartogs' theorem: Prop. 1.1.4. pp.6.
Weierstrass preparation theorem (WPT): Prop. 1.1.6. pp.8.
Weierstrass polynomial: Def. 1.1.5. pp.7.
$Z(f)$: zero set of f. pp.9.
biholomorphic: pp.10.
(complex) Jacobian, regular, regular value: Def. 1.1.9. pp.10.
IFT. Inverse function theorem: Prop 1.1.10 pp.11.
IFT. Implicit function theorem: Prop 1.1.11. pp.10.
$\mathcal{O}_{\mathbb{C}^n}$: sheaf of holomorphic functions on $\mathbb{C}^n$. Def. 1.1.14. pp.14.
$\mathcal{O}_{\mathbb{C}^n,z}$: Def. 1.1.14. pp.14.
$\mathcal{O}^*_{\mathbb{C}^n,0}$: units of $\mathcal{O}_{\mathbb{C}^n,0}$. pp.14.
UFD, unique factorization domain, irreducible: Def. 1.1.16. pp.14.
Gauss Lemma: pp.14.
Weierstrass division theorem: Prop. 1.1.17. pp.15.
1: 1: 1: 1: 1: 1: 1: 1:

1.2 2.Complex Manifolds

1.2.1 2.2 Holomorphic Vector Bundles

τ_X: holomorphic tangent bundle of a complex manifold X (Def 2.2.14 at pp. 71).

Ω_X, Ω_X^p: holomorphic cotangent bundle and holomorphic p-forms. (Def 2.2.14 at pp. 71)

K_X:=det$(\Omega_X) = \Omega_X^n$, the canonical bundle of X. (Def 2.2.14 at pp. 71)

1.2.2 2.6 Differential Calculus on Complex Manifolds

$\wedge_{\mathbb{C}}^k X$:=$\wedge^k (T_{\mathbb{C}} X)^*$. (Def 2.6.7 at pp. 105)

$\wedge^{p,q} X$:=$\wedge^p (T^{1,0} X)^* \bigotimes_{\mathbb{C}} \wedge^q (T^{0,1} X)^*$. (Def 2.6.7 at pp. 105)

$\mathcal{A}_{X,\mathbb{C}}^k, \mathcal{A}_X^{p,q}$: sheaves of section of the above correspond items. (Def 2.6.7 at pp. 105)

$\mathcal{A}^{p,q}(E)$: the sheaf of p, q-forms with values in E, a complex vector bundle. (Def 2.6.22 at pp.109). Note that in particular, $\mathcal{A}^0(E)$ is the sheaf of sections of E.

1.3 Appendix B: Sheaf Cohomology

- pre-sheaf: Def B.0.19, pp. 287.
- $\mathcal{C}'_{\mathcal{M}}$: the pre-sheaf of continuous functions on M. Example B.0.20, pp. 287.
- sheaf: Def B.0.21, at pp.288.
- $\underline{\mathbb{R}}, \underline{\mathbb{Z}}$: constant sheaves, Sometimes written simply as $\mathbb{R}$, $\mathbb{Z}$ respectively. pp. 288.
- $\mathcal{E}$: actually a $\mathcal{C}_M^0$-modules. Sometimes identified as E. pp.288.
- (pre)-sheaf homomorphism: Def B.0.23. pp.288.
- Ker(ϕ),Im(ϕ),Coker(ϕ): as pre-sheaves in pp.288. sheaves in pp.289, Def B.0.26.
- injective, surjective of sheaf-homomorphism:pp.289.
- complex, exact complex: Def B.0.27. pp.289
- text:
- text:
- text:
- text:
- text:
- text:
- text:
- text:
- text:

- text:
- text:
- text:
- text:
- text:
- text:
- text:
- text:

2 My lecture Notes

2.1 Lecture 2016 Lecture 1

The first few lectures are not well noted, hence I delegate the task of recording the theorems and notations to the book's correspoding section:section 1.1.1 on page 2.

2.2 Lecture 4 (20160307) Complex Manifold

Note: we use abbrevation *mnfd* for *manifold*.

pp. A:

- Holomorphic Atlas
- Holmorphic chart
- Complex mnfd

pp. B:

- Holomorphic function
- $\mathcal{O}_X$: sheaf of holomorhic functions on a complex mnfd X.

pp. C:

- Hartdogs' theorem: on complex mnfd.
- Holomorphic functions on complex mnfd:

pp. D:

- Complex Lie group
- Complex Projective Space, $\mathbb{CP}^n$, or just $\mathbb{P}^n$.

pp. E:

- Topology in $\mathbb{P}^n$
- Mnfd structure on $\mathbb{P}^n$, atlas, and the **canonical covering**

pp. F

- Grassmannian mnfd.

2.3 Lecture 5 Submanifolds (20160308)

pp. A:

- Affine Hypersurface (actually this is not quite different from the usual $\mathbb{C}^n$.)

  Part 2. **Sheaf Theory**
  pp. A:

- pre-sheaf
- $\mathcal{O}_X(U)$
- $\mathcal{O}_X^*(U)$

pp. B:

- C^∞
- $\underline{\mathbb{Z}}$, sometimes simply denoted as $\mathbb{Z}$: sheaf of localy constant $\mathbb{Z}$-valued functions.
- Sheaf

pp. D:

- sheaf-morphisms

pp. E:

- Section
- $\mathrm{Ker}(\phi)$ - sheaf of kernals.

pp. F:

- $\mathrm{Im}(\phi)$ is a presheaf, but not a sheaf.
- $\mathrm{Im}(\phi)$: the sheafification of $\mathrm{Im}(\phi)$ above. Note that we use the same notation to denote both.

2.4 Lecture 6 Sheaf & Cohomology (20160315)

pp. A:

- Stalk $\mathcal{F}_x$.
- germ
- Directed partial order set
- Directed System

pp. B:

- Directed limit

pp. C:

- Exact Complex/ Exact Sequence.
- Exponential sequence *(mentioned under the definition of exact sequence).*
-

pp. D:

- Čech cohomology

pp. E:

- q-cochain
- coboundary operator. δ.
- $Z^p(U, \mathcal{F}) =$ Ker.
- $B^p(U, \mathcal{F}) =$ Im.
- $\check{H}^p(U, \mathcal{F}) = \frac{Ker}{Im}$.

2.4.1 Notes of Čech Cohomology with Coeficients in a Sheaf

pp.1:

- q-simplex σ.
- support $|\sigma|$.
- q-cocain
- $C^q(U, \mathcal{F})$
- Coboundary Operator δ.

pp.2,3,4:

- Cochain Complex
- Čech cohomology
- cocycle
- cochain
- $\check{H}^p(U, \mathcal{F}), Z^p(U, \mathcal{F}), B^p(U, \mathbb{F})$.
- $\check{H}^0(\{u_i\}, \mathcal{F}) = \mathcal{F}(X)$.

2.5 Lecture 7 Vector Bundle (20160321)

pp.1,2:

- Vector Bundle
- Trivializing covering, $\{(U_i, \tau_i)\}$.
- trivializing maps, trivializes.
- VB-equivalent of trivializing maps.
- E: total space, X: base space.

pp. 3,5:

- transition maps.
- fibre.
- $\mathcal{O}(-1)$
- cocycle condition.
- $\mathcal{T}_X$, Holomorphic tangent bundle.

pp. 8:

- s: section of a holomorphic vector bundle.
- $\mathcal{E}$: sheaf of sections of holomorphic vector bundle. $\mathcal{E}(U)$.

2.6 Lecture 8 Almost Complex Structures (20160322)

pp. 1,2:

- I: Almost Complex Structure. $I^2 = -1$. Sometime J is used in place of I.
- $V_{\mathbb{C}} := V \otimes \mathbb{C}$.
- $I_{\mathbb{C}}$: I extending to $V_{\mathbb{C}}$. Usually abbreviated simply as I.
- $V^{1,0} := \ker(I + i)$.
- $V^{0,1} := \ker(I - i)$.

2.7 Lecture 9 Exterior Algebra on Complex Manifold (20160329)

pp.1,2:

- V^*: dual of V.
- $\{dx^i, dy^i\}$.
- J^*: J extending to dual space.
- $dz^i, d\bar{z}^i$.

pp. 3:

- $S^k(V)$, $\Lambda^k(V)$.
- s and a, symmetrization and anti-symmetrization of a tensor.
- $\Lambda^* V$.

pp. 4:

- $\Lambda^n T^*_{\mathcal{C}} X$.
- $\Lambda^* T^*_{\mathcal{C}} X$.
- $\Lambda^{p,q} T^*_{\mathcal{C}} X$.

pp. 5,6:

- $\mathcal{A}$: sheaf of section of cotangent bundle.
- $\mathcal{A}^n(U)$, $\mathcal{A}^{p,q}(U)$.
- Λ on $\mathcal{A}$.
- d: de Rham differential.
- $\partial, \bar{\partial}$.

2.8 Lecture 10 Debeault Cohomology (20160406)

pp. 1:

- $\mathcal{H}^{p,q}(X)$.
- f^*: pull-back. Various defintion from pp.1 to pp.4.

pp. 5,6,7:

- $\mathcal{A}^{p,q}(U, E) := \Gamma(U, \Lambda^{p,q} T^*_{\mathbb{C}} X \otimes E)$.
- $\bar{\partial}_E$
- $\mathcal{H}^{p,q}(X, E)$.
- $\bar{\partial}$-Poincaré lemma in one variable.

2.9 Lecture 11 (20160412)

pp.1,2,3:

- $\bar{\partial}$-Poincaré lemma in n-dimension
- Ω^p_X: holomorphic p-forms. On pp.2.
- $\check{H}^q(X,\Omega^p)$(Čech) $\cong \mathcal{H}^{p,q}_{\bar{\partial}}(X)$(Dolbeault). On pp.3.

pp. 6,7:

- Analytic Subvarity.
- Analytic Hybersurface.
- Cousin's Problem.

2.10 Lecture 12 Hermitan Structure on Manifold Manifold (20160418)

pp. 1,2,3:

- I compatible with $< -,- >$.
- ω: Fundamental form associated with $<,>$ and I. $\omega(v,w) :=< I(v), w >$.
- Conformal Equivalence.
- $<,>$: Hermitian Inner Product.

pp. 4:

- $(,)$: s.t. $(v,w) :=< v,w > -i\omega(v,w) =< v,w > -i < I(v), w >$

pp. 5:

- $<,>_{\mathbb{C}}$ be s.t.$< v\otimes\alpha, w\otimes\beta >:= \alpha\bar{\beta} < v,w >$.

pp. 6:

- $\frac{1}{2}(,) =<,>_{\mathbb{C}} |_{V^{1,0}}$

pp. 7,8:

- Local computations: z_i,h_{ij},
- $\omega = (...dx^i...dy^i)$
- ω, Fundamental form on Riemannian Mnfd.
- Kähler mnfd: $d\omega \equiv 0$.

2.11 Lecture 13 Kähler Manifold (20160419)

pp.1:

- Local computation: $\omega = (...dz^i...d\bar{z}^i)$

pp.4:

- Fubini-Study Metric on $\mathbb{CP}^n$.

2.12 Lecture 14 Hodge Theory (20160425)

pp.1:

- $<,>$ on $\Lambda^k V$
- vol: volumn element.
- $*$: Hodge Star Operator.

pp.4:

- L: Lefschetz Operator
- Λ: adjoint of L. $\Lambda = *^{-1} \circ L \circ *$.

pp.5 :

- $*, L, \Lambda$ on Kähler mnfd.
- $d^* := (-1)^{m*(k+1)+1} * \circ d \circ *$, adjoint of d. On a Kähler mnfd, $d^* = - * \circ d \circ *$
- $\Delta := d^* \circ d + d \circ d^*$.

pp. 6:

- $\bar{\partial}^*, \partial^*$: Similar to the above for d.
- $\Delta_\partial, \Delta_{\bar{\partial}}$: Similar to the above for d.

2.13 Lecture 15 Hodge Theory on Manifold (20160426)

pp.1:

- $(,)$ on $\mathcal{A}^*(X)$. $(\alpha, \beta) := \int_X g_{\mathbb{C}}(\alpha, \beta) vol$

pp.3:

- $\mathcal{H}^k(X, g)$: d-harmonic forms. Sometimes we replace $\mathcal{H}$ with $\mathscr{H}$ for harmonic forms, so is for symbols below.
- $\mathcal{H}^k_{\bar{\partial}}(X, g)$: $\bar{\partial}$-harmonic forms. (Be careful to distinguish this with Dolbeault Cohomology groups).

- $\mathcal{H}^k_\partial(X,g)$: ∂-harmonic forms.

pp. 5:

- $\mathcal{H}^k_d(X,g) \cong \mathcal{H}^{2n-k}_d(X,g)$, Poincaré duality
- $\mathcal{H}^{p,q}_{\bar\partial}(X,g) \cong \left(\mathcal{H}^{n-p,n-q}_{\bar\partial}(X,g)\right)^*$, both are harmonic forms, called Serre Duality.

pp. 6,7:

- $\mathcal{A}^{p,q} = \bar\partial\mathcal{A}^{p,q-1}(X) \oplus \bar\partial^*\mathcal{A}^{p,q+1}(X) \oplus \mathcal{H}^{p,q}_{\bar\partial}(X,g)$:
  Hodge decomposition
- $\mathcal{H}^{p,q}_{\bar\partial}$(harmonic forms) $\cong \mathcal{H}^{p,q}_{\bar\partial}(X)$(Dolbeault Cohomology group)
- $\mathcal{H}^{p,q}_d$(harmonic forms) $\cong \mathcal{H}^{p,q}_{dR}(X)$(de Rham Cohomology group)

pp. 8:

- A lot of isomorphisms between *de Rham*, *Dolbeault* and *harmonic forms*.

2.14 Lecture 16 Harmonic forms on Kähler Manifold (20160503)

pp.1:

- $\Delta_\partial = \Delta_{\bar\partial} = \frac{1}{2}\Delta_d$, for Kähler mnfd.

2.15 Lecture 17 Hermitian Vector Bundle (20160510)

pp.1,3:

- Hermitian Vector Bundle. pp.1
- Antilinear map. pp.3.
- Hermitian Inner Product on $\mathcal{A}^{p,q}(X,E)$. pp.4
- $\bar{*}_E$ Hodge Operator on Hermitian vector bundle. pp.5.
- $\bar\partial^*_E$

pp. 8:

- Kadaira-Serre Duality.

2.16 Lecture 18 Connection (20160516)

- $\bigtriangledown$: connection. pp.1.
- Trivial connections. pp.2
- $\mathcal{A}^1(M, End(E)) := \Gamma(M, \Lambda^1 M \otimes End(E))$. pp.3. Also, one may find how elements in this sheaf act on $\mathcal{A}^0(M)$ on pp.173, inside proof of proposition 4.2.3.
- $s \in \mathcal{A}^0(E)$ is Parrallel/flat/constant $\Leftrightarrow \Delta(s) = 0$. pp.4.
- $\Delta = d + A$. pp.4.
- Δ be compatible with hermitian structure on E. pp.5.
- Δ be compatible with holomorphic vector bundle. pp.6.
- $A = \bar{H}^{-1}\partial H$. Chern connection. pp.6.

2.17 Lecture 19 Holomorphic Connection & Curvature(20160517)

- Holomorphic Connecction. pp.1.
- $At(E)$: Atiyah class of E. pp.2.
- Δ^k. pp.4.
- F_Δ: curvature associated with Δ. pp.5.
- $F_\Delta = dA + A \wedge A$: Cartan structure equation. pp.6.
- First Chern class of complex line bundle.

2.18 Lecture 20 Divisors & (Holomorphic) Line Bundles (20160524)

- Analytic Subvariety. pp.1.
- Regular/Smooth Point. pp.1.
- Singular Point. pp.2.
- Irreducible analytic subvariety. pp.2.
- $dim(Y)$: dimension of analytic subvariety. pp.2. Also pp.4.
- Affine algebraic varieties. pp.3.
- Projective algebraic varieties. pp.3.
- Hypersurface. pp.4.

- Divisor, $Div(X)$:=group of all divisors. pp.5.
- Effective divisor. pp.6.
- $Ord_Y(f)$: order of function. pp.6. Also pp.8.
- Meromorphic function on complex mnfd.
- (f): divisor given by a global meromorphic function.
- Principal divisor. pp.8.

2.19 Lecture 21 Divisors & (Holomorphic) Line Bundles (20160530)

- $H^0(X, K_X^*/\mathcal{O}_X^*) \cong Div(X)$. pp.1.
- $Pic(X)$: Picard group, all holomorphic line bundles. pp.3.
- $Pic(X) \cong \check{H}^1(X, \mathcal{O}_X^*)$. pp.3.
- $\mathcal{O}(D)$: line bundle given by divisor D. pp.5.
- Linear equivalent of divisors.
- $*$: used only in this section to denoted the map:

  $$(Div(X)/Pic(X)) \hookrightarrow Pic(X)$$

  pp.6.
- $Z(s)$: divisor constructed from nonzero section $s \in H^0(X, L)$ for a line bundle L.

2.20 Lecture 22 Divisors & (Holomorphic) Line Bundles (20160606)

- Base point of a line bundle. pp.4.
- $Bs(L)$:= set of all base points of line bundle L. pp.4.
- $\mathcal{O}(1), \mathcal{O}(k)$. pp.6.

References

[1] Complex Geometry

3 License