The sidenotes package*

Andy Thomas andythomas(at)web.de

January 23, 2014

Abstract

This package allows the type setting of rich content in the margin. It includes text, but also figures, captions, tables and citations, which is common in science text books such as Feynman's *Lectures on Physics*.

Contents

L	Usage]
2	Technical note	2
3	Required packages	4
1	Implementation	:

1 Usage

\sidenote

The macro is very similar to the footnote macro and tries to emulate its behavior. It just puts the notes in the margin instead of the bottom of the page, therefore the name <code>sidenote</code>. It has the same parameters as footnote as well as an additional offset: \sidenote[number] [offset] {text}. All the sidenotes are subsequently numbered and float in the margin to avoid overlap. The first, optional parameter will manually change the numbering to the given value. The second offset parameter will fix the text at a certain position in the margin. In particular, there is a difference between not providing an offset (floating text) and an offset of 0 (fix text at actual position).

\sidenotemark

Sidenote tries to mimic the footnote behavior and, consequently, provides the same solutions. Sometimes, it is not possible to directly call a sidenote macro, e.g. inside of a figure caption. Then, you can use \sidenotemark[number] and \sidenotetext[number] [offset]{text} macros. \sidenotemark puts a mark

^{*}This document corresponds to sidenotes v0.95, dated 2014/01/23. Earlier versions by Oliver Schebaum.

\sidenotetext

at the current position. Afterwards, outside of the environment that causes the trouble, it is possible the call \sidenotetext[number] [offset] {text} to provide the text and typeset the sidenote. The optional parameters are similar to the sidenote macro. The first, optional parameter will change the numbering and the offset will change the position.

\sidecaption

The \sidecaption[entry] [offset] {text} macro can be used if the caption of a figure or table should be in the margin. The caption has to be adjacent to the figure, so a float is not an option here. Therefore, the caption might overlap with other marginals. Then, these marginals have to be adjusted with offset parameters. The formatting of the caption is done by the *caption* package by defining a *sidecaption* style. Please refer to the documentation of the caption package for information on styles. The macro can be starred, which is analog to the regular starred caption (no numbering, no tof entry): \sidecaption*[offset] {text}.

marginfigure

The marginfigure environment puts a figure and its caption in the margin. Instead of \begin{figure}[htbp] use \begin{marginfigure}[offset]. Again, using an offset value switches the behavior from float to fixed position. The marginfigure has its own caption style named marginfigure.

margintable

The margintable environment works similar to marginfigure, but with table environments. Use \begin{margintable}[offset] instead of \begin{table}[htbp], its caption style is named margintable.

figure*

The figure* environment is used to position figures across the full page, i.e. the text width plus the margin. The algorithm has to distinguish between recto and verso (left and right) pages and might need up to three LATEX runs to provide the desired result. The corresponding caption style is called *widefigure*. The sister environment for tables is table*. Use *widetable* to change its caption style.

table

2 Technical note

When writing the package, we tried to provide a *minimum* extension to standard LATEX for typesetting rich content in the margin. This means, that there are no sensible default values for most things such as page geometry, fonts and font sizes. However, the *caesar_book*-class accompanies this package as an example implementation as well as a template we use for our theses.

In addition, we tried to keep compatibility with packages the user might want to use later. However, the following packages are needed by *sidenotes* and might introduce side effects with other packages.

3 Required packages

marginnote supports an alternative to \marginpar and creates notes in the margin. The notes are not floats and can be shifted up or down. Technically, every time an offset is provided the package uses \marginnote and \marginpar otherwise.

caption allows to set figure and table captions in the margin and allows easier formatting of these captions. Please refer to the *caption* manual for details on styles.

xparse is used to take advantage of the improved LATEX3 syntax. All macros and environments are defined using this package.

changepage is used to correctly shift figure* and table*. It has to use the option [strict] to work properly. This might lead to an option clash, if the same package is loaded without this option.

4 Implementation

We need a counter similar to the footnote counter.

```
1 \newcounter{sidenote} % make a counter
```

2 \setcounter{sidenote}{0} % init the counter

The IATEX3 parts concerning the optional arguments should not distinguish between an empty bracket pair and no optional argument. This is required to keep macros with two leading optional arguments.

```
3 \ExplSyntaxOn
4 \DeclareExpandableDocumentCommand{\IfNoValueOrEmptyTF}{mmm}
5 {
6 \IfNoValueTF{#1}
7 {#2} % true
8 {\tl_if_empty:nTF {#1} {#2} {#3}} % false
9 }
10 \ExplSyntaxOff
```

The regular \ifnextchar gobbles trailing whitespaces, introduce a new one that does not.

```
11 \def\@sidenotes@ifnextchar#1#2#3{%
```

- 12 \let\@sidenotes@buffere #1\def\@sidenotes@buffera{#2}%
- 13 \def\@sidenotes@bufferb{#3}\futurelet\@sidenotes@bufferc\@sidenotes@ifnextchar@real}%
- 14 \def\@sidenotes@ifnextchar@real{%
- $15 \verb|\| ifx @ sidenotes @ buffere \| let @ sidenotes @ bufferd \| desidenotes @ bufferd \| let & let$
- 16 \else\let\@sidenotes@bufferd\@sidenotes@bufferb\fi\@sidenotes@bufferd}%

\sidenote Introduce the \sidenote macro with two optional arguments to set the number and the offset.

```
17 \NewDocumentCommand \sidenote { o o +m } {%
18 \sidenotemark[#1]%
19 \sidenotetext[#1][#2]{#3}%
20 \@sidenotes@ifnextchar\sidenote{\kern-0.07em\textsuperscript{,}}%
21 {\@sidenotes@ifnextchar\sidecite{\kern-0.07em\textsuperscript{,}}{}}%
22 }
```

```
\sidenotemark Sidenotemark is supposed to work similarly to footnotemark.
               23 \NewDocumentCommand \sidenotemark { o } {\%}
               24 \nobreak\hspace{0.1pt}\nobreak%
               25 \IfNoValueOrEmptyTF{#1}%
               26 {\refstepcounter{sidenote}%
               27 \textsuperscript{\thesidenote}%
               28 }% if no argument is given use sidenote counter%
               29 {\textsuperscript{#1}}% print out the argument otherwise
               30 \@sidenotes@ifnextchar\sidenote{\textsuperscript{,}}{}%
               31 \ignorespaces%
               32 }%
               Sidenotetext is supposed to work similarly to footnotetext. The additional, op-
\sidenotetext
               tional argument sets the offset.
               33 \NewDocumentCommand \sidenotetext { o o +m } {\%}
               34 \IfNoValueOrEmptyTF{#1}{% sitenotemark given?
               35 \IfNoValueOrEmptyTF{#2}% offset given?
               36 {\marginpar{\textsuperscript{\thesidenote}{} #3}}%
               37 {\marginnote{\textsuperscript{\thesidenote}{} #3}[#2]}}%
               38 {\IfNoValueOrEmptyTF{#2}% offset given?
               39 {\marginpar{\textsuperscript{#1} #3}}%
               40 {\marginnote{\textsuperscript{#1} #3}[#2]}}%
               41 }%
\sidecaption
               Sidecaption puts the caption in the margin. It never floats with the other text in
               the margin, since it has to be next to the figure. Sidecaption* works similarly to
               sidecaption, but without an entry.
               42 \DeclareCaptionStyle{sidecaption}{font=footnotesize}
               43 \NewDocumentCommand \sidecaption {s o o m} {%
               44 \captionsetup{style=sidecaption}%
               45 \IfBooleanTF{#1}%is the macro starred
               46 {\IfNoValueOrEmptyTF{#2}%
               47 {\marginnote{\caption*{#4}}}%
               48 {\marginnote{\caption*{#4}}[#2]}%
               49 }% yes, starred macro
               50 {%
               51 \IfNoValueOrEmptyTF{#2}%
               52 {\def\@sidenotes@sidecaption@tof{#4}}%
               53 {\def\@sidenotes@sidecaption@tof{#2}}%
               54 \IfNoValueOrEmptyTF{#3}%
               55 {\marginnote{\caption[\@sidenotes@sidecaption@tof]{#4}}}%
               56 {\marginnote{\caption[\@sidenotes@sidecaption@tof]{#4}}[#3]}%
               57 }% no, unstarred macro
               58 }
               The marginfigure environment is similar to the figure environment. But the figure
marginfigure
```

is put in the margin.

59 \newsavebox{\@sidenotes@sidefigurebox}

```
60 \DeclareCaptionStyle{marginfigure}{font=footnotesize}
                             61 \NewDocumentEnvironment{marginfigure}{o}
                             62 {\begin{lrbox}{\@sidenotes@sidefigurebox}%
                             63 \begin{minipage}{\marginparwidth}%
                             64 \verb|\captionsetup{type=figure,style=marginfigure}}| % \captionsetup{type=figure,style=marginfigure}| % \captionsetup{type=figure,sty
                             65 {\end{minipage}%
                             66 \end{lrbox}%
                             67 \IfNoValueOrEmptyTF{#1}% offset?
                             68 {\mbox{\cluster}}\ no offset
                             69 {\marginnote{\usebox{\@sidenotes@sidefigurebox}}[#1]}% offset
                             The margintable is similar to the table environment. But the table is put in the
margintable
                             margin.
                             71 \newsavebox{\@sidenotes@margintablebox}
                             72 \DeclareCaptionStyle{margintable}{font=footnotesize}
                             73 \NewDocumentEnvironment{margintable}{o}
                             74 {\begin{lrbox}{\@sidenotes@margintablebox}%
                             75 \begin{minipage}{\marginparwidth}%
                             76 \captionsetup{type=table,style=margintable}}\%
                             77 {\end{minipage}%
                             78 \left\{ 1rbox \right\}%
                             79 \IfNoValueOrEmptyTF{#1}% offset?
                             80 {\marginpar{\usebox{\@sidenotes@margintablebox}}} %
                             81 {\marginnote{\usebox{\@sidenotes@margintablebox}}[#1]}%
                             82 }%
                             The figure* environment provides a figure environment for figures that span across
                             the full page (text plus margin width).
                             83 \AtBeginDocument{%
                             84 \newlength{\@sidenotes@extrawidth}
                             85 \setlength{\@sidenotes@extrawidth}{\marginparwidth}
                             86 \addtolength{\@sidenotes@extrawidth}{\marginparsep}
                             87 }
                             88 \DeclareCaptionStyle{widefigure}{margin={Opt,-\@sidenotes@extrawidth},font=footnotesize}
                             89 \newcommand{\@sidenotes@adjust}{%
                                            \checkoddpage%
                             91
                                              \ifoddpage%
                             92 %
                             93
                                              \else%
                             94 \hspace{-\@sidenotes@extrawidth}%
                                              \fi}
                             96 \renewenvironment{figure*}[1][htbp]{\begin{figure}[#1]%
                             97
                                            \@sidenotes@adjust%
                                           \captionsetup{style=widefigure}%
                             99 }{\end{figure}}%
```

The table* environment provides a table environment for figures across text and

table*

margin width.

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

${f E}$	2, 83	${f S}$
environments:		\sidecaption $1, \underline{42}$
figure* \dots $2, 83$		\sidenote 1, <u>17</u>
marginfigure $2, \underline{59}$	${f M}$	\sidenotemark $1, 23$
margintable $2, \underline{71}$ table* $2, 100$	marginfigure (environ-	\sidenotetext $1, \underline{33}$
, <u></u>	ment) $2, \underline{59}$	${f T}$
${f F}$	margintable (environ-	table* (environment)
figure* (environment)	ment) $2, 71$	2, 100

Change History

v0.2	v0.7
General: Initial version 1	General: rewrite without optional
v0.3	offsets 1
marginfigure: define the sidefigure	v0.80
environment without the environ	\sidenote: unstar the newcom-
package 4	mand 3
v0.4	\sidenotetext: unstar the new-
margintable: define the sidetable	command. $\dots \dots \dots$
environment without the environ	v0.81
package $\dots 5$	\sidenote: added a comma be-
v0.51	tween subsequent sidenotes 3
General: Extent the documentation	v0.85
of the macros 1	table*: added the table* environ-
v0.52	ment 5
General: added a section that the	figure*: added the figure* environ-
package needs marginnote, cap-	ment 5
tion and xifthen 2	v0.90
v0.53	General: added a section that
\sidenote: bugfix, now optional	the package needs twoopt and
number and offset possible 3	changepage. $\dots 2$
v0.61	two opt package is required, the
General: documentation of sidetext 1	definitions are too confusing

otherwise	1 trailing whitespaces, introduce
marginfigure: the optional offset	a new one that does not 3
parameter is back, renamed en-	\sidenote: removed mandatory
vironment from sidefigure to	whitespace, new ifnextchar
marginfigure	takes care of that 3
margintable: the optional offset	\sidenotetext: add missing com-
parameter is back, renamed	ment marks 4
environment from sidetable to	v0.94
margintable	General: change sidenote counter
\sidenote: add optional offset for	hohowior 3
sidenote	start using xparse 2
for sidenotetext	<u> </u>
v0.91	
	margintable: use xparse syntax 5
General: deleted marginfullcite	\sidecaption: use xparse syntax . 4
sidenotetextstyle is not needed	\sidenote: use xparse syntax 3
any more	\sidenotemark: use xparse syntax,
panies sidecaption	change counter behavior 3
v0.92	\sidenotetext: use xparse syntax,
General: corrected typo in email ad-	change counter behavior 4
dress	1 v0.95
v0.93	General: cleaned up the documen-
General: regular ifnextchar gobbles	tation
0	