## **ANDY THOMAS**

## CAESAR

**BIELEFELD UNIVERSITY** 



## Contents

Quick start guide 5

## Quick start guide

This chapter is intended to quickly introduce the features of the caesar class. It basically comments the example file that comes with the class and explains how to use it. The class is written to be used with Lua-LATEX and Bib-LATEX and will not work otherwise.

The numbers at the beginning correspond to the line numbers in the example file. First, the class is loaded with

```
1 \documentclass[]{caesar_book}
```

The class is derived from the standard LATEX-book class and the square brackets allow the same parameters. The next task is to set the main language of the manuscript. Babel is used to set English (or any other language)

```
5 \usepackage[english]{babel}
```

For German, csquotes is needed as well. Next, is the configuration of the references. biblatex is used in this case, it allows a lot of options to configure the exact look of the bibliography as well as the references in the text.

```
8 \usepackage[backend=biber,
```

```
style=philosophy-classic]{biblatex}
```

biber is the natural companion of biblatex. Any style file can be used instead of philosophy-classic. Now, biblatex needs at east one resource file with the references.

```
10 \addbibresource{caesar library.bib}
```

In the example set, the name of the file is library.bib. Now, information about the book has to be added. The name of the author, the title and the publisher is automatically used to generate the title page.

- 14 \title{Caesar\\examples}
- 15 \author{Andy Thomas}
- 16 \newcommand{\publisher}{Bielefeld University}

The document can start now.

```
18 \begin{document}
```

The first pages of the book (the frontmatter) are not numbered, the numbering starts after the mainmatter macro, which is called

after the generation of the title page.

```
20 \frontmatter
22 \maketitlepage
```

24 \mainmatter

It is time for the first chapter. This in done in the usual way.

```
26 \chapter{Examples}
```

A sidenote – a footnote in the margin – can be placed with the annotation macro.

31 \annotation{All ... necessary.} The citations are also placed in the margin of the document. This is done with the reference macro. The parameters mimic Biblatex's three parameters for citations.

```
33 \reference{Please see:}{and more
    work by Tufte.}{Tufte1990,Tufte2006}
```

The sections are also started the common way.

```
34 \section{Figures}
```

There are 3 different macros to place figures in the document.

37 \smallfigure{rectangle}{A ... margin.}

smallfigure puts a figure in the margin. The first parameter is the filename which also serves as the label and the second parameter is the caption of the figure. A larger figure can be put in the text with normalfigure and a figure that spreads across the page width can be placed by using largefigure.

The same kind of macros are available for placing tables: smalltable, normaltable and largetable. The have 3 parameters each: reference, caption and the table code. normaltable and largetable also have the optional placing parameter, [htbp] is the default value.

Additionally, there is a fullwidth environment that allows to fill text across the full page as well. However, it does not necessary work across page breaks. 79 \begin{fullwidth}

```
80 Lorem ...
81 \end{fullwidth}
```

It might also overlap with the marginals, the sidenotes are not pushed up or down by fullwidth. The last macro allows a comment in the margin without a number. That can be achieved using

84 \comment{It is also possible ... in the text.} Finally, the bibliography is placed using the biblatex syntax.
89 \printbibliography[heading=bibintoc]