

amc2moodle

B. Nennig*

August 10, 2017

Abstract

amc2moodle, is conversion tool to recast multiple choice quiz written with the LaTeX format used by automultiplechoice 1.0.3 into the moodle XML quiz format.

It is based on LaTeXXML for a first step conversion of the LaTeX file into XML. Then a set of transformation is applied in python and with XSLT stylesheet to conform to moodle XML format. Most of LaTeX possibilities are supported (equations, tables, graphics, user defined commands). The question can then be imported in the moodle question bank using category tags.

The automultiplechoice LaTeX format is convenient and can be used for preparing test and avoiding moodle web gui for multiple choice questions.

For more information, installation, usage, dependancies and to see the limitations, please have a look on amc2moodle.pdf.

Contents

1	Install	2
2	Usage	2
2.1	Command line call	2
2.2	Code structure	3
2.3	What you can do	3
2.4	What you cannot do	4
3	Grading strategy	5
4	Categories	5
5	Feedback	5
6	Import in Moodle	6
7	Example	6
7.1	AMC example	7
8	To do list	8

*benoit.nennig@supmeca.fr

1 Install

Dependencies :

- install python [tested with 2.7] and lxml library (ubuntu using python package manager pip: `sudo pip install lxml`)
- install `PythonMagick` [tested with version 0.9.7-2] (ubuntu : `sudo apt-get install python-pythonmagick`). Useful to convert image files (*.eps, *.pdf, ...) into png.
- install `LaTeXML`¹ [tested with version 0.8.1] from package (ubuntu : `sudo apt-get install latexml`) or from source. If you choose to compile it, please check on : <http://dlmf.nist.gov/LaTeXML/get.html> that all the dependencies are installed. This program does the first step of the conversion into XML. Note that some version of `latexml` present an error in

```
/usr/share/perl5/LaTeXML/Common/Error.pm line 364.  
To fix it, change line 364 in Error.pm to [[:cntrl:]]  
see https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=839639
```

- install `xmindent` [optional]. This program can be used to indent well the XML file (ubuntu : `sudo apt-get install xmindent`). If not present just comment the call in the end of `amc2moodle.sh`.

Install :

- Create a link in `/usr/bin` or add to the execution `amc2moodle` root path the folder.
- Set the `src` folder in the `amc2moodle.sh` script or modify it to take into account an environment variable.

Note : The project `TeX2Quiz`, <https://github.com/hig3/tex2quiz>, is a similar project to translate multiple choice quiz into moodle XML, without connexion with AMC.

2 Usage

2.1 Command line call

Here is recall the `amc2moodle -h` output. Note that, “\”, stands for a line break.

```
Usage: \  
/usr/bin/amc2moodle.sh input_Tex_file [-i input_Tex_file \  
                                         -o output_file -c catname -k -h ]
```

This script converts a tex file of AMC questions into an xml file

¹<http://dlmf.nist.gov/LaTeXML>

suitable for moodle import. Only question and questionmult environnement are ready!

OPTIONS:

```
-h      Show this message
-k      Keep temp file (useful for debugging)
-i      Input Tex file
-o      output XML file [default input_file.xml]
-c      Use \element{label} as category tag as a
        subcategorie root_cat_name
```

2.2 Code structure

The command line calls a shell script `amc2moodle.sh`. This script then call

- `LateXML` with `automultiplechoice.sty.ltxml`. The package has been made using `note` element in `LateXML` and most of AMC environment or command names are pass through attribute (in french for the moment). User command can be added in the `.tex` file. This first step is used to get an XML file `tex2xml.xml`. Thanks to `LateXML`, most \LaTeX possibilities are supported in the conversion to moodle. Note that option passed to `automultiplechoice.sty` package are ignored.
- `grading.py` with `lxml` is used to add data like grade, image conversion and additional attributes to ease XSLT stylesheet transformation. For the moment, 3 layers of XSLT are use i) `transform_ns.xslt` to remove the namespace added by `LateXML`, ii) `transform2html.xslt` to recast the image element, convert into html text style, tables and extract raw tex equations (instead of mathml). The html are embedded into CDATA markup. Note that image elements will appear twice i) in `` elements present in the CDATA markup to html moodle rendering and ii) in `<file>` element in order to embedded the image file as text (base64). This elements are present at `<questiontext>` level or answer `<answer>` level. The last XSLT transform, performed by `transform.xslt` is used change the element name and conform to moodle XML format.

Note that i) moodle fill the missing element like feedback (see 5); ii) the global structure have been obtained by looking few questions created directly in moodle.

2.3 What you can do

- Convert `question` and `questionmult` environments.
- You don't need to remove questionnaires part `\exemplaire` or `\onecopy`. But if this part contains undefined commands, remove/comment it!
- Put in-line equations like x^2 or use equation environment (or $\$$ delimiters). For the moment `eqnarray` or the `amsmath` environments `multline`, `align` are not supported. The choice have been made to keep equation in tex and use mathjax filter of moodle for rendering. In my opinion, it is better for modifying question after importation.

- Include image, in all format supported by `PythonMagick`. `amc2moodle` will convert it in `.png` for moodle export. The image will be embedded as text (base64) in the output xml file. The folder is `'/'` in moodle. The image can be in an another folder than the tex file.
- Include Table, with the `tabular` environment. In the present form, `amc2moodle` put border around each cell.
- Use italic, typerwriter, bold, emphasize. . .
- Automatically add an answer like “there is no good answer” if there is no good answer.
- Use user’s command defined in the `LATEX` file.
- `\usepackage[utf8]{inputenc}` for accents
- Use packages that are supported by `LATEX`. See the list at <http://dmlf.nist.gov/LaTeXML/manual/included.bindings/>. Instead you need to add a binding to `LATEX`.

2.4 What you cannot do

- Use underscore in question name field !
- Use verbatim. This environment is not supported by `automultiplechoice` 1.0.3. Use `alltt` package instead.
- Use font size (easy to add)
- Use `amsmath` environments like `align`, `aligned`. . . Because `tex` attribute of `<equation>`, provided by `LATEX` output, doesn’t contains really the raw tex equation.
- Change border of table
- Use command like `\raggedright`, text align is not fully supported. this add align information into the `class` attribute of `<note>` and the string matching break down. Note that `\raggedright` is bypassed.
- Use `multicol`, it use is bypass `automultiplechoice.sty.ltxml` for choices layout. But it should be possible to use it elsewhere (create newcommand).
- Translate equation into `mathml`, but it can be easily changed
- Use AMC numeric question
- Only the main commands of the package `automultiplechoice.sty` are supported in french. The english keywords support is on-going. The list of supported keywords can be seen in `/src/automultiplechoice.sty.ltxml`
- You cannot remove the add of "None of these answers are correct" choice at the end of each multiple question.

3 Grading strategy

In moodle 3, the grading strategy is different from AMC especially for question with multiple answers. In this case, AMC affects a grade for each checked good answer and each non-checked wrong answer. The total grade of the question depend on the number of choice.

In Moodle and here, only checked item leads to a grade, positive or negative. The grading is compute in the `grading.py` script. The default grading parameter are set in `grading.py` script to

```
# Multiple :: e :incoh rence, b: bonne, m: mauvaise, p: plan  
amc_bs = {'e':-1,'b':1,'m':-0.5}
amc_bm = {'e':-1,'b':1,'m':-0.5, 'p':-1}
# default question grade in moodle
moo_defaultgrade = 1.
```

This value can be changed (as in AMC) with the tex command

```
\baremeDefaultS{e=-0.5,b=1,m=-0.5} % never put b<1,
\baremeDefaultM{e=-0.5,b=1,m=-0.25,p=-0.5} % never put b<1,
```

or at the question level with the tex command `bareme`. The gade g_i in % is then computed as $g_i = 100 \cdot c_i / N_i$ where i stand for the good or the wrong answer. Here, N_i is the total number of the good or the wrong answer and c_i the coefficient (`m`, `b`...). It important to set `b=1` to get 100% if all the good answers are found. The `e` parameter is not used here, because it is not possible to tick 2 answers in moodle for one-answer-question. The only case where incoherent can be used is if the “*there isn't any correct answer*” answer is ticked with another question but it is not implemented.

Another difference is that moodle 3 use tabulated grade like : 1/2, 1/3, 1/4, 1/5, 1/6, 1/7, 1/8, 1/9, 1/10 and their multiple. If your grade are not conform to that you must use : 'Nearest grade if not listed' in import option in the moodle question bank. But check at least that the sum of good answer give 100% !

4 Categories

By default, the imported questions are all created in `course/filein`. When the flag `-c` is used, the AMC command `element` is used to create subcategories and the argument following `-c` `catname` is used instead of `filein`. Each question is then placed in `course/catname/elementName`. This part is set in `grading.py`.

5 Feedback

Feedback are present, in a certain way, in `automultiplechoice` with the `\explain` command. This part is not yet implemented in `amc2moodle`. However it could be easy to add it at the response or question level as other fields and bypass them for real `automultiplechoice` test.

6 Import in Moodle

7 Example

A complete example to illustrate the possibilities of `amc2moodle`, is given in `/test/QCM.tex`, an extract is given below to illustrate the syntax

```
\element{cat1}{ % use category and sub-category to classify questions
\begin{questionmult}{QLabel}
\bareme{e=-0.5,b=1,m=-1.,p=-0.5} % never put b<1,
Quel fruit possède un noyau ?
\begin{reponses}
\mauvaise{La pomme}
\mauvaise{La tomate}
\mauvaise{le Kiwi}
\end{reponses}
\end{questionmult}
}
```



+1/1/60+


Test

Nom et prénom :
.....

Certaines questions peuvent sembler étranges, c'est le but !



QCM USING AMC LATEX FORMAT

Question 1 On souhaite faire passer *exactement*, par N points donnés, un polynôme de degré **strictement** égal à $N - 1$. Pour trouver les coefficients on doit résoudre un *problème*




7

☐ de Thelonius Sphere Monk



- ☐ d'interpolation
☐ de moindre carré

Pour votre examen, imprimez de préférence les documents compilés à l'aide de auto-multiple-choice.



12	2	2^3
Deux		4

- $$\int_0^2 x \mathrm{d}x$$

- $$\det \begin{pmatrix} 1 & 2 \\ -1 & 10 \end{pmatrix} = \begin{vmatrix} 1 & 2 \\ -1 & 10 \end{vmatrix} \quad (1)$$

- ```
int s=-2;
for (int i=0;i<4; i++){
s=i*s;
}
```

- ☐ Sainte-Menehould  
☐ Avignon  
☐ Poitiers  
☐ Aucune de ces réponses n'est correcte.

☐ René Coty      ☐ Marcel Proust      ☐ Alain Prost      ☐ with an image 

☐ La tomate      ☐ La pomme      ☐ le Kiwi  
☐ Aucune de ces réponses n'est correcte.



## 8 To do list

All the points listed in sec. 2.4 can be push on this list, among them

- Add mathml support
- Add other equation environnement in raw tex
- All multi-langage support of `automultiplechoice.sty` and really implement all the `automultiplechoice.sty` command!
- Add AMC numeric question support
- Add a support for listing or verbatim environment. For the moment, `alltt` seems to be supported.
- Add a support for feedback with `\explain` command