Product upload file

The product upload file creates your products (SKUs) in Capacity and updates some of their details. Send it before the first order or receiving order that uses a new SKU. Each line describes one SKU.

Direction	You to Capacity
Folder	`IN/NewSkus` in your folder on `ftp01.capacityllc.com`
When	Every 30 minutes from 06:45 to 20:45 US Eastern, Monday to Saturday
What it does	Creates each SKU that does not exist yet, and updates the details a file can change for each SKU that does

The flat file rules apply: tab-delimited, a header row first, columns read by position. Send all 30 columns on every line, and no more.

SKU rules

- Each SKU must be unique within your account. A SKU may appear only once in a file.
- Do not use spaces in a SKU. Capacity stores SKUs in upper case, so `sku-example-1` and `SKU-EXAMPLE-1` are the same SKU.
- A SKU is locked once it is created. A line with a different SKU creates a new product; it never renames an existing one.
- If the product has no UPC, repeat the SKU in the `UPC` column.

Units and values

- Weights are in pounds and dimensions in inches, for a full case.
- `CaseCube` is the case volume in cubic feet: length × width × height in inches, divided by 1728. A 12 × 10 × 8 inch case is 0.5556 cubic feet.
- Flag columns (`TrackSerialNo`, `IsHazmat`, `TrackLotNumber`, `TrackExpiryDate`) take `1` for yes and `0` for no.

- `CountryOfOrigin` is the full country name, for example `United States`.
- Prices and other decimals use a dot and no currency symbol or thousands separator.

Changing an existing SKU

When a line names a SKU that already exists, the file updates these columns only: `UPC`, `Brand`, `Category`, `RetailPrice`, `TrackSerialNo`, `CountryOfOrigin`, `HarmonizationCode`, `StyleNumber`, `ColorCode`, `SizeCode`, `NMFC`, `CommodityDesc`, `Class` and the three availability columns.

The other columns are set when the SKU is created, and a later file does not change them:

- `Name`
- `UOM`, `CaseQuantity` and `NoOfInnerPacks`
- `CaseWeight`, `CaseLength`, `CaseWidth`, `CaseHeight` and `CaseCube`
- `IsHazmat`, `TrackLotNumber`, `TrackExpiryDate` and `ShelfLifeInDays`

To change any of these for an existing SKU, contact Capacity at itedi@capacityllc.com.

Rejected files and lines

Capacity rejects the whole file when a whole-number column holds a decimal or text, a price holds a currency symbol, a UPC contains a dot, or a SKU appears twice. A line with an unknown `UOM`, or a `SKU` or `Category` longer than its maximum length, is rejected on its own.

A rejected file is moved to the `BAD` folder and reviewed by Capacity. Fix the file and send it again under a new name.

Layout

File name	`Any unique name ending in .txt, for example ZZ-products-20261110153000.txt`
Delimiter	Tab

Header row	Yes, first line, with the column names below in this order
Columns	30
Quoting	Not supported. Values must not contain tabs, line breaks or double quotes.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
1	`SKU`	Char	32	Yes	Your product code. Unique within your account, no spaces. Stored in upper case. The SKU identifies the product and cannot be changed once created: a different SKU creates a new product.
2	`UPC`	Char	32	No	Barcode (UPC, EAN or GTIN) on the unit. If the product has none, repeat the SKU; a blank value is stored as the SKU. Must not contain a dot.
3	`Brand`	Char	255	No	Brand name. When blank, your company name is used.
4	`Name`	Char	255	Yes	Product description, shown on pick lists and packing slips. Tabs and line breaks are removed.
5	`Category`	Char	50	No	Your product category. A new category is created the first time you use it. When blank, your company name is used.
6	`UOM`	Char	4	Yes	Unit of measure in which the SKU is stored and shipped. Upper or lower case is accepted. • `EACH` Single unit • `CASE` Case
7	`RetailPrice`	Decimal `Decimal(9,2)`	12	No	Retail price per unit in US dollars, two decimal places. No currency symbol or thousands separator. Leave blank or send 0 if unknown.
8	`CaseQuantity`	Integer	10	No	Units in a full case. Send 1 if the case quantity varies. Blank or 0 is stored as 1.
9	`NoOfInnerPacks`	Integer	5	No	Inner packs in a case. Usually 1. Blank or 0 is stored as 1.
10	`CaseWeight`	Decimal `Decimal(9,4)`	14	No	Weight of a full case, in pounds.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
11	`CaseLength`	Decimal `Decimal(9,2)`	12	No	Length of a full case, in inches.
12	`CaseWidth`	Decimal `Decimal(9,2)`	12	No	Width of a full case, in inches.
13	`CaseHeight`	Decimal `Decimal(9,2)`	12	No	Height of a full case, in inches.
14	`CaseCube`	Decimal `Decimal(9,4)`	14	No	Volume of a full case, in cubic feet: CaseLength × CaseWidth × CaseHeight / 1728. Send a value that agrees with the dimensions.
15	`TrackSerialNo`	Integer `0/1`	1	No	Whether Capacity records a serial number for every unit shipped. • `1` Yes • `0` No
16	`IsHazmat`	Integer `0/1`	1	No	Whether the product is a hazardous material. • `1` Yes • `0` No
17	`CountryOfOrigin`	Char	100	No	Country where the product was made, as the full country name (for example United States). The two-letter ISO country code is also accepted.
18	`HarmonizationCode`	Char	20	No	Harmonized System (HS or HTS) tariff code, for international shipments. Placeholder codes made only of 9s are not accepted.
19	`StyleNumber`	Char	50	No	Your style number.
20	`ColorCode`	Char	50	No	Your color code or name.
21	`SizeCode`	Char	50	No	Your size code.
22	`NMFC`	Char	50	No	National Motor Freight Classification item number, for bills of lading. Send NMFC, CommodityDesc and Class together, or leave all three blank.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
23	`CommodityDesc`	Char	255	No	Commodity description printed on bills of lading. Used together with NMFC and Class.
24	`Class`	Char	50	No	Freight class for less-than-truckload shipments, for example 55. Used together with NMFC and CommodityDesc.
25	`AvailabilityCode`	Char	50	No	Your availability code, for example PO (pre-order) or AC (active). Stored as sent.
26	`AvailabilityStartDate`	Date `MM/DD/YYYY`	50	No	Date the product becomes available, MM/DD/YYYY. Stored as sent.
27	`AvailabilityEndDate`	Date `MM/DD/YYYY`	50	No	Date the product stops being available, MM/DD/YYYY. Stored as sent.
28	`TrackLotNumber`	Integer `0/1`	1	No	Whether Capacity records the lot number of every unit received and shipped. • `1` Yes • `0` No
29	`TrackExpiryDate`	Integer `0/1`	1	No	Whether the expiry date is set from the shelf life. With 1, the expiry date of stock received is the receipt date plus ShelfLifeInDays. With 0 or blank, the expiry date is recorded at receiving. • `1` Yes • `0` No
30	`ShelfLifeInDays`	Integer	5	No	Shelf life in days. Blank or 0 means the product has no shelf life.

ProductUpload-3.0-sample.txt

```
SKU→UPC→Brand→Name→Category→UOM→RetailPrice→CaseQuantity→NoOfInnerPacks→CaseWeight→CaseLength→CaseWidth→CaseHeight→CaseCube→TrackSerialNo→IsHazmat→CountryOfOrigin→HarmonizationCode→StyleNumber→ColorCode→SizeCode→NMFC→CommodityDesc→Class→AvailabilityCode→AvailabilityStartDate→AvailabilityEndDate→TrackLotNumber→TrackExpiryDate→ShelfLifeInDays
SKU-EXAMPLE-1→012345678905→Example Brand→Example Face Cream 50 ml→Skincare→EACH→20.00→24→1→9.5000→12.00→10.00→8.00→0.5556→0→0→United States→3304.99.5000→ST-100→→50ML→→→→AC→11/10/2026→→1→1→730
```

```
SKU-EXAMPLE-2→012345678912→Example Brand→Example Lip Balm→Skincare→EACH→8.50→48→4→3.2500→10.00→8.00→6.00→0.27
78→0→0→Canada→3304.10.0000→ST-200→RED→→→→→AC→11/10/2026→→1→0→0
SKU-EXAMPLE-3→SKU-EXAMPLE-3→Example Brand→Example Gift Set→Gift sets→CASE→45.00→6→1→12.0000→16.00→12.00→9.00→
1.0000→0→0→France→→→→→156600→Cosmetics, NOI→55→PO→12/01/2026→01/31/2027→0→0→0
```