Ship confirmation file

The ship confirmation file tells you what shipped, how and when. Capacity writes one line per order line, with the order details repeated on every line.

Direction	Capacity to you
Folder	`OUT/ShipConfirm` in your folder on `ftp01.capacityllc.com`
When	Every 4 hours from 02:00 to 22:00 US Eastern, with each order confirmed once. Some clients instead receive one file per day shortly after midnight US Eastern, as agreed at onboarding. No file is written when nothing shipped.
Which orders	Orders that reached Shipping status since the previous file. Orders placed through the Partner API are confirmed through the API instead.

How to read it

- Match each line to your order with `PickTicketID`, and to your order line with `CapacityProductID` or `ItemProductID`.
- An order that ships in several cartons has one tracking number per carton in `ShipTracking`, separated by commas.
- Pick up each file, then delete it or move it out of the folder. Capacity keeps a copy.

Versions

Version 5.0 adds lot numbers and expiry dates to version 3.0. Version 4.0 adds return label details to version 3.0. Capacity confirms your version during onboarding.

Layout

File name	`ShipConfirm-<yyyyMMddHHmmss>.txt (optionally prefixed with your owner code, for example ZZ-ShipConfirm-20261110060012.txt)`
Delimiter	Tab
Header row	Yes, first line, with the column names below in this order
Columns	38
Quoting	Text columns are always wrapped in double quotes; numbers and dates are not.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
1	`PickTicketID`	Char	50	Yes	Your PickTicketID from the order file, or the pick ticket number from your EDI 940.
2	`MasterOrderID`	Char	50	No	Your MasterOrderID from the order file, if you sent one.
3	`OrderStatus`	Char	2	Yes	Capacity order status code when the file was written, for example SH (Shipping).
4	`OrderStatusDescription`	Char	50	Yes	Name of the order status, for example Shipping.
5	`OrderType`	Char	50	No	Your order type name for this order.
6	`OrderSource`	Char	20	Yes	How the order reached Capacity. Orders placed through the Partner API are confirmed through the API, not in this file. • `WEB` Order file • `EDI` Retailer EDI purchase order • `X12` Your EDI 940
7	`CapacityImportID`	Integer	10	Yes	Capacity's import number for the order. For reference only.
8	`CapacityPickTicketID`	Char	20	Yes	Capacity's order number, as shown in the Capacity Client Center.
9	`PONumber`	Char	50	Yes	Customer purchase order number. When you sent no PO number, this repeats PickTicketID.
10	`RetailerCode`	Char	3	No	Retailer code for the order.
11	`StoreNumber`	Char	50	No	Customer store number, if any.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
12	`ShipToLocation`	Char	50	No	Store or distribution center the order shipped to, if any.
13	`ClientCode`	Char	2	Yes	Your two-character owner code.
14	`DropshipID`	Integer	5	No	Reserved. Always empty.
15	`ShipDate`	Date `MM/DD/YYYY`	10	Yes	Date the order shipped (US Eastern). Not quoted.
16	`ItemLineNumber`	Integer	10	Yes	Capacity's line number for this order line.
17	`CapacityProductID`	Char	50	Yes	The Capacity SKU that shipped.
18	`CapacityOrderQuantity`	Integer	10	Yes	Quantity ordered on the line, in units.
19	`ItemShipQuantity`	Integer	10	Yes	Quantity picked for the line, in units.
20	`CapacityShippedQuantity`	Integer	10	Yes	Quantity shipped on the line, in units.
21	`CapacityUOM`	Char	10	Yes	Unit of measure of the line. Compare it case-insensitively. • `Each` Each (single unit) • `EACH` Each, after a case was converted to units • `CASE` Case
22	`CapacityCasePack`	Integer	10	Yes	Units per case for the SKU.
23	`ItemProductID`	Char	50	No	The item code you sent on the order (ItemProductID in the order file).
24	`ItemSerialNumber`	Char	2000	No	Serial numbers shipped, separated by commas. Only for SKUs set up to capture serial numbers.
25	`ShipMethod`	Char	100	Yes	Name of the carrier service used, for example FedEx Ground.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
26	`ShipCarrier`	Char	50	Yes	Standard Carrier Alpha Code (SCAC) of the carrier, for example FEDX or UPSN.
27	`ShipTracking`	Char	2000	No	Tracking numbers separated by commas. For less-than-truckload or truckload shipments, the bill of lading number.
28	`ShipWeight`	Decimal `Decimal(9,2)`	12	Yes	Total weight of the cartons, in pounds. Written as 0 when no weight was recorded.
29	`ShipCartons`	Integer	10	Yes	Number of cartons shipped.
30	`ShipCost`	Decimal `Decimal(9,2)`	12	Yes	Carrier cost for the shipment. Excludes adjustments and the administration fee.
31	`InvoiceNumber`	Integer	10	No	Capacity invoice number, when invoiced. Not quoted.
32	`ProductSubtotalAmount`	Decimal `Decimal(9,2)`	12	Yes	Subtotal of the products shipped, from the prices you sent.
33	`TotalDiscountAmount`	Decimal `Decimal(9,2)`	12	Yes	Order and line discounts.
34	`TotalChargeAmount`	Decimal `Decimal(9,2)`	12	Yes	Shipping and handling charges you billed your customer.
35	`TotalTaxAmount`	Decimal `Decimal(9,2)`	12	Yes	Sales tax, including tax on shipping.
36	`TotalInvoiceAmount`	Decimal `Decimal(9,2)`	12	Yes	Order total.
37	`LotNo`	Char	2000	No	Lot numbers shipped on the line, separated by commas. Empty for SKUs without lot tracking.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
38	`ExpiryDate`	Char	2000	No	Expiry dates shipped on the line, MM/DD/YYYY, separated by commas, in the same order as LotNo: the first expiry date belongs to the first lot. Empty for SKUs without expiry tracking.

ShipConfirm-5.0-sample.txt

```
PickTicketID→MasterOrderID→OrderStatus→OrderStatusDescription→OrderType→OrderSource→CapacityImportID→Capacity
PickTicketID→PONumber→RetailerCode→StoreNumber→ShipToLocation→ClientCode→DropshipID→ShipDate→ItemLineNumber→C
apacityProductID→CapacityOrderQuantity→ItemShipQuantity→CapacityShippedQuantity→CapacityUOM→CapacityCasePack→
ItemProductID→ItemSerialNumber→ShipMethod→ShipCarrier→ShipTracking→ShipWeight→ShipCartons→ShipCost→InvoiceNum
ber→ProductSubtotalAmount→TotalDiscountAmount→TotalChargeAmount→TotalTaxAmount→TotalInvoiceAmount→LotNo→Expir
yDate
"PT-0001001"→""→"SH"→"Shipping"→"Regular"→"WEB"→50954757→"36391313"→"PO-0001001"→"WEB"→""→""→"ZZ"→→11/11/2026
→1→"SKU-EXAMPLE-1"→2→2→2→"Each"→24→"SKU-EXAMPLE-1"→""→"FedEx Ground"→"FEDX"→"999999999901"→3.25→1→9.87→→40.00
→0.00→5.95→2.80→48.75→"LOT-A1"→"06/30/2028"
"PT-0001001"→""→"SH"→"Shipping"→"Regular"→"WEB"→50954757→"36391313"→"PO-0001001"→"WEB"→""→""→"ZZ"→→11/11/2026
→2→"SKU-EXAMPLE-2"→1→1→1→"Each"→12→"SKU-EXAMPLE-2"→""→"FedEx Ground"→"FEDX"→"999999999901"→3.25→1→9.87→→40.00
→0.00→5.95→2.80→48.75→""→""
```

EXISTING CLIENTS ONLY

This version is kept for clients that already use it. New clients use version 5.0.

File name	`ShipConfirm-<yyyyMMddHHmmss>.txt (optionally prefixed with your owner code, for example ZZ-ShipConfirm-20261110060012.txt)`
Delimiter	Tab
Header row	Yes, first line, with the column names below in this order
Columns	39
Quoting	Text columns are always wrapped in double quotes; numbers and dates are not.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
1	`PickTicketID`	Char	50	Yes	Your PickTicketID from the order file, or the pick ticket number from your EDI 940.
2	`MasterOrderID`	Char	50	No	Your MasterOrderID from the order file, if you sent one.
3	`OrderStatus`	Char	2	Yes	Capacity order status code when the file was written, for example SH (Shipping).
4	`OrderStatusDescription`	Char	50	Yes	Name of the order status, for example Shipping.
5	`OrderType`	Char	50	No	Your order type name for this order.
6	`OrderSource`	Char	20	Yes	How the order reached Capacity. Orders placed through the Partner API are confirmed through the API, not in this file. • `WEB` Order file • `EDI` Retailer EDI purchase order • `X12` Your EDI 940
7	`CapacityImportID`	Integer	10	Yes	Capacity's import number for the order. For reference only.
8	`CapacityPickTicketID`	Char	20	Yes	Capacity's order number, as shown in the Capacity Client Center.
9	`PONumber`	Char	50	Yes	Customer purchase order number. When you sent no PO number, this repeats PickTicketID.
10	`RetailerCode`	Char	3	No	Retailer code for the order.
11	`StoreNumber`	Char	50	No	Customer store number, if any.
12	`ShipToLocation`	Char	50	No	Store or distribution center the order shipped to, if any.
13	`ClientCode`	Char	2	Yes	Your two-character owner code.
14	`DropshipID`	Integer	5	No	Reserved. Always empty.
15	`ShipDate`	Date `MM/DD/YYYY`	10	Yes	Date the order shipped (US Eastern). Not quoted.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
16	`ItemLineNumber`	Integer	10	Yes	Capacity's line number for this order line.
17	`CapacityProductID`	Char	50	Yes	The Capacity SKU that shipped.
18	`CapacityOrderQuantity`	Integer	10	Yes	Quantity ordered on the line, in units.
19	`ItemShipQuantity`	Integer	10	Yes	Quantity picked for the line, in units.
20	`CapacityShippedQuantity`	Integer	10	Yes	Quantity shipped on the line, in units.
21	`CapacityUOM`	Char	10	Yes	Unit of measure of the line. Compare it case-insensitively. • `Each` Each (single unit) • `EACH` Each, after a case was converted to units • `CASE` Case
22	`CapacityCasePack`	Integer	10	Yes	Units per case for the SKU.
23	`ItemProductID`	Char	50	No	The item code you sent on the order (ItemProductID in the order file).
24	`ItemSerialNumber`	Char	2000	No	Serial numbers shipped, separated by commas. Only for SKUs set up to capture serial numbers.
25	`ShipMethod`	Char	100	Yes	Name of the carrier service used, for example FedEx Ground.
26	`ShipCarrier`	Char	50	Yes	Standard Carrier Alpha Code (SCAC) of the carrier, for example FEDX or UPSN.
27	`ShipTracking`	Char	2000	No	Tracking numbers separated by commas. For less-than-truckload or truckload shipments, the bill of lading number.
28	`ShipWeight`	Decimal `Decimal(9, 2)`	12	Yes	Total weight of the cartons, in pounds. Written as 0 when no weight was recorded.
29	`ShipCartons`	Integer	10	Yes	Number of cartons shipped.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
30	`ShipCost`	Decimal `Decimal(9, 2)`	12	Yes	Carrier cost for the shipment. Excludes adjustments and the administration fee.
31	`InvoiceNumber`	Integer	10	No	Capacity invoice number, when invoiced. Not quoted.
32	`ProductSubtotalAmount`	Decimal `Decimal(9, 2)`	12	Yes	Subtotal of the products shipped, from the prices you sent.
33	`TotalDiscountAmount`	Decimal `Decimal(9, 2)`	12	Yes	Order and line discounts.
34	`TotalChargeAmount`	Decimal `Decimal(9, 2)`	12	Yes	Shipping and handling charges you billed your customer.
35	`TotalTaxAmount`	Decimal `Decimal(9, 2)`	12	Yes	Sales tax, including tax on shipping.
36	`TotalInvoiceAmount`	Decimal `Decimal(9, 2)`	12	Yes	Order total.
37	`ReturnMethod`	Char	100	No	Name of the carrier service of the prepaid return label, when the order shipped with one. Empty otherwise.
38	`ReturnCarrier`	Char	50	No	Standard Carrier Alpha Code (SCAC) of the return label carrier, for example FEDX or UPSN. Empty when there is no return label.
39	`ReturnTracking`	Char	2000	No	Tracking numbers of the return labels, separated by commas. Empty when there is no return label.

ShipConfirm-4.0-sample.txt

```
PickTicketID→MasterOrderID→OrderStatus→OrderStatusDescription→OrderType→OrderSource→CapacityImportID→Capacity
PickTicketID→PONumber→RetailerCode→StoreNumber→ShipToLocation→ClientCode→DropshipID→ShipDate→ItemLineNumber→C
apacityProductID→CapacityOrderQuantity→ItemShipQuantity→CapacityShippedQuantity→CapacityUOM→CapacityCasePack→
ItemProductID→ItemSerialNumber→ShipMethod→ShipCarrier→ShipTracking→ShipWeight→ShipCartons→ShipCost→InvoiceNum
ber→ProductSubtotalAmount→TotalDiscountAmount→TotalChargeAmount→TotalTaxAmount→TotalInvoiceAmount→ReturnMetho
d→ReturnCarrier→ReturnTracking
"PT-0001001"→""→"SH"→"Shipping"→"Regular"→"WEB"→50954757→"36391313"→"PO-0001001"→"WEB"→""→""→"ZZ"→→11/11/2026
→1→"SKU-EXAMPLE-1"→2→2→2→"Each"→24→"SKU-EXAMPLE-1"→""→"FedEx Ground"→"FEDX"→"999999999901"→3.25→1→9.87→→40.00
→0.00→5.95→2.80→48.75→"UPS Ground"→"UPSN"→"1Z9999999999999901"
"PT-0001001"→""→"SH"→"Shipping"→"Regular"→"WEB"→50954757→"36391313"→"PO-0001001"→"WEB"→""→""→"ZZ"→→11/11/2026
→2→"SKU-EXAMPLE-2"→1→1→1→"Each"→12→"SKU-EXAMPLE-2"→""→"FedEx Ground"→"FEDX"→"999999999901"→3.25→1→9.87→→40.00
→0.00→5.95→2.80→48.75→""→""→""
```

EXISTING CLIENTS ONLY

This version is kept for clients that already use it. New clients use version 5.0.

File name	`ShipConfirm-<yyyyMMddHHmmss>.txt (optionally prefixed with your owner code, for example ZZ-ShipConfirm-20261110060012.txt)`
Delimiter	Tab
Header row	Yes, first line, with the column names below in this order
Columns	36
Quoting	Text columns are always wrapped in double quotes; numbers and dates are not.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
1	`PickTicketID`	Char	50	Yes	Your PickTicketID from the order file, or the pick ticket number from your EDI 940.
2	`MasterOrderID`	Char	50	No	Your MasterOrderID from the order file, if you sent one.
3	`OrderStatus`	Char	2	Yes	Capacity order status code when the file was written, for example SH (Shipping).

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
4	`OrderStatusDescription`	Char	50	Yes	Name of the order status, for example Shipping.
5	`OrderType`	Char	50	No	Your order type name for this order.
6	`OrderSource`	Char	20	Yes	How the order reached Capacity. Orders placed through the Partner API are confirmed through the API, not in this file. • `WEB` Order file • `EDI` Retailer EDI purchase order • `X12` Your EDI 940
7	`CapacityImportID`	Integer	10	Yes	Capacity's import number for the order. For reference only.
8	`CapacityPickTicketID`	Char	20	Yes	Capacity's order number, as shown in the Capacity Client Center.
9	`PONumber`	Char	50	Yes	Customer purchase order number. When you sent no PO number, this repeats PickTicketID.
10	`RetailerCode`	Char	3	No	Retailer code for the order.
11	`StoreNumber`	Char	50	No	Customer store number, if any.
12	`ShipToLocation`	Char	50	No	Store or distribution center the order shipped to, if any.
13	`ClientCode`	Char	2	Yes	Your two-character owner code.
14	`DropshipID`	Integer	5	No	Reserved. Always empty.
15	`ShipDate`	Date `MM/DD/YYYY`	10	Yes	Date the order shipped (US Eastern). Not quoted.
16	`ItemLineNumber`	Integer	10	Yes	Capacity's line number for this order line.
17	`CapacityProductID`	Char	50	Yes	The Capacity SKU that shipped.
18	`CapacityOrderQuantity`	Integer	10	Yes	Quantity ordered on the line, in units.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
19	`ItemShipQuantity`	Integer	10	Yes	Quantity picked for the line, in units.
20	`CapacityShippedQuantity`	Integer	10	Yes	Quantity shipped on the line, in units.
21	`CapacityUOM`	Char	10	Yes	Unit of measure of the line. Compare it case-insensitively. • `Each` Each (single unit) • `EACH` Each, after a case was converted to units • `CASE` Case
22	`CapacityCasePack`	Integer	10	Yes	Units per case for the SKU.
23	`ItemProductID`	Char	50	No	The item code you sent on the order (ItemProductID in the order file).
24	`ItemSerialNumber`	Char	2000	No	Serial numbers shipped, separated by commas. Only for SKUs set up to capture serial numbers.
25	`ShipMethod`	Char	100	Yes	Name of the carrier service used, for example FedEx Ground.
26	`ShipCarrier`	Char	50	Yes	Standard Carrier Alpha Code (SCAC) of the carrier, for example FEDX or UPSN.
27	`ShipTracking`	Char	2000	No	Tracking numbers separated by commas. For less-than-truckload or truckload shipments, the bill of lading number.
28	`ShipWeight`	Decimal `Decimal(9, 2)`	12	Yes	Total weight of the cartons, in pounds. Written as 0 when no weight was recorded.
29	`ShipCartons`	Integer	10	Yes	Number of cartons shipped.
30	`ShipCost`	Decimal `Decimal(9, 2)`	12	Yes	Carrier cost for the shipment. Excludes adjustments and the administration fee.
31	`InvoiceNumber`	Integer	10	No	Capacity invoice number, when invoiced. Not quoted.
32	`ProductSubtotalAmount`	Decimal `Decimal(9, 2)`	12	Yes	Subtotal of the products shipped, from the prices you sent.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
33	`TotalDiscountAmount`	Decimal `Decimal(9, 2)`	12	Yes	Order and line discounts.
34	`TotalChargeAmount`	Decimal `Decimal(9, 2)`	12	Yes	Shipping and handling charges you billed your customer.
35	`TotalTaxAmount`	Decimal `Decimal(9, 2)`	12	Yes	Sales tax, including tax on shipping.
36	`TotalInvoiceAmount`	Decimal `Decimal(9, 2)`	12	Yes	Order total.

ShipConfirm-3.0-sample.txt

```
PickTicketID→MasterOrderID→OrderStatus→OrderStatusDescription→OrderType→OrderSource→CapacityImportID→Capacity
PickTicketID→PONumber→RetailerCode→StoreNumber→ShipToLocation→ClientCode→DropshipID→ShipDate→ItemLineNumber→C
apacityProductID→CapacityOrderQuantity→ItemShipQuantity→CapacityShippedQuantity→CapacityUOM→CapacityCasePack→
ItemProductID→ItemSerialNumber→ShipMethod→ShipCarrier→ShipTracking→ShipWeight→ShipCartons→ShipCost→InvoiceNum
ber→ProductSubtotalAmount→TotalDiscountAmount→TotalChargeAmount→TotalTaxAmount→TotalInvoiceAmount
"PT-0001001"→""→"SH"→"Shipping"→"Regular"→"WEB"→50954757→"36391313"→"PO-0001001"→"WEB"→""→""→"ZZ"→→11/11/2026
→1→"SKU-EXAMPLE-1"→2→2→2→"Each"→24→"SKU-EXAMPLE-1"→""→"FedEx Ground"→"FEDX"→"999999999901"→3.25→1→9.87→→40.00
→0.00→5.95→2.80→48.75
"PT-0001001"→""→"SH"→"Shipping"→"Regular"→"WEB"→50954757→"36391313"→"PO-0001001"→"WEB"→""→""→"ZZ"→→11/11/2026
→2→"SKU-EXAMPLE-2"→1→1→1→"Each"→12→"SKU-EXAMPLE-2"→""→"FedEx Ground"→"FEDX"→"999999999901"→3.25→1→9.87→→40.00
→0.00→5.95→2.80→48.75
```