940 Warehouse shipping order

The 940 tells Capacity to ship an order from your stock. Each transaction set (ST to SE) is one order. A file can carry many orders in one functional group.

Direction	You to Capacity
Version and GS01	004010, `OW`
Folder	`IN` in your folder
When	Every 10 minutes from 00:50 to 22:50; files that arrive later are picked up at 00:50, US Eastern
Answered by	A 997 in the same run, then a 945 when the order ships

The Envelopes page describes the ISA, GS, GE and IEA segments that wrap the file.

Key rules

- **W0502** is your order number. It comes back in the 945 W0602.
- **W0505** is your pick ticket number. Use a new pick ticket for every order. Capacity holds an order that repeats an earlier one for review as a possible duplicate.
- The 945 echoes your **W0503** purchase order number (W0606), **W0505** pick ticket (W0607) and **W0504** link sequence number (W0608). Send these if you match shipments with them.
- Send a ship-to **N1 loop** (N101 `ST`) with N3 and N4 on every order.
- Send **N9** `CU` with the retailer (customer) code agreed during onboarding. It tells Capacity which retailer's rules apply to the order.
- Send one **LX loop** for each order line. **W0105** identifies the item: use the UPC or SKU that Capacity holds for it.
- For a prepack, send the prepack item with W0116 `PPK`. Capacity ships its components. Do not send component (`SLN`) lines on their own.

- Capacity chooses lots when it picks, so a lot number in W0113 is not used.
- Segments that X12 allows but are not listed here are accepted and not used.

Segment summary

AREA	SEGMENT	NAME	USAGE	MAX USE	LOOP
Heading	`ST`	Transaction set header	Mandatory	1	
Heading	`W05`	Shipping order identification	Mandatory	1	
Heading	`N1`	Name	Mandatory	10	N1
Heading	`N2`	Additional name information	Optional	1	N1
Heading	`N3`	Address information	Conditional	2	N1
Heading	`N4`	Geographic location	Conditional	1	N1
Heading	`PER`	Administrative communications contact	Optional	5	N1
Heading	`N9`	Reference identification	Optional	10	
Heading	`G62`	Date/time	Optional	10	
Heading	`NTE`	Note/special instruction	Optional	>1	
Heading	`W66`	Warehouse carrier information	Optional	1	
Detail	`LX`	Assigned number	Mandatory	1	LX
Detail	`W01`	Line item detail: warehouse	Mandatory	1	LX
Detail	`G69`	Line item detail: description	Optional	5	LX
Detail	`N9`	Reference identification	Optional	200	LX
Detail	`QTY`	Quantity	Optional	10	LX

AREA	SEGMENT	NAME	USAGE	MAX USE	LOOP
Detail	AMT	Monetary amount	Optional	1	LX
Summary	W76	Total shipping order	Mandatory	1	
Summary	SE	Transaction set trailer	Mandatory	1	

Segments

ST: Transaction set header

Heading · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
ST01	143	Transaction set identifier code	Mandatory	ID	3/3	Always 940. • 940 This transaction set
ST02	329	Transaction set control number	Mandatory	AN	4/9	Control number of this transaction set, unique within the functional group. SE02 repeats it.

W05: Shipping order identification

Heading · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
W0501	473	Order status code	Mandatory	ID	1/1	Required by X12. Send N (original). Capacity does not use the value.
W0502	285	Depositor order number	Mandatory	AN	1/22	Your order number. Returned in 945 W0602.
W0503	324	Purchase order number	Optional	AN	1/22	Customer purchase order number. Returned in 945 W0606.
W0504	472	Link sequence number	Optional	N0	6/6	Link sequence number, 6 digits. Returned in 945 W0608.
W0505	474	Master reference (link) number	Optional	AN	1/22	Your pick ticket number. Use a new value for every order. Returned in 945 W0607.

N1: Name

Heading · Mandatory · max use 10 · loop N1

The N1 loop repeats for each party: N1, then N2, N3, N4 and PER for that party.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N101`	98	Entity identifier code	Mandatory	ID	2/3	Send one N1 loop for each party. The ship-to (ST) is required. • `ST` Ship to • `SF` Ship from • `BT` Bill to • `Z7` Mark for
`N102`	93	Name	Conditional	AN	1/60	Party name. Required for the ship-to.
`N103`	66	Identification code qualifier	Conditional	ID	1/2	Qualifier for N104. Required when N104 is sent.
`N104`	67	Identification code	Optional	AN	2/80	Location code. On the ship-from, it can select which of your Capacity accounts the order belongs to, as agreed during onboarding.

N2: Additional name information

Heading · Optional · max use 1 · loop N1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N201`	93	Name	Mandatory	AN	1/60	Attention name: the person the ship-to delivery is for.
`N202`	93	Name	Optional	AN	1/60	Accepted; not used by Capacity.

N3: Address information

Heading · Conditional · max use 2 · loop N1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N301`	166	Address information	Mandatory	AN	1/55	First address line (required for the ship-to).
`N302`	166	Address information	Optional	AN	1/55	Second address line.

N4: Geographic location

Heading · Conditional · max use 1 · loop N1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N401`	19	City name	Conditional	AN	2/30	City (required for the ship-to).
`N402`	156	State or province code	Conditional	ID	2/2	State or province code, for example NJ.
`N403`	116	Postal code	Conditional	ID	3/15	ZIP or postal code.
`N404`	26	Country code	Optional	ID	2/3	Country code, for example US.

PER: Administrative communications contact

Heading · Optional · max use 5 · loop N1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`PER01`	366	Contact function code	Mandatory	ID	2/2	Required by X12, for example IC (information contact). Capacity does not use the value.
`PER02`	93	Name	Optional	AN	1/60	Accepted; not used by Capacity.
`PER03`	365	Communication number qualifier	Conditional	ID	2/2	Required when PER04 is sent. • `TE` Telephone
`PER04`	364	Communication number	Optional	AN	1/80	Phone number for the party, used by the carrier for delivery.

N9: Reference identification

Heading · Optional · max use 10

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
N901	128	Reference identification qualifier	Mandatory	ID	2/3	Reference type. • CU Customer (retailer) number, as agreed during onboarding • BM Bill of lading number • DP Department number (name in N903) • CN Carrier PRO number • MB Master bill of lading number • IA Supplier (vendor) number • DV Division • ZZ Mutually defined reference • 3P Third-party billing account number • PD Promotion number • MR Merchandise type code. Returned in the 945 N9 MR • ST Store number • RE Additional purchase order number • TM Terms (description in N903) • TR Shipment terms
N902	127	Reference identification	Mandatory	AN	1/30	Reference value.
N903	369	Free-form description	Optional	AN	1/45	Description. Read for DP (department name) and TM (terms description).

G62: Date/time

Heading · Optional · max use 10

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`G6201`	432	Date qualifier	Mandatory	ID	2/2	Date type. Other qualifiers can be agreed during onboarding. • `04` Purchase order date • `01` Cancel after • `10` Requested ship date
`G6202`	373	Date	Mandatory	DT	8/8	Date, CCYYMMDD.

NTE: Note/special instruction

Heading · Optional · max use >1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`NTE01`	363	Note reference code	Optional	ID	3/3	Note type. Repeated notes of the same type are joined. • `DEL` Delivery or routing instructions • `PKG` Packing instructions • `SPH` Special handling • `WHI` Warehouse instructions • `GFT` Gift message
`NTE02`	352	Description	Mandatory	AN	1/80	Note text.

W66: Warehouse carrier information

Heading · Optional · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
W6601	146	Shipment method of payment	Mandatory	ID	2/2	Who pays for transportation. • PP Prepaid • CC Collect • 3P Third party
W6602	91	Transportation method/type code	Mandatory	ID	1/2	Transportation method, for example M (motor) or U (parcel).
W6603	399	Pallet exchange code	Optional	ID	1/1	Accepted; not used by Capacity.
W6604	400	Unit load option code	Optional	ID	2/2	Accepted; not used by Capacity.
W6605	387	Routing	Optional	AN	1/35	Ship method (carrier and service). Whether Capacity reads the ship method from W6605 or uses a fixed method for the retailer is agreed during onboarding.
W6606	433	F.O.B. point code	Optional	ID	2/2	Accepted; not used by Capacity.
W6607	434	F.O.B. point	Optional	AN	1/30	Accepted; not used by Capacity.
W6608	625	Freight rate	Optional	ID	1/1	Accepted; not used by Capacity.
W6609	610	Amount	Optional	N2	1/15	Accepted; not used by Capacity.
W6610	140	Standard carrier alpha code (SCAC)	Optional	ID	2/5	Carrier SCAC. Used as the ship method where agreed during onboarding.

LX: Assigned number

Detail · Mandatory · max use 1 · loop LX

Send one LX loop for each order line.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`LX01`	554	Assigned number	Mandatory	N0	1/6	Line number, starting at 1. Starts each order line.

W01: Line item detail: warehouse

Detail · Mandatory · max use 1 · loop LX

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
W0101	330	Quantity ordered	Mandatory	R	1/15	Quantity ordered, in eaches.
W0102	355	Unit or basis for measurement code	Mandatory	ID	2/2	Unit of measure. • EA Each
W0103	438	U.P.C. case code	Optional	AN	12/12	Accepted; not used by Capacity. Can be used as the retailer item number where agreed during onboarding.
W0104	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for W0105, for example UP (UPC) or VN (vendor item number).
W0105	234	Product/service ID	Mandatory	AN	1/48	Your item: the UPC or SKU Capacity holds for the product.
W0106	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for W0107, for example VN.
W0107	234	Product/service ID	Optional	AN	1/48	Style number.
W0108	59	Warehouse code	Optional	AN	2/5	Accepted; not used by Capacity.
W0109	121	Commodity code	Optional	ID	1/3	Accepted; not used by Capacity.
W0110	23	Commodity code qualifier	Optional	ID	1/1	Accepted; not used by Capacity.
W0111	22	Commodity code	Optional	AN	1/30	Accepted; not used by Capacity.
W0112	416	Link sequence number	Optional	N0	6/6	Accepted; not used by Capacity.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`W0113`	451	Warehouse lot number	Optional	AN	1/12	Accepted; not used by Capacity. Capacity chooses the lot when it picks.
`W0114`	286	Warehouse lot number qualifier	Optional	ID	2/2	Accepted; not used by Capacity.
`W0115`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for W0116, as agreed during onboarding.
`W0116`	234	Product/service ID	Optional	AN	1/48	Pack type. Empty means open stock. • `OPN` Open stock • `PPK` Prepack: Capacity ships the prepack with its components • `SLN` Component of a prepack

G69: Line item detail: description

Detail · Optional · max use 5 · loop LX

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`G6901`	369	Free-form description	Mandatory	AN	1/45	Capacity reads up to three G69 segments in this order: description, size, colour.

N9: Reference identification

Detail · Optional · max use 200 · loop LX

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N901`	128	Reference identification qualifier	Mandatory	ID	2/3	Item attribute. • `CB` Retailer item number • `LB` Label • `VC` Colour • `SZ` Size • `DM` Dimension • `SR` Size range • `SB` Size bucket • `GF` Gift box style • `BM` NRF colour code • `SM` NRF size code • `PV` Your line number. Returned in the 945 item N9 PV
`N902`	127	Reference identification	Mandatory	AN	1/30	Attribute value.

QTY: Quantity

Detail · Optional · max use 10 · loop LX

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`QTY01`	673	Quantity qualifier	Mandatory	ID	2/2	Required by X12. Capacity does not check the value.
`QTY02`	380	Quantity	Optional	R	1/15	Number of gift boxes for the line.

AMT: Monetary amount

Detail · Optional · max use 1 · loop LX

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`AMT01`	522	Amount qualifier code	Mandatory	ID	1/3	Amount type. • `4T` Unit cost • `8P` Retail price
`AMT02`	782	Monetary amount	Mandatory	R	1/18	Amount in US dollars, for example 12.50.

W76: Total shipping order

Summary · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`W7601`	330	Quantity ordered	Mandatory	R	1/15	Total quantity ordered across all lines. Recorded for reference.

SE: Transaction set trailer

Summary · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`SE01`	96	Number of included segments	Mandatory	N0	1/10	Number of segments from ST to SE, both included.
`SE02`	329	Transaction set control number	Mandatory	AN	4/9	Same value as ST02.

Sample

A 940 for one order with two lines. Capacity answers it with the 997 on the 997 page and later with the 945 on the 945 page.

x12-940-sample.edi

```
ISA*00*          *00*          *ZZ*PARTNEREXAMPLE *08*CAPACITY       *261110*1530*U*00401*000001001*0*P*>~
GS*OW*PARTNEREXAMPLE*CAPACITY*20261110*1530*1001*X*004010~
ST*940*0001~
W05*N*PT-0001001*PO-0001001*000001*PT-0001001~
N1*ST*Jordan Example*92*STORE-0001~
N2*Jordan Example~
N3*100 Example Street~
N4*Edison*NJ*08817*US~
PER*IC**TE*555-0100~
N1*SF*Example Brand Warehouse~
N9*CU*WEB~
N9*DP*100*Accessories~
G62*04*20261110~
G62*10*20261111~
G62*01*20261118~
NTE*WHI*Pack with care~
W66*PP*U***GROUND~
LX*1~
W01*2*EA**UP*012345678905*VN*STYLE-100~
G69*Example product~
N9*PV*1~
LX*2~
W01*1*EA**UP*012345678912*VN*STYLE-200~
G69*Second example product~
N9*PV*2~
W76*3~
SE*25*0001~
GE*1*1001~
IEA*1*000001001~
```