943 Receiving order (warehouse stock transfer shipment advice)

The 943 tells Capacity that stock is on its way to the warehouse. Each transaction set becomes one receiving order. When the stock arrives, Capacity receives it against that receiving order.

Direction	You to Capacity
Version and GS01	004010, `AR`
Folder	`IN` in your folder
When	Every 10 minutes from 00:50 to 22:50; files that arrive later are picked up at 00:50, US Eastern
Answered by	A 997 in the same run, then a 944 when the receiving order is closed

The Envelopes page describes the ISA, GS, GE and IEA segments that wrap the file.

Key rules

- **W0602** is your receiving order (purchase order) number. Use a new value for each receiving order. It comes back in the 944 W1704.
- **W0604** is your shipment ID, for example the container number. It comes back in the 944 W1705.
- Send **G62** `17` with the date the stock is expected at the warehouse.
- Send **W27** on every 943. Capacity records the SCAC and routing when W2701 is `T`.
- Send one **W04 loop** for each item. Identify the item in W0404 and W0405 with its style (`VN`), UPC (`UP`) or SKU (`SK`).
- Send **N9** `LI` with your line number on each item if you want it back in the 944.
- Send the lot number in **W0414** `LT` and W0415 for lot-controlled stock.
- Send your 832 for new items before the 943, so every item is known when the stock arrives.

- Segments that X12 allows but are not listed here, such as N3, N4, PER and G61, are accepted and not used.

Segment summary

AREA	SEGMENT	NAME	USAGE	MAX USE	LOOP
Heading	ST	Transaction set header	Mandatory	1	
Heading	W06	Warehouse shipment identification	Mandatory	1	
Heading	N1	Name	Mandatory	10	N1
Heading	N9	Reference identification	Optional	10	
Heading	G62	Date/time	Optional	5	
Heading	NTE	Note/special instruction	Optional	20	
Heading	W27	Carrier detail	Mandatory	1	
Heading	W10	Warehouse delivery information	Optional	1	
Detail	W04	Item detail: total	Mandatory	1	W04
Detail	G69	Line item detail: description	Optional	5	W04
Detail	N9	Reference identification	Optional	200	W04
Detail	W20	Packing	Optional	2	W04
Summary	W03	Total shipment information	Mandatory	1	
Summary	SE	Transaction set trailer	Mandatory	1	

Segments

ST: Transaction set header

Heading · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
ST01	143	Transaction set identifier code	Mandatory	ID	3/3	Always 943. • 943 This transaction set
ST02	329	Transaction set control number	Mandatory	AN	4/9	Control number of this transaction set, unique within the functional group. SE02 repeats it.

W06: Warehouse shipment identification

Heading · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
W0601	514	Reporting code	Mandatory	ID	1/1	Required by X12, for example N. Capacity does not use the value.
W0602	285	Depositor order number	Mandatory	AN	1/22	Your receiving order (purchase order) number. Use a new value for every receiving order. Returned in 944 W1704.
W0603	373	Date	Optional	DT	8/8	Date of the advice, CCYYMMDD.
W0604	145	Shipment identification number	Optional	AN	1/30	Shipment ID, for example the container number. Returned in 944 W1705.
W0605	531	Agent shipment ID number	Optional	AN	1/12	Carrier shipment ID, for example a PRO number.
W0606	324	Purchase order number	Optional	AN	1/22	Accepted; not used by Capacity. Capacity uses W0602.

N1: Name

Heading · Mandatory · max use 10 · loop N1

N2, N3, N4 and PER may follow each N1; they are accepted and not used by Capacity.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N101`	98	Entity identifier code	Mandatory	ID	2/3	Party. At least one N1 is required. • `SF` Ship from (seller or supplier) • `ST` Ship to (the Capacity warehouse) • `CN` Consignee
`N102`	93	Name	Optional	AN	1/60	Name. On the ship-to, it can select which of your Capacity accounts the receiving order belongs to, as agreed during onboarding.
`N103`	66	Identification code qualifier	Conditional	ID	1/2	Qualifier for N104. Required when N104 is sent.
`N104`	67	Identification code	Optional	AN	2/80	Location code.

N9: Reference identification

Heading · Optional · max use 10

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N901`	128	Reference identification qualifier	Mandatory	ID	2/3	Reference type. • `BM` Bill of lading number • `WU` Vessel name • `VA` Vessel name
`N902`	127	Reference identification	Mandatory	AN	1/30	Reference value.

G62: Date/time

Heading · Optional · max use 5

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`G6201`	432	Date qualifier	Mandatory	ID	2/2	Date type. • `17` Estimated delivery date
`G6202`	373	Date	Mandatory	DT	8/8	Date the stock is expected at the warehouse, CCYYMMDD.

NTE: Note/special instruction

Heading · Optional · max use 20

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`NTE01`	363	Note reference code	Optional	ID	3/3	Note type. Other note types are accepted and not used. • `WHI` Warehouse instructions
`NTE02`	352	Description	Mandatory	AN	1/80	Note text. Repeated notes are joined.

W27: Carrier detail

Heading · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`W2701`	91	Transportation method/type code	Mandatory	ID	1/2	Transportation method, for example T (best way), M (motor) or O (containerized ocean). Capacity records W2702 and W2703 when W2701 is T.
`W2702`	140	Standard carrier alpha code (SCAC)	Conditional	ID	2/5	Carrier SCAC.
`W2703`	387	Routing	Conditional	AN	1/35	Carrier name or routing.

W10: Warehouse delivery information

Heading · Optional · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`W1001`	400	Unit load option code	Optional	ID	2/2	Accepted; not used by Capacity.
`W1002`	406	Quantity of pallets shipped	Optional	N0	1/3	Accepted; not used by Capacity.
`W1003`	399	Pallet exchange code	Optional	ID	1/1	Accepted; not used by Capacity.
`W1004`	225	Seal number	Optional	AN	2/15	Seal number of the container or trailer.

W04: Item detail: total

Detail · Mandatory · max use 1 · loop W04

Send one W04 loop for each item.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`W0401`	382	Number of units shipped	Mandatory	R	1/10	Quantity shipped to Capacity.
`W0402`	355	Unit or basis for measurement code	Mandatory	ID	2/2	Unit of measure. • `EA` Each • `PK` Prepack • `CA` Case
`W0403`	438	U.P.C. case code	Optional	AN	12/12	Case UPC. On a prepack component line, the UPC of the prepack.
`W0404`	235	Product/service ID qualifier	Mandatory	ID	2/2	Qualifier for W0405. • `VN` Style number • `UP` UPC • `SK` SKU
`W0405`	234	Product/service ID	Mandatory	AN	1/48	Your item: style, UPC or SKU as given by W0404.
`W0406`	235	Product/service ID qualifier	Conditional	ID	2/2	Sent with W0407. • `UP` UPC
`W0407`	234	Product/service ID	Optional	AN	1/48	Item UPC, 12 digits.
`W0408`	59	Warehouse code	Optional	AN	2/5	Accepted; not used by Capacity.
`W0409`	121	Commodity code	Optional	ID	1/3	Accepted; not used by Capacity.
`W0410`	23	Commodity code qualifier	Optional	ID	1/1	Accepted; not used by Capacity.
`W0411`	22	Commodity code	Optional	AN	1/30	Accepted; not used by Capacity.
`W0412`	416	Link sequence number	Optional	N0	6/6	Accepted; not used by Capacity.
`W0413`	844	Freight class code	Optional	ID	2/2	Accepted; not used by Capacity.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`W0414`	235	Product/service ID qualifier	Conditional	ID	2/2	Sent with W0415. • `LT` Lot number
`W0415`	234	Product/service ID	Optional	AN	1/48	Lot number of the stock.

G69: Line item detail: description

Detail · Optional · max use 5 · loop W04

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`G6901`	369	Free-form description	Mandatory	AN	1/45	Item description. Recorded as a note on the receiving order line.

N9: Reference identification

Detail · Optional · max use 200 · loop W04

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N901`	128	Reference identification qualifier	Mandatory	ID	2/3	Item attribute. • `LI` Your line number. Returned in the 944 N9 LI • `CL` Colour • `D5` Colour • `SZ` Size • `PP` Prepack • `97` Prepack • `BL` Label • `SR` Size range • `SB` Size bucket • `ST` Style • `PRT` Product type • `IT` Customer code • `LT` Lot number
`N902`	127	Reference identification	Mandatory	AN	1/30	Attribute value.

W20: Packing

Detail · Optional · max use 2 · loop W04

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
W2001	356	Pack	Optional	N0	1/6	Units per case (case pack).
W2002	357	Size	Optional	R	1/8	Size of each unit.
W2003	355	Unit or basis for measurement code	Conditional	ID	2/2	Unit of measure for W2002.
W2004	81	Weight	Optional	R	1/10	Weight of a case.
W2005	187	Weight qualifier	Conditional	ID	1/2	Weight qualifier, for example G (gross).
W2006	188	Weight unit code	Conditional	ID	1/1	Weight unit, for example L (pounds).
W2007	395	Unit weight	Optional	R	1/8	Accepted; not used by Capacity.
W2008	183	Volume	Optional	R	1/8	Volume of a case.
W2009	355	Unit or basis for measurement code	Conditional	ID	2/2	Volume unit, for example CF (cubic feet).

W03: Total shipment information

Summary · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`W0301`	382	Number of units shipped	Mandatory	R	1/10	Total units shipped to Capacity.
`W0302`	81	Weight	Optional	R	1/10	Total weight.
`W0303`	355	Unit or basis for measurement code	Conditional	ID	2/2	Sent with W0302, for example LB.
`W0304`	183	Volume	Optional	R	1/8	Total volume.
`W0305`	355	Unit or basis for measurement code	Conditional	ID	2/2	Sent with W0304, for example CF.
`W0306`	80	Lading quantity	Optional	N0	1/7	Number of cartons or pallets.
`W0307`	355	Unit or basis for measurement code	Conditional	ID	2/2	Sent with W0306, for example CT.

SE: Transaction set trailer

Summary · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`SE01`	96	Number of included segments	Mandatory	N0	1/10	Number of segments from ST to SE, both included.
`SE02`	329	Transaction set control number	Mandatory	AN	4/9	Same value as ST02.

Sample

A 943 for a container with two items. The 944 sample confirms its receipt.

x12-943-sample.edi

```
ISA*00*          *00*          *ZZ*PARTNEREXAMPLE *08*CAPACITY       *261110*1530*U*00401*000001002*0*P*>~
GS*AR*PARTNEREXAMPLE*CAPACITY*20261110*1530*1002*X*004010~
ST*943*0001~
W06*N*RO-0001001*20261110*CONT-0001~
N1*SF*Example Supplier*92*SUP-01~
N1*ST*Capacity*92*WH-01~
N9*BM*BOL-0002001~
G62*17*20261117~
W27*M*EXMP*Example Freight~
W10****SEAL-0001~
W04*240*EA**SK*SKU-EXAMPLE-1*UP*012345678905~
G69*Example product~
N9*LI*1~
W20*24~
W04*120*EA**SK*SKU-EXAMPLE-2*UP*012345678912*******LT*LOT-0001~
G69*Second example product~
N9*LI*2~
W03*360*410.5*LB***15*CT~
SE*17*0001~
GE*1*1002~
IEA*1*000001002~
```