# 944 Receiving confirmation (warehouse stock transfer receipt advice)

The 944 confirms what Capacity received against a receiving order that you sent as a 943. Capacity sends it once the receiving order is closed and the stock is available.

| | |
|---|---|
| Direction | Capacity to you |
| Version and GS01 | 004010, `RE` |
| Folder | `OUT` in your folder |
| When | After Capacity closes the receiving order |
| Answers | Your 943. You may answer the 944 with a 997 |

The Envelopes page describes the ISA, GS, GE and IEA segments that wrap the file.

## Key rules

- Match the 944 to your 943 with **W1704** (your 943 W0602). W1705 returns your 943 W0604 shipment ID when you sent one.
- **W1703** is Capacity's receipt number for the receiving order.
- Each **W07 loop** reports one item: the quantity received in eaches, the 12-digit UPC in W0705 and your SKU or style in W0707.
- A prepack is reported as one W07 loop for each component, with the component quantities.
- **N9** `LI` returns the line number from your 943 N9 `LI`.
- **W1401** is the total quantity received, the sum of every W0701.
- Compare W0701 with the quantities in your 943 to find shortages and overages.

Some options, such as the second item ID in W0706 and W0707 and lot reporting, are agreed during onboarding.

# Segment summary

| AREA | SEGMENT | NAME | USAGE | MAX USE | LOOP |
|---|---|---|---|---|---|
| Heading | `ST` | Transaction set header | Mandatory | 1 | |
| Heading | `W17` | Warehouse receipt identification | Mandatory | 1 | |
| Heading | `N1` | Name | Optional | 10 | N1 |
| Heading | `G62` | Date/time | Optional | 5 | |
| Detail | `W07` | Item detail for stock receipt | Mandatory | 1 | W07 |
| Detail | `G69` | Line item detail: description | Optional | 5 | W07 |
| Detail | `N9` | Reference identification | Optional | 200 | W07 |
| Summary | `W14` | Total receipt information | Mandatory | 1 | |
| Summary | `SE` | Transaction set trailer | Mandatory | 1 | |

# Segments

## ST: Transaction set header

Heading · Mandatory · max use 1

| REF | ELEMENT | NAME | USAGE | TYPE | MIN/MAX | VALUES AND NOTES |
|---|---|---|---|---|---|---|
| `ST01` | 143 | Transaction set identifier code | Mandatory | ID | 3/3 | Always 944.<br>• `944` This transaction set |
| `ST02` | 329 | Transaction set control number | Mandatory | AN | 4/9 | Control number of this transaction set, unique within the functional group. SE02 repeats it. |

## W17: Warehouse receipt identification

Heading · Mandatory · max use 1

| REF | ELEMENT | NAME | USAGE | TYPE | MIN/MAX | VALUES AND NOTES |
|---|---|---|---|---|---|---|
| `W1701` | 514 | Reporting code | Mandatory | ID | 1/1 | Capacity always sends J.<br>• `J` Sent on every 944 |
| `W1702` | 373 | Date | Mandatory | DT | 8/8 | Receipt date, CCYYMMDD, US Eastern. |
| `W1703` | 394 | Warehouse receipt number | Mandatory | AN | 1/12 | Capacity receipt number (the receiving order number in Capacity). |
| `W1704` | 285 | Depositor order number | Mandatory | AN | 1/22 | Your receiving order number from 943 W0602. |
| `W1705` | 145 | Shipment identification number | Conditional | AN | 1/30 | Shipment ID from 943 W0604. Sent when the 943 had one. |

## N1: Name

Heading · Optional · max use 10 · loop N1

| REF | ELEMENT | NAME | USAGE | TYPE | MIN/MAX | VALUES AND NOTES |
|---|---|---|---|---|---|---|
| `N101` | 98 | Entity identifier code | Mandatory | ID | 2/3 | Party.<br>• `SF` Ship from, as received in your 943<br>• `RC` Receiving location: the Capacity warehouse |
| `N102` | 93 | Name | Mandatory | AN | 1/60 | Name. |
| `N103` | 66 | Identification code qualifier | Conditional | ID | 1/2 | Sent with N104.<br>• `ZZ` Mutually defined |
| `N104` | 67 | Identification code | Conditional | AN | 2/80 | Location code, when known. |

## G62: Date/time

Heading · Optional · max use 5

| REF | ELEMENT | NAME | USAGE | TYPE | MIN/MAX | VALUES AND NOTES |
|---|---|---|---|---|---|---|
| `G6201` | 432 | Date qualifier | Mandatory | ID | 2/2 | Date type.<br>• `AB` Received date |
| `G6202` | 373 | Date | Mandatory | DT | 8/8 | Date the stock was received, CCYYMMDD, US Eastern. |

## W07: Item detail for stock receipt

Detail · Mandatory · max use 1 · loop W07

One W07 loop for each item received.

| REF | ELEMENT | NAME | USAGE | TYPE | MIN/MAX | VALUES AND NOTES |
|---|---|---|---|---|---|---|
| W0701 | 413 | Quantity received | Mandatory | R | 1/7 | Quantity received, in eaches. A prepack is reported as one W07 for each component. |
| W0702 | 355 | Unit or basis for measurement code | Mandatory | ID | 2/2 | Always EA.<br>• EA Each |
| W0703 | 438 | U.P.C. case code | Optional | AN | 12/12 | Case UPC, in the layout agreed during onboarding. |
| W0704 | 235 | Product/service ID qualifier | Mandatory | ID | 2/2 | Always UP.<br>• UP UPC |
| W0705 | 234 | Product/service ID | Mandatory | AN | 1/48 | Item UPC, 12 digits. |
| W0706 | 235 | Product/service ID qualifier | Conditional | ID | 2/2 | Qualifier for W0707, as agreed during onboarding.<br>• SK SKU<br>• VA Vendor style number |
| W0707 | 234 | Product/service ID | Conditional | AN | 1/48 | Your SKU or style number. |
| W0708 | 451 | Warehouse lot number | Not used | AN | 1/12 | |
| W0709 | 893 | Item status code | Not used | ID | 1/1 | |
| W0710 | 235 | Product/service ID qualifier | Conditional | ID | 2/2 | Sent with W0711.<br>• LT Lot number |
| W0711 | 234 | Product/service ID | Conditional | AN | 1/48 | Lot number received, for lot-controlled items. |

## G69: Line item detail: description

Detail · Optional · max use 5 · loop W07

| REF | ELEMENT | NAME | USAGE | TYPE | MIN/MAX | VALUES AND NOTES |
|---|---|---|---|---|---|---|
| `G6901` | 369 | Free-form description | Mandatory | AN | 1/45 | Up to three G69 segments: product name, size, colour. |

## N9: Reference identification

Detail · Optional · max use 200 · loop W07

| REF | ELEMENT | NAME | USAGE | TYPE | MIN/MAX | VALUES AND NOTES |
|---|---|---|---|---|---|---|
| `N901` | 128 | Reference identification qualifier | Mandatory | ID | 2/3 | Item reference. Each is sent only when it has a value.<br>• `LI` Your line number from the 943 N9 LI<br>• `LB` Label<br>• `SB` Size bucket<br>• `ST` Style<br>• `SZ` Size<br>• `CL` Colour<br>• `LT` Lot number |
| `N902` | 127 | Reference identification | Mandatory | AN | 1/30 | Reference value. |

## W14: Total receipt information

Summary · Mandatory · max use 1

| REF | ELEMENT | NAME | USAGE | TYPE | MIN/MAX | VALUES AND NOTES |
|---|---|---|---|---|---|---|
| `W1401` | 413 | Quantity received | Mandatory | R | 1/7 | Total quantity received: the sum of W0701. |

### SE: Transaction set trailer

Summary · Mandatory · max use 1

| REF | ELEMENT | NAME | USAGE | TYPE | MIN/MAX | VALUES AND NOTES |
|---|---|---|---|---|---|---|
| `SE01` | 96 | Number of included segments | Mandatory | N0 | 1/10 | Number of segments from ST to SE, both included. |
| `SE02` | 329 | Transaction set control number | Mandatory | AN | 4/9 | Same value as ST02. |

## Sample

The 944 for the receiving order in the 943 sample.

**x12-944-sample.edi**

```
ISA*00*          *00*          *08*CAPACITY       *ZZ*PARTNEREXAMPLE *261117*1830*U*00401*000003001*0*P*>~
GS*RE*CAPACITY*PARTNEREXAMPLE*20261117*1830*3001*X*004010~
ST*944*0001~
W17*J*20261117*R000100*RO-0001001*CONT-0001~
N1*SF*Example Supplier*ZZ*SUP-01~
N1*RC*Capacity*ZZ*WH-01~
G62*AB*20261117~
W07*240*EA**UP*012345678905*SK*SKU-EXAMPLE-1~
G69*Example product~
N9*LI*1~
W07*120*EA**UP*012345678912*SK*SKU-EXAMPLE-2***LT*LOT-0001~
G69*Second example product~
N9*LI*2~
W14*360~
SE*13*0001~
GE*1*3001~
IEA*1*000003001~
```