945 Warehouse shipping advice

The 945 confirms what shipped for an order: when, with which carrier, with which tracking numbers and, if agreed, in which cartons. Capacity sends one 945 for each order that ships.

Direction	Capacity to you
Version and GS01	004010, `SW`
Folder	`OUT` in your folder
When	Every 30 minutes, for orders that shipped since the previous run. Each order is confirmed once
Answers	Your 940. You may answer the 945 with a 997

The Envelopes page describes the ISA, GS, GE and IEA segments that wrap the file.

Key rules

- Match the 945 to your order with **W0602** (your 940 W0502). W0606 returns your 940 **W0503** purchase order number, and W0607 your 940 **W0505** pick ticket.
- **W0604** is the bill of lading number, or Capacity's shipment number when the shipment has no bill of lading.
- Dates are US Eastern. G62 `10` is the ship date and G62 `17` the estimated delivery date.
- **W27** is sent when the carrier has a SCAC.

Carton detail

During onboarding you choose one of two layouts. The choice can differ by retailer.

LAYOUT	DETAIL AREA
With carton detail	One LX loop per carton. Each carries MAN (carton SSCC-18 and, for parcel shipments, the tracking number), PAL (carton weight), N9 `TYP` and one W12 loop per item in the carton.
Without carton detail	One LX loop per order line, each with one W12 loop. MAN, PAL and the carton N9 are not sent.

With carton detail, W1202 repeats the line's ordered quantity on every carton of that line, and W1203 is the quantity in the carton.

Segment summary

AREA	SEGMENT	NAME	USAGE	MAX USE	LOOP
Heading	`ST`	Transaction set header	Mandatory	1	
Heading	`W06`	Warehouse shipment identification	Mandatory	1	
Heading	`N1`	Name	Mandatory	10	N1
Heading	`N3`	Address information	Optional	2	N1
Heading	`N4`	Geographic location	Optional	1	N1
Heading	`PER`	Administrative communications contact	Optional	1	N1
Heading	`N9`	Reference identification	Optional	10	
Heading	`G62`	Date/time	Mandatory	5	
Heading	`NTE`	Note/special instruction	Optional	20	
Heading	`W27`	Carrier detail	Conditional	1	
Heading	`G72`	Allowance or charge	Conditional	5	
Detail	`LX`	Assigned number	Mandatory	1	LX

AREA	SEGMENT	NAME	USAGE	MAX USE	LOOP
Detail	`MAN`	Marks and numbers	Conditional	1	LX
Detail	`PAL`	Pallet information	Conditional	1	LX
Detail	`N9`	Reference identification	Conditional	5	LX
Detail	`W12`	Warehouse item detail	Mandatory	1	W12
Detail	`N9`	Reference identification	Optional	200	W12
Summary	`W03`	Total shipment information	Mandatory	1	
Summary	`SE`	Transaction set trailer	Mandatory	1	

Segments

ST: Transaction set header

Heading · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`ST01`	143	Transaction set identifier code	Mandatory	ID	3/3	Always 945. • `945` This transaction set
`ST02`	329	Transaction set control number	Mandatory	AN	4/9	Control number of this transaction set, unique within the functional group. SE02 repeats it.

W06: Warehouse shipment identification

Heading · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
W0601	514	Reporting code	Mandatory	ID	1/1	Capacity always sends N. • `N` Sent on every 945
W0602	285	Depositor order number	Mandatory	AN	1/22	Your order number from 940 W0502.
W0603	373	Date	Mandatory	DT	8/8	Ship date, CCYYMMDD, US Eastern.
W0604	145	Shipment identification number	Mandatory	AN	1/30	Bill of lading number. When the shipment has no bill of lading, Capacity's shipment number.
W0605	531	Agent shipment ID number	Optional	AN	1/12	Carrier PRO number. When there is none, a carrier tracking number from the shipment.
W0606	324	Purchase order number	Conditional	AN	1/22	Purchase order number from 940 W0503. Sent when the 940 had one.
W0607	474	Master reference (link) number	Conditional	AN	1/22	Pick ticket number from 940 W0505. Sent when the 940 had one.
W0608	472	Link sequence number	Conditional	N0	6/6	Link sequence number from 940 W0504. Sent when the 940 had one.

N1: Name

Heading · Mandatory · max use 10 · loop N1

Each N1 loop is followed by N3, N4 and PER for that party where Capacity has them.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N101`	98	Entity identifier code	Mandatory	ID	2/3	Party. Ship-to is always sent; mark-for when your 940 had one. Ship-from is your 940 ship-from, or the Capacity warehouse. • `ST` Ship to • `Z7` Mark for • `SF` Ship from
`N102`	93	Name	Mandatory	AN	1/60	Name.
`N103`	66	Identification code qualifier	Conditional	ID	1/2	Qualifier for N104, as received in your 940.
`N104`	67	Identification code	Conditional	AN	2/80	Location code, as received in your 940.

N3: Address information

Heading · Optional · max use 2 · loop N1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N301`	166	Address information	Mandatory	AN	1/55	First address line.
`N302`	166	Address information	Optional	AN	1/55	Second address line.

N4: Geographic location

Heading · Optional · max use 1 · loop N1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N401`	19	City name	Mandatory	AN	2/30	City.
`N402`	156	State or province code	Mandatory	ID	2/2	State or province code, for example NJ.
`N403`	116	Postal code	Mandatory	ID	3/15	ZIP or postal code.
`N404`	26	Country code	Optional	ID	2/3	Country code, for example US.

PER: Administrative communications contact

Heading · Optional · max use 1 · loop N1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`PER01`	366	Contact function code	Mandatory	ID	2/2	Always CN. • `CN` General contact
`PER02`	93	Name	Not used	AN	1/60	
`PER03`	365	Communication number qualifier	Mandatory	ID	2/2	Always TE. • `TE` Telephone
`PER04`	364	Communication number	Mandatory	AN	1/80	Phone number. Sent when Capacity has one for the party.

N9: Reference identification

Heading · Optional · max use 10

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N901`	128	Reference identification qualifier	Mandatory	ID	2/3	Reference type. Each is sent only when it has a value. • `DP` Department number, from your 940 • `IA` Supplier (vendor) number, from your 940 • `MB` Master bill of lading number • `LD` Load number • `AO` Appointment number • `MA` Manifest number • `CU` Customer (retailer) number, from your 940 • `MR` Merchandise type code, from your 940
`N902`	127	Reference identification	Mandatory	AN	1/30	Reference value.

G62: Date/time

Heading · Mandatory · max use 5

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`G6201`	432	Date qualifier	Mandatory	ID	2/2	Date type. Other qualifiers can be agreed during onboarding. • `10` Shipped date • `17` Estimated delivery date
`G6202`	373	Date	Mandatory	DT	8/8	Date, CCYYMMDD, US Eastern. No time is sent.

NTE: Note/special instruction

Heading · Optional · max use 20

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`NTE01`	363	Note reference code	Mandatory	ID	3/3	Note type, as received in your 940. • `DEL` Delivery or routing instructions • `PKG` Packing instructions • `SPH` Special handling • `WHI` Warehouse instructions
`NTE02`	352	Description	Mandatory	AN	1/80	Note text from your 940.

W27: Carrier detail

Heading · Conditional · max use 1

Sent when the carrier has a SCAC.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`W2701`	91	Transportation method/type code	Mandatory	ID	1/2	Transportation method, for example T (best way), M (motor) or U (parcel).
`W2702`	140	Standard carrier alpha code (SCAC)	Mandatory	ID	2/5	Carrier SCAC.
`W2703`	387	Routing	Optional	AN	1/35	Carrier and service name.
`W2704`	146	Shipment method of payment	Optional	ID	2/2	Who pays for transportation, from the bill of lading or the carrier account used. • `PP` Prepaid • `CC` Collect • `3P` Third party
`W2705`	40	Equipment description code	Not used	ID	2/2	
`W2706`	206	Equipment initial	Not used	AN	1/4	
`W2707`	207	Equipment number	Optional	AN	1/10	Trailer number.
`W2708`	368	Shipment/order status code	Optional	ID	2/2	Shipment status. • `CC` Shipment complete

G72: Allowance or charge

Heading · Conditional · max use 5

Sent only when you agreed during onboarding to receive the freight charge, and only when it is above zero.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
G7201	340	Allowance or charge code	Mandatory	ID	1/3	Charge type. • 504 Freight
G7202	331	Allowance or charge method of handling code	Mandatory	ID	2/2	Method of handling. • 06 Charge to be paid by customer
G7203	341	Allowance or charge number	Not used	AN	1/16	
G7204	769	Allowance or charge number	Not used	AN	1/16	
G7205	359	Allowance or charge rate	Not used	R	1/15	
G7206	339	Allowance or charge percent	Not used	R	1/10	
G7207	355	Unit or basis for measurement code	Not used	ID	2/2	
G7208	360	Allowance or charge total amount	Mandatory	N2	1/15	Freight charge in US dollars with two implied decimals: $12.50 is sent as 1250.

LX: Assigned number

Detail · Mandatory · max use 1 · loop LX

With carton detail, one LX loop per carton, each with its MAN, PAL and item lines. Without carton detail, one LX loop per order line.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`LX01`	554	Assigned number	Mandatory	N0	1/6	Sequence number, starting at 1.

MAN: Marks and numbers

Detail · Conditional · max use 1 · loop LX

Present when you agreed carton detail during onboarding.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`MAN01`	88	Marks and numbers qualifier	Mandatory	ID	1/2	Always GM. • `GM` SSCC-18 and application identifier
`MAN02`	87	Marks and numbers	Mandatory	AN	1/48	Carton serial shipping container code (SSCC-18).
`MAN03`	87	Marks and numbers	Conditional	AN	1/48	Pallet SSCC-18, when pallet labels were agreed during onboarding.
`MAN04`	88	Marks and numbers qualifier	Conditional	ID	1/2	Sent with MAN05. • `CP` Carrier-assigned package ID
`MAN05`	87	Marks and numbers	Conditional	AN	1/48	Parcel tracking number for the carton. Sent for small-parcel shipments.

PAL: Pallet information

Detail · Conditional · max use 1 · loop LX

Present when you agreed carton detail during onboarding.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`PAL01`	883	Pallet type code	Not used	ID	1/2	
`PAL02`	884	Pallet tiers	Not used	N0	1/3	
`PAL03`	885	Pallet blocks	Not used	N0	1/3	
`PAL04`	356	Pack	Not used	N0	1/6	
`PAL05`	395	Unit weight	Not used	R	1/8	
`PAL06`	355	Unit or basis for measurement code	Not used	ID	2/2	
`PAL07`	82	Length	Not used	R	1/8	
`PAL08`	189	Width	Not used	R	1/8	
`PAL09`	65	Height	Not used	R	1/8	
`PAL10`	355	Unit or basis for measurement code	Not used	ID	2/2	
`PAL11`	384	Gross weight per pack	Mandatory	R	1/9	Carton gross weight. 0 when the carton was not weighed.
`PAL12`	355	Unit or basis for measurement code	Mandatory	ID	2/2	Always LB. • `LB` Pound

N9: Reference identification

Detail · Conditional · max use 5 · loop LX

Present when you agreed carton detail during onboarding.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N901`	128	Reference identification qualifier	Mandatory	ID	2/3	Always TYP. • `TYP` Pack type
`N902`	127	Reference identification	Mandatory	AN	1/30	Carton type, for example CTN25.

W12: Warehouse item detail

Detail · Mandatory · max use 1 · loop W12

One W12 loop for each item in the carton (with carton detail) or for the order line (without).

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`W1201`	368	Shipment/order status code	Mandatory	ID	2/2	Always SH. • `SH` Shipped
`W1202`	330	Quantity ordered	Optional	R	1/15	Quantity ordered on the order line. With carton detail it repeats on every carton of the line.
`W1203`	382	Number of units shipped	Mandatory	R	1/10	Units shipped: in this carton with carton detail, otherwise on the line.
`W1204`	383	Quantity difference	Not used	R	1/9	
`W1205`	355	Unit or basis for measurement code	Mandatory	ID	2/2	Always EA. • `EA` Each
`W1206`	438	U.P.C. case code	Not used	AN	12/12	
`W1207`	235	Product/service ID qualifier	Mandatory	ID	2/2	Qualifier for W1208: UP, or another qualifier agreed during onboarding.
`W1208`	234	Product/service ID	Mandatory	AN	1/48	Item UPC (or the item ID agreed during onboarding), as ordered.
`W1209`	451	Warehouse lot number	Conditional	AN	1/12	Lot number, when lot reporting was agreed during onboarding.
`W1210`	81	Weight	Conditional	R	1/10	Carton weight. Sent with carton detail, on the first item line of each carton.
`W1211`	187	Weight qualifier	Conditional	ID	1/2	Sent with W1210. • `G` Gross weight

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
W1212	188	Weight unit code	Conditional	ID	1/1	Sent with W1210. • L Pounds
W1213	81	Weight	Not used	R	1/10	
W1214	187	Weight qualifier	Not used	ID	1/2	
W1215	188	Weight unit code	Not used	ID	1/1	
W1216	438	U.P.C. case code	Not used	AN	12/12	
W1217	235	Product/service ID qualifier	Conditional	ID	2/2	Sent with W1218. • CB Buyer's item number
W1218	234	Product/service ID	Conditional	AN	1/48	Retailer item number, when known.
W1219	892	Item status code	Not used	ID	2/2	
W1220	893	Item status code	Not used	ID	1/1	
W1221	235	Product/service ID qualifier	Conditional	ID	2/2	Sent with W1222. • VN Vendor item (style) number
W1222	234	Product/service ID	Conditional	AN	1/48	Style number, when known.

N9: Reference identification

Detail · Optional · max use 200 · loop W12

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`N901`	128	Reference identification qualifier	Mandatory	ID	2/3	Item attribute. Each is sent only when it has a value. • `VN` Style number • `LB` Label • `SZ` Size • `VC` Colour • `DM` Dimension • `PV` Your line number from the 940 item N9 PV
`N902`	127	Reference identification	Mandatory	AN	1/30	Attribute value.

W03: Total shipment information

Summary · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`W0301`	382	Number of units shipped	Mandatory	R	1/10	Total units shipped.
`W0302`	81	Weight	Optional	R	1/10	Total weight.
`W0303`	355	Unit or basis for measurement code	Conditional	ID	2/2	Sent with W0302. • `LB` Pound
`W0304`	183	Volume	Optional	R	1/8	Total volume.
`W0305`	355	Unit or basis for measurement code	Conditional	ID	2/2	Sent with W0304. • `CF` Cubic feet
`W0306`	80	Lading quantity	Optional	N0	1/7	Number of cartons.
`W0307`	355	Unit or basis for measurement code	Conditional	ID	2/2	Sent with W0306. • `CT` Carton

SE: Transaction set trailer

Summary · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`SE01`	96	Number of included segments	Mandatory	N0	1/10	Number of segments from ST to SE, both included.
`SE02`	329	Transaction set control number	Mandatory	AN	4/9	Same value as ST02.

Sample

The 945 for the order in the 940 sample, with carton detail: one carton holding both lines.

x12-945-sample.edi

```
ISA*00*          *00*          *08*CAPACITY       *ZZ*PARTNEREXAMPLE *261111*0930*U*00401*000002001*0*P*>~
GS*SW*CAPACITY*PARTNEREXAMPLE*20261111*0930*2001*X*004010~
ST*945*0001~
W06*N*PT-0001001*20261111*9000001001*TRK000000001*PO-0001001*PT-0001001*000001~
N1*ST*Jordan Example*92*STORE-0001~
N3*100 Example Street~
N4*Edison*NJ*08817*US~
PER*CN**TE*555-0100~
N1*SF*Example Brand Warehouse~
N9*CU*WEB~
N9*DP*100~
G62*10*20261111~
G62*17*20261114~
NTE*WHI*Pack with care~
W27*U*EXMP*Example Parcel Ground*PP~
LX*1~
MAN*GM*00000000000000000017**CP*TRK000000001~
PAL**********4.50*LB~
N9*TYP*CTN25~
```

```
W12*SH*2*2**EA**UP*012345678905**4.50*G*L*********VN*STYLE-100~
N9*PV*1~
W12*SH*1*1**EA**UP*012345678912**********VN*STYLE-200~
N9*PV*2~
W03*3*4.50*LB***1*CT~
SE*23*0001~
GE*1*2001~
IEA*1*000002001~
```