Receiving files

Receiving uses two files. You send a **receiving order file** to tell Capacity what stock is on its way. Capacity writes a **receiving confirmation file** to tell you what was received.

All quantities in the receiving confirmation file are in units. The flat file rules apply to both files.

Receiving order file

Direction	You to Capacity
Folder	`IN/ReceivingOrder` in your folder on `ftp01.capacityllc.com`
When	Every 15 minutes from 04:44 to 22:44 US Eastern, every day
What it does	Creates one receiving order for each `PONumber` in the file

How Capacity reads it

- Every SKU must already exist in Capacity. Send new products in a product upload file first.
- If a line names a SKU that does not exist yet, Capacity holds the whole receiving order. It tries again every 15 minutes for 7 days, so the receiving order is created as soon as the product exists.
- The units expected on a line are `Quantity` × `CasePack`. To send units, set `CasePack` to `1`. `UnitofMeasure` is for your reference only.
- If the same SKU appears on more than one line of a receiving order, Capacity adds the lines together into one line.
- In version 2.0, a `LotNumber` must already be set up in Capacity for that SKU. Contact Capacity to set up lots before you send them.

Sending a PO number again

To change a receiving order, send the whole receiving order again with the same `PONumber` and `ContainerNumber`. If Capacity has not started receiving it, the new file replaces the earlier receiving order.

Once receiving has started, a file with the same `PONumber` creates a separate receiving order. Contact Capacity to change a receiving order that is already being received.

Rejected files

Capacity rejects the whole file when `Quantity` or `CasePack` is blank or not a whole number, a value is longer than its column allows, or a lot is not set up. A rejected file is moved to the `BAD` folder and reviewed by Capacity. Fix the file and send it again under a new name.

Versions

Version 2.0 is current and adds `LotNumber` and `ExpiryDate` to the end of each line. Version 1.0 is the same layout without those two columns. The earlier document titled "Receiving Specification 3.0" describes version 1.0.

File name	`Any unique name ending in .txt, for example ZZ-receiving-20261110153000.txt`
Delimiter	Tab
Header row	Yes, first line, with the column names below in this order
Columns	12
Quoting	Not supported. Values must not contain tabs, line breaks or double quotes.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
1	`PONumber`	Char	50	Yes	Your purchase order or receiving reference. Every line of one receiving order has the same PONumber.
2	`LineNumber`	Char	10	No	Your line number. When blank, Capacity numbers the lines 1, 2, 3 in file order.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
3	`DeliveryDate`	Date `MM/DD/YYYY`	10	No	Date you expect the stock to arrive (US Eastern). YYYY-MM-DD is also accepted. When blank, the date the file is processed is used.
4	`SKU`	Char	32	Yes	The Capacity SKU, or its UPC. The SKU must already exist in Capacity.
5	`UnitofMeasure`	Char	4	No	For your reference only. The quantity received is always Quantity × CasePack units. • `EACH` Each • `CASE` Case
6	`Quantity`	Integer	7	Yes	Number of packs of CasePack units expected. Units expected = Quantity × CasePack.
7	`CasePack`	Integer	5	Yes	Units in each pack counted in Quantity, 1 or more. Send 1 when Quantity is in units.
8	`ClientCode`	Char	2	No	Your two-character owner code. When blank, the owner of the folder is used. A line with another owner code is rejected.
9	`ContainerNumber`	Char	50	No	Container, trailer or shipment reference. Returned as RefNumber1 in the receiving confirmation file.
10	`Notes`	Char	250	No	Notes for the receiving team. Only the value on the first line of each receiving order is used.
11	`LotNumber`	Char	20	No	Lot number of the stock on this line. The lot must already be set up in Capacity for this SKU.
12	`ExpiryDate`	Date `MM/DD/YYYY`	10	No	Expiry date of the lot (US Eastern calendar date). A line with a date that cannot be read is rejected.

ReceivingOrder-2.0-sample.txt

```
PONumber→LineNumber→DeliveryDate→SKU→UnitofMeasure→Quantity→CasePack→ClientCode→ContainerNumber→Notes→LotNumber→ExpiryDate
PO-0002002→1→11/20/2026→SKU-EXAMPLE-3→CASE→50→6→ZZ→→Palletized, delivery by appointment→→
PO-0002001→1→11/17/2026→SKU-EXAMPLE-1→CASE→20→24→ZZ→CONT0000001→Floor-loaded container→LOT-A1→06/30/2028
PO-0002001→2→11/17/2026→SKU-EXAMPLE-2→EACH→600→1→ZZ→CONT0000001→Floor-loaded container→LOT-B7→03/31/2028
```

EXISTING CLIENTS ONLY

This version is kept for clients that already use it. New clients use version 2.0.

File name	`Any unique name ending in .txt, for example ZZ-receiving-20261110153000.txt`
Delimiter	Tab
Header row	Yes, first line, with the column names below in this order
Columns	10
Quoting	Not supported. Values must not contain tabs, line breaks or double quotes.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
1	`PONumber`	Char	50	Yes	Your purchase order or receiving reference. Every line of one receiving order has the same PONumber.
2	`LineNumber`	Char	10	No	Your line number. When blank, Capacity numbers the lines 1, 2, 3 in file order.
3	`DeliveryDate`	Date `MM/DD/YYYY`	10	No	Date you expect the stock to arrive (US Eastern). YYYY-MM-DD is also accepted. When blank, the date the file is processed is used.
4	`SKU`	Char	32	Yes	The Capacity SKU, or its UPC. The SKU must already exist in Capacity.
5	`UnitofMeasure`	Char	4	No	For your reference only. The quantity received is always Quantity × CasePack units. • `EACH` Each • `CASE` Case
6	`Quantity`	Integer	7	Yes	Number of packs of CasePack units expected. Units expected = Quantity × CasePack.
7	`CasePack`	Integer	5	Yes	Units in each pack counted in Quantity, 1 or more. Send 1 when Quantity is in units.
8	`ClientCode`	Char	2	No	Your two-character owner code. When blank, the owner of the folder is used. A line with another owner code is rejected.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
9	`ContainerNumber`	Char	50	No	Container, trailer or shipment reference. Returned as RefNumber1 in the receiving confirmation file.
10	`Notes`	Char	250	No	Notes for the receiving team. Only the value on the first line of each receiving order is used.

ReceivingOrder-1.0-sample.txt

```
PONumber→LineNumber→DeliveryDate→SKU→UnitofMeasure→Quantity→CasePack→ClientCode→ContainerNumber→Notes
PO-0002002→1→11/20/2026→SKU-EXAMPLE-3→CASE→50→6→ZZ→→Palletized, delivery by appointment
PO-0002001→1→11/17/2026→SKU-EXAMPLE-1→CASE→20→24→ZZ→CONT0000001→Floor-loaded container
PO-0002001→2→11/17/2026→SKU-EXAMPLE-2→EACH→600→1→ZZ→CONT0000001→Floor-loaded container
```

Receiving confirmation file

Direction	Capacity to you
Folder	`OUT/ReceivingConfirm` in your folder on `ftp01.capacityllc.com`
When	Every 30 minutes from 06:30 to 20:30 US Eastern. No file is written when nothing new was received.
Quantities	Always in units, whatever the `UnitofMeasure` and `CasePack` of your receiving order

How to read it

- Match each line to your receiving order with `PONumber`, and to your line with `LineNumber` or `SKU`.
- In version 2, each file reports the units received since the previous file, with the date they were received. A receiving order that is received over several days appears in several files. Add up `Quantity` across files to get the total received.

- In version 1, Capacity writes one file for each receiving order when it is closed, with the total received on each line. Version 1 confirms receiving orders that you sent in a receiving order file.
- In version 2, `ReceiveDate` and `ExpiryDate` are `MM/DD/YYYY`. In version 1, `ReceiveDate` is `YYYYMMDD`.
- Pick up each file, then delete it or move it out of the folder. Capacity keeps a copy.

File name	`ReceivingConfirm-<YYYYMMDDHHMMSS>.txt, for example ReceivingConfirm-20261117143000.txt`
Delimiter	Tab
Header row	Yes, first line, with the column names below in this order
Columns	12
Quoting	Not supported. Values must not contain tabs, line breaks or double quotes.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
1	`PONumber`	Char	50	Yes	PONumber from your receiving order file.
2	`CapacityPONumber`	Integer	10	Yes	Capacity's receiving order number, as shown in the Capacity Client Center.
3	`ReceiveDate`	Date `MM/DD/YYYY`	10	Yes	Date the units on this line were received (US Eastern).
4	`LineNumber`	Char	10	No	LineNumber from your receiving order file, or the number Capacity gave the line.
5	`SKU`	Char	32	Yes	The Capacity SKU received.
6	`Quantity`	Integer	10	Yes	Units received on this line since the previous file, whatever their inventory status.
7	`OrderQuantity`	Integer	10	Yes	Units expected on the receiving order line (Quantity × CasePack from your file).
8	`LotNo`	Char	50	No	Lot number received. Empty for SKUs without lot tracking.
9	`ExpiryDate`	Date `MM/DD/YYYY`	10	No	Expiry date of the lot received (US Eastern calendar date). Empty for SKUs without expiry tracking.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
10	`RefNumber1`	Char	50	No	ContainerNumber from your receiving order file.
11	`RefNumber2`	Char	1000	No	Notes from your receiving order file.
12	`RefNumber3`	Char	50	Yes	Code of the Capacity warehouse that received the stock, for example C3.

ReceivingConfirm-2-sample.txt

```
PONumber→CapacityPONumber→ReceiveDate→LineNumber→SKU→Quantity→OrderQuantity→LotNo→ExpiryDate→RefNumber1→RefNumber2→RefNumber3
PO-0002001→812345→11/17/2026→1→SKU-EXAMPLE-1→480→480→LOT-A1→06/30/2028→CONT0000001→Floor-loaded container→C3
PO-0002001→812345→11/17/2026→2→SKU-EXAMPLE-2→400→600→LOT-B7→03/31/2028→CONT0000001→Floor-loaded container→C3
```

EXISTING CLIENTS ONLY

This version is kept for clients that already use it. New clients use version 2.

File name	`ReceivingConfirm-<confirmation number>-<YYYYMMDDHHMMSS>.txt, for example ReceivingConfirm-104512-20261118103000.txt`
Delimiter	Tab
Header row	Yes, first line, with the column names below in this order
Columns	7
Quoting	Not supported. Values must not contain tabs, line breaks or double quotes.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
1	`PONumber`	Char	50	Yes	PONumber from your receiving order file.
2	`CapacityPONumber`	Integer	10	Yes	Capacity's receiving order number, as shown in the Capacity Client Center.

#	COLUMN	TYPE	MAX LENGTH	REQUIRED	DESCRIPTION
3	`ReceiveDate`	Date `YYYYMMDD`	8	Yes	Date the receiving order was closed (US Eastern).
4	`LineNumber`	Char	10	No	LineNumber from your receiving order file, or the number Capacity gave the line.
5	`SKU`	Char	32	Yes	The Capacity SKU received.
6	`Quantity`	Integer	10	Yes	Total units received on the line.
7	`QuantityOrdered`	Integer	10	Yes	Units expected on the line (Quantity × CasePack from your file).

ReceivingConfirm-1-sample.txt

```
PONumber→CapacityPONumber→ReceiveDate→LineNumber→SKU→Quantity→QuantityOrdered
PO-0002001→812345→20261118→1→SKU-EXAMPLE-1→480→480
PO-0002001→812345→20261118→2→SKU-EXAMPLE-2→596→600
```