832 Product catalog (price/sales catalog)

The 832 creates and changes the products Capacity holds for you. Each LIN loop is one product. Send your catalog before the first 943 or 940 that uses a new item.

Direction	You to Capacity
Version and GS01	004010, `SC`
Folder	`IN` in your folder
When	Every 10 minutes from 00:50 to 22:50; files that arrive later are picked up at 00:50, US Eastern
Answered by	A 997 in the same run

The Envelopes page describes the ISA, GS, GE and IEA segments that wrap the file.

Key rules

- **BCT10** says what to do with every product in the transaction set: `02` add, `04` change, `03` discontinue. Send `04` to create a product or update it.
- **LIN03** is the item's 12-digit UPC. Capacity uses it as the product's SKU.
- Capacity reads the other LIN values **by position**, not by qualifier: LIN05 style, LIN07 colour, LIN09 size and so on, as listed below. Keep each value in its position. Send an empty qualifier and value pair for any value you skip.
- The product name is built from the PID descriptions: style (`08`), colour (`73`) and size (`74`).
- Send weight and volume in **TD1**. Kilograms and cubic centimetres are converted to pounds and cubic feet.
- For a prepack, send LIN09 `PPK` and one **SLN** loop for each component item.
- Segments that X12 allows but are not listed here are accepted and not used.

Segment summary

AREA	SEGMENT	NAME	USAGE	MAX USE	LOOP
Heading	ST	Transaction set header	Mandatory	1	
Heading	BCT	Beginning segment for price/sales catalog	Mandatory	1	
Detail	LIN	Item identification	Mandatory	1	LIN
Detail	DTM	Date/time reference	Optional	10	LIN
Detail	REF	Reference identification	Optional	>1	LIN
Detail	PID	Product/item description	Optional	200	LIN
Detail	TD1	Carrier details (quantity and weight)	Optional	>1	LIN
Detail	CTP	Pricing information	Optional	1	CTP
Detail	SLN	Subline item detail	Conditional	1	SLN
Summary	CTT	Transaction totals	Optional	1	
Summary	SE	Transaction set trailer	Mandatory	1	

Segments

ST: Transaction set header

Heading · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
ST01	143	Transaction set identifier code	Mandatory	ID	3/3	Always 832. • 832 This transaction set
ST02	329	Transaction set control number	Mandatory	AN	4/9	Control number of this transaction set, unique within the functional group. SE02 repeats it.

BCT: Beginning segment for price/sales catalog

Heading · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`BCT01`	683	Catalog purpose code	Mandatory	ID	2/2	Send RC. Required by X12; Capacity does not use the value.
`BCT02`	684	Catalog number	Optional	AN	1/15	Your catalog number.
`BCT03`	685	Catalog version number	Optional	AN	1/15	Accepted; not used by Capacity.
`BCT04`	686	Catalog revision number	Optional	AN	1/6	Accepted; not used by Capacity.
`BCT05`	355	Unit or basis for measurement code	Optional	ID	2/2	Accepted; not used by Capacity.
`BCT06`	684	Catalog number	Optional	AN	1/15	Accepted; not used by Capacity.
`BCT07`	685	Catalog version number	Optional	AN	1/15	Accepted; not used by Capacity.
`BCT08`	686	Catalog revision number	Optional	AN	1/6	Accepted; not used by Capacity.
`BCT09`	352	Description	Optional	AN	1/80	Accepted; not used by Capacity.
`BCT10`	353	Transaction set purpose code	Mandatory	ID	2/2	What to do with every product in this catalog. Capacity makes no change for any other value. • `02` Add: create new products • `04` Change: create or update products • `03` Discontinue: mark the products as pending discontinuation

LIN: Item identification

Detail · Mandatory · max use 1 · loop LIN

Send one LIN loop for each product. Capacity reads LIN values by position, not by qualifier.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`LIN01`	350	Assigned identification	Optional	AN	1/20	Your line number.
`LIN02`	235	Product/service ID qualifier	Mandatory	ID	2/2	Qualifier for LIN03, for example UP.
`LIN03`	234	Product/service ID	Mandatory	AN	1/48	Item UPC. Capacity uses it as the product's SKU.
`LIN04`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for LIN05, for example ST. Send a qualifier with every value you send.
`LIN05`	234	Product/service ID	Optional	AN	1/48	Style number. Capacity reads this value by its position, so keep it in this position and send empty pairs for values you skip.
`LIN06`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for LIN07, for example CL. Send a qualifier with every value you send.
`LIN07`	234	Product/service ID	Optional	AN	1/48	Colour code. Capacity reads this value by its position, so keep it in this position and send empty pairs for values you skip.
`LIN08`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for LIN09, for example SZ. Send a qualifier with every value you send.
`LIN09`	234	Product/service ID	Optional	AN	1/48	Size code. PPK marks a case (prepack) item. Capacity reads this value by its position, so keep it in this position and send empty pairs for values you skip.
`LIN10`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for LIN11. Send a qualifier with every value you send.
`LIN11`	234	Product/service ID	Optional	AN	1/48	Dimension. Capacity reads this value by its position, so keep it in this position and send empty pairs for values you skip.
`LIN12`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for LIN13. Send a qualifier with every value you send.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`LIN13`	234	Product/service ID	Optional	AN	1/48	Label. Capacity uses it as the brand. Capacity reads this value by its position, so keep it in this position and send empty pairs for values you skip.
`LIN14`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for LIN15. Send a qualifier with every value you send.
`LIN15`	234	Product/service ID	Optional	AN	1/48	NRF size code. Capacity reads this value by its position, so keep it in this position and send empty pairs for values you skip.
`LIN16`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for LIN17. Send a qualifier with every value you send.
`LIN17`	234	Product/service ID	Optional	AN	1/48	NRF colour code. Capacity reads this value by its position, so keep it in this position and send empty pairs for values you skip.
`LIN18`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for LIN19. Send a qualifier with every value you send.
`LIN19`	234	Product/service ID	Optional	AN	1/48	Size range. Capacity reads this value by its position, so keep it in this position and send empty pairs for values you skip.
`LIN20`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for LIN21. Send a qualifier with every value you send.
`LIN21`	234	Product/service ID	Optional	AN	1/48	Size bucket. Capacity reads this value by its position, so keep it in this position and send empty pairs for values you skip.
`LIN22`	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for LIN23. Send a qualifier with every value you send.
`LIN23`	234	Product/service ID	Optional	AN	1/48	Season. Capacity reads this value by its position, so keep it in this position and send empty pairs for values you skip.

DTM: Date/time reference

Detail · Optional · max use 10 · loop LIN

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`DTM01`	374	Date/time qualifier	Mandatory	ID	3/3	Date type. Other qualifiers are accepted and not used. • `018` Available date • `036` Expiration date
`DTM02`	373	Date	Optional	DT	8/8	Date, CCYYMMDD. Recorded for reference.

REF: Reference identification

Detail · Optional · max use >1 · loop LIN

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`REF01`	128	Reference identification qualifier	Mandatory	ID	2/3	Product attribute. Other qualifiers are accepted and not used. • `DIV` Division. Capacity uses it as the product category • `MRA` Merchandise group A • `MRB` Merchandise group B • `MRC` Merchandise group C • `MRD` Merchandise group D • `UD2` User-defined style attribute
`REF02`	127	Reference identification	Mandatory	AN	1/30	Attribute value.

PID: Product/item description

Detail · Optional · max use 200 · loop LIN

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
PID01	349	Item description type	Mandatory	ID	1/1	Send F (free-form).
PID02	750	Product/process characteristic code	Mandatory	ID	2/3	Description type. Capacity builds the product name from these. • 08 Style description • 73 Colour description • 74 Size description
PID03	559	Agency qualifier code	Not used	ID	2/2	
PID04	751	Product description code	Not used	AN	1/12	
PID05	352	Description	Mandatory	AN	1/80	Description text.

TD1: Carrier details (quantity and weight)

Detail · Optional · max use >1 · loop LIN

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`TD101`	103	Packaging code	Optional	AN	3/5	Packaging code, for example CTN25.
`TD102`	80	Lading quantity	Optional	N0	1/7	Units per case.
`TD103`	23	Commodity code qualifier	Optional	ID	1/1	Accepted; not used by Capacity.
`TD104`	22	Commodity code	Optional	AN	1/30	Accepted; not used by Capacity.
`TD105`	79	Lading description	Optional	AN	1/50	Accepted; not used by Capacity.
`TD106`	187	Weight qualifier	Optional	ID	1/2	Accepted; not used by Capacity.
`TD107`	81	Weight	Optional	R	1/10	Unit weight.
`TD108`	355	Unit or basis for measurement code	Conditional	ID	2/2	Weight unit. Kilograms are converted to pounds. • `LB` Pound • `KG` Kilogram
`TD109`	183	Volume	Optional	R	1/8	Unit volume.
`TD110`	355	Unit or basis for measurement code	Conditional	ID	2/2	Volume unit. Cubic centimetres are converted to cubic feet. • `CF` Cubic feet • `CR` Cubic centimetres

CTP: Pricing information

Detail · Optional · max use 1 · loop CTP

Up to 100 CTP loops per product, one per price type.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
`CTP01`	687	Class of trade code	Optional	ID	2/2	Accepted; not used by Capacity.
`CTP02`	236	Price identifier code	Mandatory	ID	3/3	Price type. • `RTL` Retail price • `STD` Standard price • `PCA` Alternate price
`CTP03`	212	Unit price	Mandatory	R	1/17	Price in US dollars, for example 24.99.

SLN: Subline item detail

Detail · Conditional · max use 1 · loop SLN

For a prepack (case) product: one SLN loop for each component item in the prepack.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
SLN01	350	Assigned identification	Mandatory	AN	1/20	Component line number.
SLN02	350	Assigned identification	Not used	AN	1/20	
SLN03	662	Relationship code	Mandatory	ID	1/1	Required by X12, for example I (included).
SLN04	380	Quantity	Mandatory	R	1/15	Quantity of this component in one prepack.
SLN05	355	Unit or basis for measurement code	Mandatory	ID	2/2	Unit of measure, for example EA.
SLN06	212	Unit price	Optional	R	1/17	Component unit price.
SLN07	639	Basis of unit price code	Not used	ID	2/2	
SLN08	662	Relationship code	Not used	ID	1/1	
SLN09	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for SLN10.
SLN10	234	Product/service ID	Mandatory	AN	1/48	Component UPC. Read by position.
SLN11	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for SLN12.
SLN12	234	Product/service ID	Optional	AN	1/48	Component style number. Read by position.
SLN13	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for SLN14.
SLN14	234	Product/service ID	Optional	AN	1/48	Component size code. Read by position.
SLN15	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for SLN16.
SLN16	234	Product/service ID	Optional	AN	1/48	Component colour code. Read by position.
SLN17	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for SLN18.
SLN18	234	Product/service ID	Optional	AN	1/48	Component label. Read by position.

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
SLN19	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for SLN20.
SLN20	234	Product/service ID	Optional	AN	1/48	Component dimension. Read by position.
SLN21	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for SLN22.
SLN22	234	Product/service ID	Optional	AN	1/48	Component NRF colour code. Read by position.
SLN23	235	Product/service ID qualifier	Conditional	ID	2/2	Qualifier for SLN24.
SLN24	234	Product/service ID	Optional	AN	1/48	Component NRF size code. Read by position.

CTT: Transaction totals

Summary · Optional · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
CTT01	354	Number of line items	Mandatory	N0	1/6	Number of LIN segments. Recorded for reference.

SE: Transaction set trailer

Summary · Mandatory · max use 1

REF	ELEMENT	NAME	USAGE	TYPE	MIN/MAX	VALUES AND NOTES
SE01	96	Number of included segments	Mandatory	N0	1/10	Number of segments from ST to SE, both included.
SE02	329	Transaction set control number	Mandatory	AN	4/9	Same value as ST02.

Sample

An 832 that creates or updates one item and one prepack made of four of that item.

x12-832-sample.edi

```
ISA*00*          *00*          *ZZ*PARTNEREXAMPLE *08*CAPACITY       *261110*1530*U*00401*000001003*0*P*>~
GS*SC*PARTNEREXAMPLE*CAPACITY*20261110*1530*1003*X*004010~
ST*832*0001~
BCT*RC*CAT-0001********04~
LIN*1*UP*012345678905*ST*STYLE-100*CL*BLK*SZ*M~
DTM*018*20261201~
REF*DIV*ACCESSORIES~
PID*F*08***Example product~
PID*F*73***Black~
PID*F*74***Medium~
TD1*CTN25*24*****0.5*LB~
CTP**RTL*24.99~
LIN*2*UP*012345678912*ST*STYLE-PPK*CL*ASST*SZ*PPK~
PID*F*08***Example prepack~
CTP**RTL*99.99~
SLN*1**I*4*EA****UP*012345678905~
CTT*2~
SE*16*0001~
GE*1*1003~
IEA*1*000001003~
```